

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/







9	alignant tumors, as used in this	
7 7 8		•••••
7 8 9		•••••
8		
9		•••••
9	alignant tumors, as used in this	
9		other nu
12, 13	•••••	
12	********	
13		
13		
13		
14	***************************************	
14	••••••	
14		
	•••••	
15	••••••	
15	••••••	
15		
	and other malignant tumors,	, from cancer
16	••••••	•••••
18	•••••	
		LES.
	95	1 -41
	lignant tumors in the registra-	
21		
žı	cording to the part of the body	nors, classified acc
35	cording to the part of the body or more such deaths: 1914	ich there were 50 gnosis, at specified
35 44	cording to the part of the body or more such deaths: 1914 ages, by sex and color, for the 60 or more such deaths: 1914 body affected, with statement	ich there were 50 agnosis, at specified a which there were 5 g to the part of the
35 44	cording to the part of the body or more such deaths: 1914 ages, by sex and color, for the 60 or more such deaths: 1914	ich there were 50 agnosis, at specified a which there were 5 g to the part of the
35 44	ages, by sex and color, for the 50 or more such deaths: 1914 ages, by sex and color, for the 50 or more such deaths: 1914 body affected, with statement egistration unit in which there	ich there were 50 agnosis, at specified a which there were 5 g to the part of the states, and for each respectively.
35 44	ages, by sex and color, for the body or more such deaths: 1914 ages, by sex and color, for the body affected, with statement egistration unit in which there	ich there were 50 agnosis, at specified a which there were 5 g to the part of the states, and for each respectively.
35 44 88 182	ages, by sex and color, for the 50 or more such deaths: 1914 ages, by sex and color, for the 50 or more such deaths: 1914 body affected, with statement egistration unit in which there	ich there were 50 de sich there were 50 de sich there were 50 de sich there were 50 de states, and for each research and the registrat
35 44 88 182	ages, by sex and color, for the 60 or more such deaths: 1914 ages, by sex and color, for the 60 or more such deaths: 1914 body affected, with statement egistration unit in which there ion states, by age and by sex,	ich there were 50 de sich there were 50 de sich there were 50 de sich there were 50 de states, and for each research and the registrat
35 44 88 182	ages, by sex and color, for the 60 or more such deaths: 1914 ages, by sex and color, for the 60 or more such deaths: 1914 body affected, with statement egistration unit in which there ion states, by age and by sex,	ignosis, at specified a which there were 50 g to the part of the states, and for each registrate to the part of the states.
35 44 88 182	ages, by sex and color, for the 60 or more such deaths: 1914 ages, by sex and color, for the 60 or more such deaths: 1914 body affected, with statement egistration unit in which there ion states, by age and by sex, dy affected, in the registration	ignosis, at specified a which there were 50 to the part of the states, and for each reacher to the part of the states, and the registrate of decedent; 191 on states, of zing.
35 44 88 182 184	ages, by sex and color, for the of or more such deaths: 1914 ages, by sex and color, for the of or more such deaths: 1914 body affected, with statement egistration unit in which there ion states, by age and by sex, dvaffected, in the registration widowed, and divorced and parent of de-	agnosis, at specified a which there were 50 a which there were 5 g to the part of the states, and for each rearea and the registrate of decedent; 191 on states, of single poor, color, general
35 44 88 182	ages, by sex and color, for the 60 or more such deaths: 1914 ages, by sex and color, for the 60 or more such deaths: 1914 body affected, with statement egistration unit in which there ion states, by age and by sex, dy affected, in the registration	ignosis, at specified a which there were 50 a which there were 5 g to the part of the states, and for each rearea and the registrate of decedent; 191 on states, of single color, general
35 44 88 182 184	ages, by sex and color, for the of or more such deaths: 1914 ages, by sex and color, for the of or more such deaths: 1914 body affected, with statement egistration unit in which there ion states, by age and by sex, dvaffected, in the registration widowed, and divorced and parent of de-	agnosis, at specified a which there were 50 a which there were 5 g to the part of the states, and for each rearea and the registrate of decedent; 191 on states, of single poor, color, general
35 44 88 182 184	ages, by sex and color, for the 60 or more such deaths: 1914 ages, by sex and color, for the 60 or more such deaths: 1914 body affected, with statement egistration unit in which there ion states, by age and by sex, dv affected, in the registration iddowed, and divorced and purent of de-	ignosis, at specified a which there were 50 a which there were 5 g to the part of the states, and for each rearea and the registrate of decedent; 191 on states, of single color, general
35 44 88 182 184 210	ages, by sex and color, for the 50 or more such deaths: 1914 ages, by sex and color, for the 50 or more such deaths: 1914 body affected, with statement egistration unit in which there ion states, by age and by sex, dv affected, in the registration i, widowed, and divorced and parent of de-	ich there were 50 de gnozis, at specified a which there were 5 g to the part of the states, and for each rearea and the registrates of decedent: 191 on states, of single color, general
35 44 88 182 184 210	ages, by sex and color, for the 60 or more such deaths: 1914 ages, by sex and color, for the 60 or more such deaths: 1914 body affected, with statement egistration unit in which there ion states, by age and by sex, dv affected, in the registration iddowed, and divorced and purent of de-	ignosis, at specified a which there were 50 a which there were 5 g to the part of the states, and for each rearea and the registrate of decedent; 191 on states, of single color, general



DEPARTMENT OF COMMERCE 1.5. BUREAU OF THE CENSUS SAM. L. ROGERS, DIRECTOR

MORTALITY FROM CANCER AND OTHER MALIGNANT TUMORS

IN THE REGISTRATION AREA OF THE UNITED STATES

1914




WASHINGTON
GOVERNMENT PRINTING OFFICE
1916

YSASSI SWAI

CONTENTS.

Г	C	v	7	•
1	C	Л	ı	•

	Page.
Introduction	
Classification according to location,	
Proportion of transcripts which contained needed information	7
Circular letter to physicians	7
Classification as to diagnosis	8
List showing titles and subdivisions of titles of International List, relating to cancer and other malignant tumors, as used in this	
report, together with inclusions under each title	9
The registration area	
Growth of the registration area: 1880 to 1914.	12
Extent of the registration area in 1914	13
Population of registration states, by age and sex, in 1914	13
Summary and analysis of the statistics	13–18
Color, nativity, parent nativity, age, and sex of decedent	13
Deaths and crude death rates	14
High and low rates for states	14
High and low rates for cities	14
Crude rates for different localities noncomparable	15
Deaths and death rates in seven titles of International Classification: 1900–1914	15
Deaths, death rates, and per cent distribution, by location of disease: 1914	15
Crude death rates at all ages and specific death rates for thirteen age groups, by sex, from cancer and other malignant tumors,	
according to the part of the body affected, for the registration states: 1914	16
Death rates in foreign countries: 1900-1914	18
OLIVATOR AND DAME WARED	
SUMMARY AND RATE TABLES.	
TABLE I.—Population and deaths and death rates per 100,000 population from cancer and other malignant tumors in the registra-	
tion area and its subdivisions: 1914	21
TABLE II.—Death rates per 100,000 population from cancer and other malignant tumors, classified according to the part of the body	
affected, for the registration area and for each registration unit in which there were 50 or more such deaths: 1914	35
macetod, for the regulation and the court regulation and the rest to the court account.	
GENERAL TABLES.	
TABLE 1.—Deaths from cancer and other malignant tumors, with statement of diagnosis, at specified ages, by sex and color, for the	
registration area, registration states, and for each registration unit in which there were 50 or more such deaths: 1914	44
TABLE 2.—Deaths from cancer and other malignant tumors, classified according to the part of the body affected, with statement	
of diagnosis, by sex and color, for the registration area, registration states, and for each registration unit in which there	
were 50 or more such deaths: 1914.	88
Table 3.—Deaths from cancer and other malignant tumors in the registration area and the registration states, by age and by sex,	
color, general nativity, and parent nativity of decedent: 1914	182
Table 4.—Deaths from cancer and other malignant tumors, classified according to the part of the body affected, in the registration	
states, by age, sex, color, general nativity, and parent nativity of decedent: 1914	184
Table 5.—Deaths from cancer and other malignant tumors, in the registration states, of single, married, widowed, and divorced	101
persons, and of those of unknown conjugal condition, by sex, age, color, general nativity, and parent nativity of de-	
cedent: 1914	210
CCUCILL. 1011	210
MAPS AND DIAGRAM.	
Growth of the registration area for deaths: 1880–1914 (maps)	11
Percentages which the population and the land area of the registration area formed of the total population and land area of the United	
States for the years 1880, 1890, and 1900 to 1914, inclusive (diagram)	12



LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,

BUREAU OF THE CENSUS,

Washington, D. C., August 21, 1916.

SIR:

I transmit herewith a monograph on the mortality from cancer and other malignant tumors in the registration area of the United States. In this monograph the seven titles of the International List of Causes of Death covering the subject of cancer have been subdivided, so that deaths from cancer and other malignant tumors are classified, according to location, under 29 separate headings.

I wish to acknowledge the advice and cooperation of the American Society for the Control of Cancer, and especially of its Statistical Advisory Board: Dr. F. L. Hoffman, chairman; Dr. Cressy L. Wilbur, Dr. William H. Guilfoy, Dr. Louis I. Dublin, and Mr. Curtis E. Lakeman, executive secretary; and also of Prof. Walter F. Willcox, of Cornell University, and Dr. William J. Mayo.

This monograph was prepared under the supervision of Mr. Richard C. Lappin, chief statistician for vital statistics, assisted by Mr. George H. Van Buren, expert chief of division.

Respectfully,

SAM. L. ROGERS,

Director of the Census.

To Hon. WILLIAM C. REDFIELD, Secretary of Commerce.

(5)



MORTALITY FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA OF THE UNITED STATES: 1914.

INTRODUCTION.

This monograph presents, in greater detail than heretofore shown in the annual mortality reports of the Bureau of the Census, statistics of deaths occurring in the registration area of the United States during the calendar year 1914 and reported as due to cancer and other malignant tumors. The preparation of this monograph was authorized by the Director of the Census on October 17, 1914, in compliance with the suggestion of a number of the foremost students of the cancer problem and at the request of the American Society for the Control of Cancer. The request of this society was made in pursuance of the following resotion, adopted at a meeting of the executive committee on February 7, 1914:

Resolved, That the executive committee of the American Society for the Control of Cancer respectfully suggests to the Director of the United States Census that the division of vital statistics be instructed to publish hereafter, in the annual volume on mortality statistics, a more detailed statement of the deaths from cancer and other malignant tumors, as reported for the registration area of the United States, and in accordance with the details as given in the second revision of the Manual of the International List of Causes of Death, pages 63-66, inclusive.

It was deemed advisable, however, to publish this detailed statement in the form of a separate monograph, in order not to cause too great a delay in the publication of the annual report on mortality statistics.

CLASSIFICATION ACCORDING TO LOCATION.

In the preparation of the accompanying tables the bureau has subdivided the seven titles of the International List of Causes of Death, covering the subject of cancer, so that the statistics show the mortality from cancer and other malignant growths,1 classified according to location, under 29 separate headings. It was suggested by a member of the Society for the Control of Cancer that two sets of statistics should be presented, showing (a) growths of which the existence and malignant nature were reasonably certain on the basis of autopsies, surgical operations, microscopical examinations, or accessibility to observation by reason of exposed situations; and (b) those of which identification as malignant tumors was uncertain, that is, internal cancers and other malignant growths, diagnoses of which were based on clinical findings only. This suggestion was adopted.

PROPORTION OF TRANSCRIPTS WHICH CONTAINED
NEEDED INFORMATION.

The first step in preparation for the tabulation was to make an estimate of the percentage of the transcripts, as received by the Census Bureau, which contained the desired information. It was estimated that at least 50,000 deaths in the registration area would be reported during the year 1914 as due to cancer. About 2,000 transcripts from several registration states were examined and it was found that in less than 2 per cent of the cases was the fact of autopsy mentioned, that about 9 per cent of the transcripts contained the information that surgical operations had been performed, and that in practically no cases was it stated that the diagnosis was based on clinical findings. For the entire 50,000 cases, there would thus be, on the basis of the data on the 2,000 transcripts of death certificates examined, about 11 per cent, or approximately 5,500, in which surgical operations or autopsies had been performed. Using as a criterion the mortality statistics for 1913, it was estimated that about 8,500 deaths would be reported as due to cancer or malignant tumors of the buccal cavity, skin, and breast, all so situated that no mistake would be probable in diagnosis, and that these, therefore, could be classified as of reasonably certain malignancy. There would thus be a total of approximately 14,000 cases in which the diagnosis could be safely accepted as "reasonably certain," leaving some 36,000 in which it was necessary for the Bureau of the Census to communicate with the attending physicians in order to ascertain whether the diagnoses were based on clinical findings or on autopsies, or whether surgical operations had been performed.

CIRCULAR LETTER TO PHYSICIANS.

The following circular letter was, therefore, prepared and sent to over 35,000 physicians, and it is gratifying to be able to state that replies were received from about 80 per cent of them. In this connection it should be borne in mind that in many cases the deaths occurred nine or ten months prior to their receipt of the letters.

As a result of this investigation, the bureau was able to compile 30,555 deaths, or 58.3 per cent of the total, under the caption "Diagnosis reasonably certain"; 14,404, or 27.5 per cent, under "Diagnosis uncertain"; and 7,461, or 14.2 per cent, under "Diagnosis unknown."

¹The term "cancer," as used throughout this monograph, includes "other malignant tumors."

DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS.

WASHINGTON

DEAR DOCTOR:

At the request of the American Society for the Control of Cancer the Bureau of the Census has decided to publish two sets of statistics covering the subject of deaths from cancer and other malignant tumors:

(a) Statistics of deaths in which the diagnoses were based clinical findings.
(b) Statistics of deaths in which the diagnoses were confirmed

by autopsies, or in which surgical operations were confirmed by autopsies, or in which surgical operations were performed. Will you kindly examine the accompanying transcript of a medical certificate of death, the original of which was made out by you, and note thereon whether the diagnosis was based on clinical findings or autopsy; also whether there was surgical intervention! In either case the seat of the disease should also be stated.

Any further data which you care to give may be written on the reverse side of the transcript.

reverse side of the transcript.

The information will be treated as strictly confidential and used for statistical purposes only. I feel assured that your interest in advancing the scientific study of this subject will prompt you to aid the bureau in this great work, the success of which is entirely dependent upon the cooperation of American physicians.

Prompt return of the information desired, by means of inclosed penalty envelope, which requires no postage, will be greatly appreciated, as we are now compiling these returns.

ciated, as we are now covery respectfully,

SAM. L. ROGERS, Director.

The Bureau of the Census takes this occasion to express its sincere appreciation of the interest and courtesy shown by so many thousands of physicians in their replies. It was necessary in many cases to consult records which were months old; in others certificates had been signed by doctors who had answered calls in the absence of the regular medical attendants, but who either referred the bureau to the latter or obtained from them the case histories. Many replies were accompanied by extracts from hospital records, nurses' charts, and even photographs of the growths. Deserving of special thanks are two cases in which widows of deceased physicians sent extracts from case histories as found in their records.

In editing the replies of the physicians a considerable number of cases were noted of which the following is an example: The return was "cancer of the liver." The physician replying to the Census Bureau inquiry as to basis of diagnosis stated that, so far as the liver was concerned, the diagnosis was purely clinical, but that prior to this a cancer of the breast had been excised; or that the decedent had suffered for years from a malignant tumor of the rectum, the uterus, the axilla, the face, or some other "visible or accessible" organ or member. bureau in classifying such a case was therefore confronted with this situation: (a) The existence of cancer was certain or "reasonably certain" in the visible or accessible organ or member; (b) the existence of cancer in the inaccessible organ was confirmed by clinical symptoms only; (c) the executive council of the American Society for the Control of Cancer, in conjunction with representatives of other interested organizations and persons, had recommended "that all diagnoses of inaccessible cancer based on clinical findings alone should be referred to the 'uncertain class' regardless of any strength of assertion by the physician that the diagnosis was correct.'

Under these conditions it was decided to classify the death as one caused by cancer of the visible or accessible organ, it being deemed better to establish as nearly as possible the number of deaths in which it was "reasonably certain" that the cause was cancer, than to tabulate under the head of cancer of any given organ deaths which were declared by the society to be uncertain as to cause by reason of the fact that the diagnosis was based on clinical findings only. In former years, however, such a death, classified on the basis of the original unamended statement, would have been charged to cancer of the inaccessible organ; and it may be that the number of changes in this respect will be sufficient to influence the rate for Title 44 (Cancer of the skin) and Title 43 (Cancer of the breast).

CLASSIFICATION AS TO DIAGNOSIS.

Deaths covered by the following classes of cases were compiled under the caption, "Diagnosis reasonably certain":

- (a) All cases of external cancers, including those assignable to Title No. 43 (Cancer of breast); to Title No. 44 (Cancer of skin); and to the majority of the terms under subtitle X of Title No. 45 (Cancer of other organs or of organs not speci-
- fied).

 (b) All cases of cancers in cavities of the body or in organs that can be seen and examined without operative measures; e. g., those assignable to Title No. 39 (Cancer of the buccal cavity); to Title No. 41, subtitle C (Cancer of rectum and anus); to Title No. 42, subtitle B (Cancer of the uterus); to Title No. 42, subtitle C (Cancer of vagina and vulva); to Title No. 45, subtitle A (Cancer of larynx); and to a few terms under subtitle X of Title No. 45 (Cancer of other organs or of organs not specified.

 (c) All cases in which diagnosis was confirmed by surgical intervention (including exploratory operations).

 (d) All cases in which diagnosis was confirmed by microscopic findings.

 (e) All cases in which diagnosis was confirmed by post-mortems, autopsies, or necropsics.

The following cases were compiled under "Diagnosis uncertain":

All cases in which death was ascribed to malignant growths of organs or parts of the body that are inaccessible except through operative measures, and in which no operative measures were employed, no microscopic examinations were made, and no postmortems, autopsies, or necropsies were performed.

Under this heading are included cases where growths were inaccessible, no operative measures were employed, and the diagnoses were based on clinical findings only, even though they were concurred in by consultants, and even though physicians of most eminent professional standing positively asserted that they were sure of their diagnoses. This has been done on the earnest recommendation of the American Society for the Control of Cancer.

Under "Diagnosis unknown" were compiled-

All those cases concerning which correspondence with physicians was necessary to determine whether diagnosis was reasonably certain or was uncertain, and concerning which no replies were received to the communications of the Bureau of the Census.

LIST SHOWING TITLES AND SUBDIVISIONS OF TITLES OF INTERNATIONAL LIST, RELATING TO CANCER AND OTHER MALIGNANT TUMORS, AS USED IN THIS REPORT, TOGETHER WITH INCLUSIONS UNDER EACH TITLE.


```
39.—CANCER AND OTHER MALIGNANT TUMORS OF THE BUCCAL
                                                                     41.—CANCER AND OTHER MALIGNANT TUMORS OF THE PERITONEUM,
        CAVITY.
                                                                             INTESTINES, RECTUM-Continued.
       39A.—Cancer of the lip:
                                                                           41B.—Cancer of the intestines (except rectum)—Continued.
                                                                                      Cancer of intestinal gland.
                 Cancer of lip.
                 Smokers' cancer.
                                                                                               intestine.
      39B.—Cancer of the tongue:
                                                                                               sigmoid flexure.
                                                                                      Carcinoma entericum.
                 Cancer of tongue.
                 Carcinoma linguae.
                                                                                      Malignant stricture of intestine.
                                                                                               ulceration of intestine.
                 Lingual cancer.
                                                                           41c.—Cancer of the rectum and anus:
      39c.— Cancer of the mouth (without further qualification):
                 Cancer of mouth.
                                                                                      Cancer of anus.
                                                                                               rectum.
      39D.—Cancer of the jaw:
                                                                           41x.—Other cancers of this class:
                 Cancer of jaw.
                                                                                      Cancer of abdominal viscera.
                 Cancer of maxilla.
                                                                                      Malignant internal stricture.
      39x.—Other cancers of this class:
                 Cancer of buccal cavity (without further qualifi-
                                                                     42.—('ANCER AND OTHER MALIGNANT TUMORS OF THE FEMALE
                   cation).
                                                                             GENITAL ORGANS.
                 Cancer of cheek.
                                                                           42A.—Cancer of the ovary and fallopian tube:
                 Cancer of gum.
                                                                                     Cancer of fallopian tube.
                 Cancer of palate.
                                                                                               ovary.
                Cancer of soft palate.
Cancer of tonsil.
                                                                           42B.—Cancer of the uterus:
                                                                                     Cancer of cervix.
                                                                                               uterus.
40.—CANCER AND OTHER MALIGNANT TUMORS OF THE STOMACH.
                                                                                               womb.
        LIVER.
                                                                                      Cervical cancer.
      40A.—Cancer of the pharynx:
                                                                                     Neoplasm of uterus.
                                                                           42c.—Cancer of the vagina and vulva:
                Cancer of pharynx.
      40B.—Cancer of the esophagus:
                                                                                     Cancer of vagina.
                                                                                               vulva.
                Cancer of esophagus.
                                                                           42x.—Other cancers of this class:
      40c.—Cancer of the stomach:
                                                                                     Cancer of broad ligament.
                Cancer of cardia.
                                                                                               female genital organ (unspecified).
                          cardiac orifice of stomach.
                                                                                               uterine ligament.
                          pylorus.
                                                                                      Chorioepithelioma.
                          stomach
                                                                                      Deciduoma malignum.
                Carcinoma ventriculi.
                                                                                      Hydatid mole.
                Gastric tumor.
                                                                                      Hydatidiform mole.
                Gastrocarcinoma.
                                                                                      Syncytioma.
                Tumor of stomach.
      40D.—Cancer of the liver and gall bladder:
                                                                     43.—CANCER AND OTHER MALIGNANT TUMORS OF THE BREAST.
                Cancer of bile duct.
                                                                              Cancer of breast.
                          gall bladder.
                                                                                       mammary gland.
                              duct.
                                                                                       nipple.
                                                                              Cancer en cuirasse
                          liver.
                                                                              Neoplasm of breast.
                Hepatic cancer.
                 Melanosis of liver.
                                                                     44.—('ANCER AND OTHER MALIGNANT TUMORS OF THE SKIN.
                                                                              Cancer of auricle (of ear).
41.—CANCER AND OTHER MALIGNANT TUMORS OF THE PERITONEUM,
                                                                                       chin.
        INTESTINES, RECTUM.
                                                                                       connective tissue.
      41A.—Cancer of the mesentery and peritoneum:
                                                                                       ear.
                Cancer of mesentery.
                                                                                       face.
                          omentum.
                                                                                        head.
                          peritoneum.
                                                                                       nose.
                          retroperitoneal gland.
                                                                                        scalp.
                Cancerous peritonitis.
                                                                                       skin.
                 Lymphosarcoma of peritoneum.
                                                                                       umbilicus.
                 Malignant peritonitis.
                                                                              Cancroid (unqualified).
                Retroperitoneal cancer.
                                                                              Cervicofacial cancer.
      41B.—Cancer of the intestines (except rectum):
                                                                              Columnar epithelioma.
                Cancer of appendix.
                                                                              Epithelial tumor (location not indicated).
                          cecum.
                                                                              Epithelioma (location not indicated).
                          caput coli.
                                                                              Noli me tangere
                          colon.
                                                                              Rodent dermatitis
                          duodenum.
                                                                                      ulcer
                                                                         [This title does not include Esthiomene (34) or Lupus (34).]
                          ileum.
```

LIST SHOWING TITLES AND SUBDIVISIONS OF TITLES OF INTERNATIONAL LIST, RELATING TO CANCER AND OTHER MALIGNANT TUMORS, AS USED IN THIS REPORT, TOGETHER WITH INCLUSIONS UNDER EACH TITLE—Continued

```
45.—CANCER AND OTHER MALIGNANT TUMORS OF OTHER ORGANS
45.—CANCER AND OTHER MALIGNANT TUMORS OF OTHER ORGANS
        OR OF ORGANS NOT SPECIFIED.
                                                                              OR OF ORGANS NOT SPECIFIED—Continued.
      45A.—Cancer of the larynx:
                                                                            45x.—Other cancers of this class—Continued.
                                                                                      Cancer of iliac region.
                Cancer of larynx.
      45B.—Cancer of the lung and pleura:
                                                                                               inguinal gland.
                Cancer of anterior mediastinum.
                                                                                                        region.
                                                                                                iris.
                          lung.
                          mediastinal gland.
                                                                                                lacrimal apparatus.
                          mediastinum.
                                                                                                leg.
                          pleura.
                                                                                                lower extremity.
                Pulmonary cancer.
                                                                                                lymph gland.
      45c.—Cancer of the pancreas:
                                                                                                       node.
                                                                                                lymphatic gland.
                Cancer of pancreas.
      45D.—Cancer of the kidneys and suprarenals:
                                                                                                           vessel.
                 Cancer of adrenal.
                                                                                                membrane of spinal cord.
                           kidney.
                                                                                                meninges.
                                                                                                muscle.
                           suprarenal.
                 Renal cancer.
                                                                                                nates.
                 Rhabdomyosarcoma of kidney.
                                                                                                neck.
      45E.—Cancer of the prostate:
                                                                                                nerve
                Cancer of prostate.
                                                                                                orbit.
                Malignant prostatitis.
                                                                                                parotid gland.
      45F.—Cancer of the bladder:
                                                                                                pectoral region.
                Cancer of bladder.
                                                                                                pelvic viscera.
      450.—Cancer of the brain:
                                                                                                pelvis.
                Cancer of brain.
                                                                                                penis.
                          membrane of brain.
                                                                                                pericardium.
      45н.—Cancer of the bones (except jaw):
                                                                                                perineum.
                Cancer of bone.
                                                                                                posterior nares.
                          joint.
                                                                                                prepuce.
                                                                                                salivary gland.
                          sacrum.
                          scapula.
                                                                                                scrotum.
                                                                                                shoulder.
                          spine.
                                                                                                spinal cord.
                          sternum.
                                                                                                spleen.
                          vertebra.
                                                                                                temporal region.
                          zygoma.
                Osteosarcoma.
                                                                                                thorax.
      45k.-Cancer of the testes:
                                                                                                throat.
                Cancer of testicle.
                                                                                                thymus gland.
                                                                                                thyroid gland.
                Sarcocele.
      45x.—Other cancers of this class:
                                                                                                traches.
                Cancer of abdomen (without further qualification):
                                                                                                upper extremity.
                          accessory sinus.
                                                                                                ureter.
                          antrum.
                                                                                                urethra.
                          arm.
                                                                                                viscera
                          artery
                                                                                      Cancerous cachexia.
                                                                                                 goiter.
                          axilla.
                          back.
                                                                                                 humor.
                          body.
                                                                                                 neuritis.
                          bronchi.
                                                                                                 toxemia.
                          cervical gland.
                                                                                      Carcinomatous septicemia.
                          chest.
                                                                                      Chimney sweeps' cancer.
                          choroid.
                                                                                      Disseminated cancer.
                          conjunctiva.
                                                                                      General carcinomatosis
                          cord.
                                                                                              sarcomatosis.
                          cornea
                                                                                      Intra-abdominal cancer.
                          extremity.
                                                                                      Lobstein's cancer.
                          eye.
                                                                                      Malignant disease (undefined)
                          fauces
                                                                                                 fistula.
                          ganglia.
                                                                                      Miliary carcinosis.
                          genital organ (male).
                                                                                      Multiple cancer.
                          gland.
                                                                                               melanosarcomata.
                          glandular system.
                                                                                      Pelvic cancer.
                          groin.
                                                                                      Retropharyngeal cancer
                          hand.
                                                                                      Sarcomatosis (unqualified).
                          heart.
                                                                                      Sarcomatous phlebitis.
                          hip.
                                                                                      Thyreosarcoma.
```

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880-1914.





THE REGISTRATION AREA.

GROWTH OF THE REGISTRATION AREA: 1880 TO 1914.

The series of annual mortality reports began with that for the calendar year 1900, following the series of decennial reports, which began with the report of the Seventh Census, for 1850, and terminated with that of the Twelfth Census, for the year ended May 31, 1900. These decennial reports were compiled from data obtained by the population enumerators and related to the United States as a whole; and for the years 1880 and 1890 additional reports, relating only to the registration area and based on returns from registration officials, were also published.

The registration area for deaths was established in 1880, and then comprised the states of Massachusetts and New Jersey, the District of Columbia, and a number of cities in nonregistration states, the population of the entire area being 8,538,366, or 17 per cent of the total population of the United States. Connecticut, Delaware, New Hampshire, New York, Rhode Island, and Vermont, and a number of cities in nonregistration states were added in 1890, nearly doubling the percentage of population included (31.4). In 1900, for the census year ended May 31, two more states, Maine and Michigan, and a number of cities in nonregistration states were brought into the area and Delaware was dropped, the percentage of population included being thereby increased to 37.9.

With the beginning of the annual mortality reports—the first of which, as already stated, related to the calendar year 1900—and the discontinuance of the decennial series, Indiana became a registration state, and the percentage of population included in the registration area was raised to 40.5.

Thereafter there was little or no increase in the area until 1906, when California, Colorado, Maryland, Pennsylvania, and South Dakota (since discontinued) were admitted, bringing the percentage up to 48.9. next addition was in 1908, when Washington and Wisconsin became registration states, and at last over one-half of the population of the United States (52.5 per cent, according to the estimates for that year) was included in the area. The proportion continued to increase with the admission of Ohio in 1909; Minnesota, Montana, Utah, and the North Carolina municipalities which in 1900 had 1,000 or more inhabitants, in 1910; Kentucky and Missouri in 1911; Virginia in 1913; and Kansas in 1914, in which year the estimated population of the registration area represented 66.8 per cent of the total for the United States.


The following table shows the growth of the registration area in population and land area from 1880 to 1914, inclusive:

	UNITED	STATES.	REGISTRATI	ON ARE	EA FOR DE	THS.
YEAR.			Population	on.	Land a	rea.
7.45	Population.	Land area (square miles).	Number.	Per cent of total.	Square miles.	Per cent of total.
Calendar year 1914 Calendar year 1913	98, 781, 324 97, 163, 330		63, 298, 718	65.1	1,228,644 1,147,039 1,106,777	41.3 38.6 37.2
Calendar year 1912 Calendar year 1911 Calendar year 1910	95, 545, 336 93, 927, 342 92, 309, 348	12,973,890	60,427,247 59,275,977 53,843,896	63.1	1,106,734 997,978	37. 2
Calendar year 1909 Calendar year 1908	90,691,354	2,974,159	50,870,518 46,789,913	56.1	765, 738 725, 117	25.7
Calendar year 1907 Calendar year 1906	87, 455, 366		43,016,990 41,983,419	49.2	603, 151 603, 066	20.3
Calendar year 1905 Calendar year 1904		2,974,159	34,052,201 33,345,163	40.4	212,744 212,744	7.5
Calendar year 1903 Calendar year 1902	80, 983, 390 79, 365, 396	2,974,159	32,701,083 32,029,815	40.4	212,762	7.5
Calendar year 1901 Calendar year 1900	77,747,402	2,974,159	31,370,952 (30,765,618	40.3		7.5
Census year 1900 1 Census year 1890 1	75, 994, 575 62, 622, 250	Licensia Lau	28,807,269 19,659,440	37.9	176,878	5.9
Census year 1880 2	50, 155, 783		8,538,366		16,481	0.6

¹ Net reduction of 269 square miles as compared with area stated by census of 1900, due to drainage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.
³ Ended May 31.

The percentages which the population and the land area of the registration area formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1914, inclusive, are presented in the following diagram:

PERCENTAGES WHICH THE POPULATION AND THE LAND AREA OF THE REGISTRATION AREA FORMED OF THE TOTAL POPULATION AND LAND AREA OF THE UNITED STATES FOR THE YEARS 1880, 1890, AND 1900 TO 1914, INCLUSIVE.



EXTENT OF THE REGISTRATION AREA IN 1914.

The registration area in 1914 was composed of 25 states, the District of Columbia, and 32 cities in non-registration states. Included among the registration states, however, is North Carolina, the returns from which relate only to the municipalities having 1,000 population and over in 1910. These states and cities were admitted to the registration area only after it appeared, from such evidence as was available, that their returns were approximately complete; that is to say, that at least 90 per cent of all deaths were properly recorded under state law or municipal ordinance and that transcripts of the records were furnished the Bureau of the Census.

The following states are included in the registration area for 1914:

California. Colorado. Connecticut. Indiana. Kansas. Kentucky. Maine. Maryland	Minnesota. Missouri. Montana. New Hampshire. New Jersey. New York. North Carolina (municipalities of 1 000	Ohio. Pennsylvania. Rhode Island. Utah. Vermont. Virginia. Washington. Wisconsin.
Maryland. Massachusetts. Michigan.	nicipalities of 1,000 population and over in 1910).	Wisconsin.

The entire area comprises the preceding states, the District of Columbia, and the following-named registration cities in nonregistration states:

Alabama:	Illinois:	South Carolina:
Birmingham.	Aurora.	Charleston.
Mobile.	Belleville.	Tennessee:
Montgomery.	Chicago.	Chattanooga.
Delaware:	Decatur.	Jackson.
Wilmington.	Evanston.	Knoxville.
Florida:	Jacksonville.	Memphis.
Jacksonville.	Quincy.	Nashville.
Key West.	Springfield.	Texas:
Pensacola.	Louisiana:	El Paso.
Georgia:	New Orleans.	Galveston.
Atlanta.	Nebraska:	San Antonio.
Augusta.	Lincoln.	West Virginia:
Savannah.	Omaha.	Wheeling.
	Oregon:	•
	Portland.	

POPULATION OF REGISTRATION STATES, BY AGE AND SEX, IN 1914.

The following table shows the estimated midyear population, in 1914, of the registration states, exclusive of North Carolina, by sex, by single years of age from 0 to 4, and by five-year age periods from 5 to 100. The population at unknown ages has been distributed among the various ages and age groups according to the proportions which the numbers at those ages and in those age groups formed of the total population of known ages. The rates given in the table on page 16 are based on the figures in this table. The exclusion of North Carolina from this table is due to the fact that the deaths for that state were shown only for municipalities which in 1910 had 1,000 inhabitants or more, the population by sex and age for these localities not being available. The states included in the registration area for 1914 are listed on page 13.

AGE.		OPULATION OF ATES, JULY 1,	
	Both sexes.	Male.	Female.
All ages 2	60, 641, 905	31, 186, 024	29, 455, 883
Under 1 year	1,341,242	679, 463	661,779
1 year	1, 202, 228	608, 543	593, 683
2 years		664, 205	646, 589
3 years	1, 295, 311	652,795	642, 516
4 years	1, 262, 416	639, 508	622,908
Under 5 years	6,411,991	3,244,514	3, 167, 47
5 to 9 years		2,963,133	2,910,193
10 to 14 years		2,823,196	2,777,436
15 to 19 years		2,880,666	2,874,990
20 to 24 years	5,946,734	3,028,437	2,918,29
25 to 29 years	5, 521, 323	2,888,261	2,633,06
30 to 34 years	4,820,255	2,534,500	2, 285, 75
35 to 39 years	4,459,917	2,343,591	2, 116, 32
40 to 44 years	3,781,174	2,001,707	1,779,46
45 to 49 years	3, 212, 589	1,699,274	1,513,31
50 to 54 years	2,756,467	1,466,599	1, 289, 86
55 to 59 years	1,984,772	1,041,288	943, 48
60 to 64 years		828, 184	784,56
65 to 69 years	1, 225, 094	621, 895	603, 19
70 to 74 years	825,713	412, 363	413,35
75 to 79 years	495, 855	242,626	253, 22
80 to 84 years	238, 537 90, 880	112,773 41,133	125,76 49,74
85 to 89 years			13, 12
90 to 94 years	4, 284	9,826 1,697	2,58
100 years and over	1,011	361	2, 38

¹ Exclusive of North Carolina.

SUMMARY AND ANALYSIS OF THE STATISTICS.

COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX OF DECEDENT.

Of the 52,420 deaths reported in the registration area in 1914 as caused by cancer and other malignant tumors, 21,282, or 40.6 per cent, were of males, and 31,138, or 59.4 per cent, were females; and 50,515, or

96.4 per cent, were white, and 1,905, or 3.6 per cent, were colored persons. The deaths of colored persons comprised 1,824 Negroes (or 3.5 per cent of the total reported for both white and colored), 40 Chinese, 17 Japanese, and 22 Indians and 2 other colored.

Further comparisons of these groups may be made from the table on the following page.

¹ "Age unknown," distributed.

			ANCER AI			ANT	
COLOR, NATIVITY, AND PABENT NATIVITY.		Number.		Distribution per 1,0 of aggregate.			
	Total.	Male.	Female.	Total.	Male.	Fe- male.	
Aggregate	52,420	21, 282	31, 138	1,000.0	1,000.0	1,000.0	
White	50, 515	20,717	29,798	963.7	973. 5	957.0	
Native Both parents native One or both parents	31,288 17,648	11,586 6,342	19, 702 11, 306	596. 9 336 7	544. 4 298. 0	632. 7 363. 1	
foreign born Parentage unknown	8,509 5,131	3, 144 2, 100	5,365 3,031	162.3 97.9	147.7 98.7	172.3 97.3	
Foreign born Nativity unknown	18,775 452	8,871 260	9,904 192	358. 2 8. 6	416.8 12.2	318. 1 6. 2	
Colored	1,905	565	1,340	36.3	26.5	43.0	
NegroChinese	1,824 40	507 37	1,317	34.8 0.8	23.8 1.7	42.3 0.1	
JapaneseIndian	17 22	12	5 15	0.3	0.6 0.3	0.2	
Other colored	2	2		(1)	0.1		

1 Less than one-tenth of 1 per 1,000.

The general age distribution of the decedents from cancer is shown in the following table:

	DEATHS 1			AREA: 19		TUMORS,		
AGE OF DECEDENT.		Number.		Distribution per 1,000 of number at all ages.				
	Total.	Male.	Female.	Total.	Male.	Female.		
All ages	52, 420	21, 282	31, 138	1,000.0	1,000.0	1,000.0		
Under I year	49	21	28	0.9	1.0	0.9		
l year	42	20	22	0.8	0.9	0.7		
2 years	61	33	28	1.2	1.6	0.9		
3 years	43	27	16	0.8	1.3	0.5		
4 years	42	17	25	0.8	0.8	0.8		
Under 5 years	237	118	119	4.5	5.6	3.8		
5 to 9 years	122	70	52	2.3	3.3	1.7		
10 to 14 years	92	54	38	1.8	2.5	1.2		
15 to 19 years	174	86	88	3.3	4.0	2.8		
20 to 24 years	294	147	147	5.6	6.9	4.7		
25 to 29 years	587	222	365	11.2	10.4	11.7		
30 to 34 years	1,064	323	741	20.3	15. 2	23.8		
35 to 39 years	2,119	566	1,553	40.4	26.6	49.9		
40 to 44 years	3,325	967	2,358	63.4	45.4	75.7		
45 to 49 years	4,632	1,502	3,130	88.4	70.6	100.5		
50 to 54 years	6, 131	2,323	3,808	117.0	109.2	122.3		
55 to 59 years	6,663	2,741	3,922	127.1	128.8	126.0		
60 to 64 years	6,909	3,071	3,838	131.8	144.3	123.3		
65 to 69 years	6, 780	3, 134	3,646	129.4	147.3	117.1		
70 to 74 years	5, 893	2,754	3,139	112.4	129.4	100.8		
75 to 79 years	4,033	1,757	2,276	76.9	82.6	73.1		
80 to 84 years	2, 213	966	1,247	42.2	45.4	40.1		
85 to 89 years	828	352	476	15.8	16.5	15.3		
90 to 94 years	225	94	131	4.3	4.4	4.2		
95 to 99 years	34	9	25	0.6	0.4	0.8		
100 years and over Unknown	8 57	22	35	0.2	1.0	0.1		

DEATHS AND CRUDE DEATH RATES.

The total number of deaths due to cancer and other malignant tumors returned from the registration area of the United States for the year 1914 was 52,420. The estimated midyear population of this area was 65,989,295, or 66.8 per cent of the total estimated population of the United States. The cancer death rate for the year was therefore 79.4 per 100,000 of population, the highest on record since the establishment of the registration area in 1880.

The death rates given in this monograph, except in the table on page 16, are what are known as "crude" rates per 100,000 population; that is, rates obtained by dividing the total number of deaths by the total (estimated) number of living inhabitants, no account being taken of sex and age distribution or of race, nativity, etc.

The following table shows, for the registration area as constituted in each year, the number of deaths and the death rates per 100,000 of population from cancer, for the census years ended May 31, 1880, 1890, and 1900, and for the calendar years 1900 to 1914, inclusive:

YEAR.	MALIGN. MORS IN	D OTHER	THER CER AT MALIGN REG- MORS II		ROM CAN- D OTHER ANT TU- THE REG- ON AREA,
	Number.	Rate per 100,000 popula- tion.		1	Rate per 100,000 popula- tion.
1914	41,039 37,562	79. 4 78. 9 77. 0 74. 3 76. 2 73. 8 71. 5 70. 9 69. 1	1905. 1904. 1903. 1902. 1901. 1900. 1900. 1890. 1890.	24,330 23,395 22,325 20,847 20,171 19,381 17,296 9,657 3,651	71. 4 70. 2 68. 3 65. 1 64. 3 63. 0 60. 0 47. 9 42. 8

¹ Census year ended May 31.

The death rate from cancer for 1914, 79.4 per 100,000 population, represented a very slight increase over that for the preceding year, 78.9. This very slight increase, which prevailed in each of the main subdivisions of the registration area—that is, in registration states, in the rural territory in the registration states, taken as a whole, in the urban territory in the registration states, taken as a whole, in the registration cities outside the registration states, taken as a group, and in all registration cities, taken as a group—was not due to changes in the extent of the area, since the rate for Kansas, the only state added for 1914, was but 61.3, considerably less than that for the area as a whole.

High and low rates for states.—Among the registration states the highest rate (109.9) was that for Vermont, which state also had the maximum rate in 1913. In Maine the rate was 107.6; in Massachusetts, 101.2; in New Hampshire, 100.8; and in California, 97.9. The same five states showed the highest rates in 1913, although not in the same order. The lowest rate among the registration states in 1914 was that for Utah, 45.8; next in order were Kentucky, with 46; Virginia, with 48.9; Montana, with 51.5; and North Carolina, with 57.8. (For the last-named state the figures relate only to municipalities having 1,000 or more inhabitants in 1910.)

High and low rates for cities.—Among the cities of 100,000 population or over in 1910, the highest five death rates for cancer in 1914 were shown for the following: Albany, 146.7; San Francisco, 128.4; Boston, 118.7; New Haven, 113.5; and Worcester, 111.6. The lowest five rates were those for Birmingham, 46.3; Fall River, 55.8; Atlanta, 59.1; Scranton, 60.1; and Milwaukee, 69.4.

The bureau wishes to repeat in this report the warning which it has given in its annual mortality reports, with reference to the incomparability of the crude death rates for cancer in different localities, due to the fact that in the computation of these rates no account is taken of the sex, age, and color distribution of the population or of the matter of residence or nonresidence of decedents in the localities in which death occurred. The distribution according to residence or nonresidence is especially important, since a relatively high rate for a given city may be caused largely by deaths of nonresidents who come to the city for hospital treatment. The color distribution also has a material effect on the rate, since colored persons are apparently less suscepti-

ble to cancer than are white persons, for which reason the states and cities in which the colored population is relatively large do not, as a rule, have as high rates as those places in which the population of this class is small or negligible.

Deaths and death rates in seven titles of International Classification: 1900-1914.—The following table presents, for the registration area, for each of the years 1900-1914, the estimated midyear population, the total number of deaths and the total death rate from cancer, and the number of deaths and death rate for each of the seven title headings of the detailed International Classification which relate to cancer and other malignant tumors:

	REGISTRATION AREA.																	
	Tel cent			Deaths	from can	cer and	other ma	lignant i	umors	of the—	Death rate per 100,000	Deat	th rate p	er 100,00 er maligi	0 popula nant tum	tion fron lors of th	cancer	nnd
CALENDAR YEAR.	Estimated population, July 1,	of area formed of total population of the United States	population from cancer and other malig- nant tumors.	Buccal cavity.	Stom- ach, liver.	Perito- neum, intes- tines, rectum.	Female genital organs.		Skin.	Other organs or of organs not speci- fied.								
1914	60, 427, 247 59, 275, 977	66. 8 65. 1 63. 2 63. 1 58. 3	52, 420 49, 928 46, 531 44, 024 41, 039	2,270 1,966 1,838 1,727 1,576	19, 899 19, 767 18, 517 17, 365 16, 475	6,745 6,625 5,923 5,824 5,258	8,152 7,706 7,089 6,707 6,147	5, 423 4, 592 4, 431 4, 264 3, 730	1,957 1,725 1,743 1,619 1,459	7,984 7,547 6,990 6,518 6,394	79.4 78.9 77.0 74.3 76.2	3.4 3.1 3.0 2.9 2.9	30. I 31. 2 30. 6 29. 3 30. 6	10.2 10.5 9.8 9.8 9.8	12.4 12.2 11.7 11.3 11.4	8.2 7.3 7.3 7.2 6.9	3.0 2.7 2.9 2.7 2.7	12.1 11.9 11.6 11.0 11.9
1909 1908 1907 1906 1905	41, 983, 419	56. 1 52. 5 49. 2 48. 9 40. 4	37,562 33,465 30,514 29,020 24,330	1,427 1,148 968 941 792	14, 915 13, 044 11, 596 10, 946 8, 939	4,676 3,963 3,570 3,273 2,732	5,714 5,250 4,388 4,000 3,637	3,585 3,023 2,590 2,421 2,010	1,492 1,282 1,121 984 818	5,753 5,755 6,281 6,365 5,402	73.8 71.5 70.9 69.1 71.4	2.8 2.5 2.3 2.2 2.3	29.3 27.9 27.0 26.1 26.3	9.2 8.5 8.3 7.8 8.0	11.2 11.2 10.2 9.7 10.7	7.0 6.5 6.0 5.8 5.9	2.9 2.7 2.6 2.3 2.4	11.3 12.3 14.6 15.2 15.9
1904	33, 345, 163 32, 701, 083 32, 029, 815 31, 370, 952 30, 765, 618	40. 4 40. 4 40. 4 40. 3 40. 5	23, 395 22, 325 20, 847 20, 171 19, 381	737 661 583 612 495	8,744 8,193 7,483 7,095 6,918	2,399 2,134 2,239 2,157 1,760	3,436 3,289 3,033 2,919 2,696	2,030 1,787 1,750 1,647 1,433	758 752 688 683 602	5, 291 5, 509 5, 071 5, 058 5, 477	70. 2 68. 3 65. 1 64. 3 63. 0	2.2 2.0 1.8 2.0 1.6	26. 2 25. 1 23. 4 22. 6 22. 5	7.2 6.5 7.0 6.9 5.7	10.3 10.1 9.5 9.3 8.8	6.1 5.5 5.5 5.3 4.7	2.3 2.3 2.1 2.2 2.0	15.9 16.8 15.8 16.1 17.8

Of the 52,420 deaths caused by cancer, 19,889, or 37.9 per cent, were assigned to the title heading, "Cancer of the stomach and liver," and 8,152, or 15.6 per cent, to the heading, "Cancer and other malignant tumors of the female genital organs." It will thus be seen that well over half of all deaths classified as due to cancer resulted from cancers of the organs named.

Deaths, death rates, and per cent distribution, by location of disease: 1914.—The following table shows, for the registration areas, for 1914, the deaths and death rates per 100,000 population, and the per cent distribution from cancer, classified according to the organ or part of the body affected, as presented in this report:

	DEATHS, 1	REGISTRATI 1914.	ON AREA:		DEATHS, E	REGISTRATIO	ON AREA:
SEAT OF DISEASE.	SE. Number.		Per cent.	SEAT OF DISEASE.	Number.	Rate per 100,000 popula- tion.	Per cent.
Cancer and other malignant tumors (aggregate)	52, 420	79.4	100.0	Cancer of the female genital organs (total)	8, 152	12.4	í5. 6
Cancer of the buccal cavity (total)	376	3. 4 0. 6	4.3	Cancer of the— Ovary and fallopian tube Uterus Vagina and vulva Others of this class	7.470	0.7 11.3 0.3	0.9 14.3 0.4
Tongue. Mouth. Jaw Others of this class	614 230 851 199	0.9 0.3 1.3 0.3	1.2 0.4 1.6 0.4	Others of this class		0.1 8.2 3.0	0. 1 10. 3 3. 7
Cancer of the stomach, liver (total)	19,899	30.1	37.9	Cancer of other organs or of organs not specified (total)	7,984	12.1	15.2
Pharynx. Esophagus Stomach Liver and gall bladder	605 12, 768	0. 1 0. 9 19. 3 9. 8	0.1 1.2 24.4 12.3	Cancer of the— Larynx Lung and pleura Pancreas.	341 371 686	0. 5 0. 6 1. 0	0.7 0.7 1.3
Cancer of the peritoneum, intestines, rectum (total)	6,745	10.2	12.9	Kidneys and suprarenals Prostate	538 784	0.8 1.2	1.0 1.5
Cancer of the— Mesentery and peritoneum. Intestines (except rectum). Rectum and anus. Others of this class.	4,055 2,171	0.7 6.1 3.3 0.1	0.9 7.7 4.1 0.1	Bladder Brain Bones (except jaw) Testes Others of this class	1,014 141	1. 5 0. 2 0. 8 0. 2 5. 3	1.9 0.3 0.9

CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR THIRTEEN AGE GROUPS, BY SEX, FROM CANCER AND OTHER MALIGNANT TUMORS, ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION STATES: 1914.

The following table shows, for the registration states exclusive of North Carolina, the death rates, by sex and by age groups, per 100,000 population of the sex and in the age group specified, for the seven titles of the International Classification and for the subdivisions of these titles as presented in this report. The estimates of population on which these rates are based are given

in the table on page 13. The "age unknown" in both the population and the deaths has been distributed among the various groups according to the proportions which the population and the deaths, respectively, in these groups formed of the total population and total deaths at known ages.

North Carolina has not been included in the area covered by this table for the reason that the returns from that state relate only to municipalities having 1,000 population or over in 1910, for which it was not deemed feasible to make estimates of population by sex and age.

CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR THIRTEEN AGE GROUPS, BY SEX, FROM CANCER AND OTHER MALIGNANT TUMORS, ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION STATES: 1914.

[The rates in this table have not been "adjusted" so as to make the sum of the rates in any group conform in every case exactly to the rate given for the group as a whole.

Each rate, however, is correct to the nearest tenth.]

			DEATH	BATE PE	R 100,000	POPULA	TION BY	SEX ANI	IN THE	AGE GRO	UP SPECI	FIED.		
SEAT OF DISEASE.	All ages.2	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 years and over.
							вотн в	EXES.						
Cancer and other malignant tumors (aggregate)	79.1	2.8	13.9	42.0	78.6	128.6	199.7	305.9	393.1	516.0	672.3	766.6	889.6	875.6
Cancer of the buccal cavity (total)	3.4	0.1	0.3	0.9	2,3	3.9	7.0	11.9	16, 9	25.1	36.2	46.0	65.0	66.3
Cancer of the— Lip Tongue Mouth Jaw Others of this class	0.6 0.9 0.4 1.3 0.3	(*) (*) (*) (*) 0.1	(3) 0.1 (3) 0.1 0.1	0.1 0.4 (a) 0.4 0.1	0.2 0.6 0.2 1.0 0.2	0,3 1,4 0,3 1,5 0,4	0.9 2.2 0.5 2.8 0.6	1.3 3.8 1.3 4.6 0.9	2.7 4.9 1.9 5.7 1.6	3.9 6.6 2.9 9.9 1.8	5.7 8.6 4.2 13.9 3.8	9.7 10.1 5.2 16.7 4.2	23.9 10.1 7.5 18.4 5.0	25.2 10.1 6.7 19.3 5.0
Cancer of the stomach, liver (total)	30.2	0.3	3.1	10.9	21.3	41.0	74.8	122.5	171.1	230.4	296.1	329.3	344.6	239.3
Cancer of the— Pharynx. Esophagus. Stomach. Liver and gall bladder.	0.1 0.9 19.3 9.8	(3) 0,1 0,2	(³) 2.0 1.1	(4) 0.3 7.2 3.4	0.1 0.6 13.6 7.0	0.1 1.4 25.8 13.6	0.2 2.8 47.7 24.1	0.7 3.8 77.9 40.2	0.3 5.1 110.4 55.3	0.4 6.4 147.8 75.8	0.6 7.6 192.4 95.4	0.8 8.1 214.0 106.5	0.4 8.8 228.1 107.3	0.8 8.4 151.9 78.1
Cancer of the peritoneum, intestines, rectum (total)	10.3	0,4	2.4	4.9	8.9	15.0	22.9	39.2	54.3	70.1	96,8	108.1	104.4	90.7
Cancer of the— Mesentery and peritoneum Intestines (except rectum) Rectum and anus. Others of this class.	0.7 6.2 3.3 (⁵)	0.1 0.2 0.1	0.3 1.3 0.8 (³)	0.4 3.0 1.4 0.1	0.7 5.3 2.8	0.8 9.4 4.7 0.1	1.8 13.3 7.7 0.1	3.3 23.2 12.6 0.1	3.4 33.5 17.0 0.3	3.5 43.6 22.6 0.4	5. 2 57. 2 34. 2 0. 2	8.5 67.8 31.5 0.4	5.0 68.3 31.0	4.2 53.7 32.7
Cancer of the female genital organs (total)	12.0	0.2	3.7	12.6	22.6	30.6	39.4	50.4	49.7	50.4	53.5	55.3	56.2	54.6
Cancer of the— Ovary and fallopian tube. Uterus. Vagina and vulva. Others of this class.	0.7 10.9 0.3 0.1	0.1 0.1 (a) (b)	0.3 3.3 0.1 (a)	0.8 11.6 0.1 (³)	1.5 20.7 0.2 0.1	1.4 28.5 0.4 0.2	2. 2 36. 6 0. 5 0. 1	2.5 46.7 0.9 0.3	3.3 45.0 1.0 0.4	2.0 46.1 2.0 0.2	1.7 48.6 2.9 0.4	2.0 49.2 3.0 1.0	1.7 49.0 5.4	1.7 43.7 8.4 0.8
Cancer of the breast	8.3 3.0	(i) 0.1	1.4 0.2	6.7 0.3	12.2 0.8	20.1 2.2	24.4 4.5	33.2 6.4	34.2 11.1	43.3 18.2	52.7 33.3	62.7 55.5	86.8 101.9	102.4 194.8
Cancer of other organs or of organs not specified (total)	11.9	1.7	2.8	5.6	10.6	15.8	26.8	42.2	55.9	78.6	103.7	109.7	120.8	127.6
Cancer of the— Larynx Lung and pleura. Pancreas. Kidneys and suprarenals Prostate. Bladder. Brain. Bones (except jaw). Testes. Others of this class.	1.2 1.5	(3) 0.1 (3) 0.3 (3) 0.1 0.1 0.3 0.1 0.8	(a) 0.2 0.2 0.2 (b) 0.2 0.2 0.4 0.2 1.2	0.2 0.4 0.6 0.5 0.1 0.5 0.3 0.3 0.3 2.4	0.4 0.6 1.1 0.7 0.3 1.0 0.3 0.3 0.3 0.3	0.7 1.0 1.6 1.1 0.5 1.6 0.5 0.9 0.4 7.3	1.6 1.6 2.8 1.6 1.0 3.8 0.6 1.7 0.2	2.2 2.5 4.7 2.8 3.7 5.1 0.7 2.1 0.3 18.3	3.4 2.9 6.0 2.4 6.8 8.7 0.3 2.5 0.4 22.5	4.2 2.2 6.9 4.0 12.9 11.3 0.7 3.8 0.6 32.0	3.5 2.9 8.2 4.6 18.0 16.3 0.4 4.8 0.8 44.0	4.2 1.8 8.9 5.6 20.8 19.6	3.4 1.3 3.8 5.0 17.6 18.4 1.3 76.7	5.0 1.7 5.0 4.2 12.4 20.1

¹ Exclusive of North Carolina.

^{2&}quot; Age unknown," distributed.

Less than one-tenth of 1 per 100,000 population.

CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR THIRTEEN AGE GROUPS, BY SEX, FROM CANCER AND OTHER MALIGNANT TUMORS, ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION STATES: 1 1914—Continued.

[The rates in this table have not been "adjusted" so as to make the sum of the rates in any group conform in every case exactly to the rate given for the group as a whole.

Each rate, however, is correct to the nearest tenth.]

	y.		DEATH	RATE PE	R 100,000	POPULA	TION BY	SEX AND	IN THE	AGE GRO	UP SPECI	FIED.		
SEAT OF DISEASE.	All ages.s	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 years and over.
							MAI	E.						
Cancer and other malignant tumors (aggregate)	62.4	2.8	8.7	21.5	43.0	78.9	140.9	237.7	339.8	467.0	627.4	684.2	826.4	824.2
Cancer of the buccal cavity (total)	5.5	0.1	0.5	1.5	3.2	6,4	11.3	20.8	27.5	42.8	59.9	70.9	104.6	109.
Cancer of the— Lip. Tongue. Mouth. Jaw Others of this class.	1.1 1.5 0.5 2.0 0.5	(3) (2) (2) (3) (4) (4)	0.1 0.1 (a) 0.2 0.1	0.2 0.6 0.5 0.1	0.4 0.8 0.2 1.4 0.3	0.6 2.2 0.5 2.2 0.7	1.6 3.8 0.9 4.2 0.8	2.5 6.9 2.1 7.7 1.6	5.2 8.2 3.1 8.6 2.4	7.6 11.4 4.7 16.2 2.9	10.9 14.8 6.8 21.8 5.6	18.1 15.2 7.0 24.7 5.8	41.7 15.1 11.5 28.4 8.0	45.3 17.6 9.4 32.1 5.3
Cancer of the stomach, liver (total)	29.6	0.3	2.7	9.9	20.1	39.5	75.8	122.8	175.9	232.0	295.6	307.9	331.6	216.9
Cancer of the— Pharynx, Esophagus Stomach Liver and gall bladder.	0.1 1.3 20.5 7.6	(8) 0.1 0.2	0.1 1.8 0.8	(8) 0.2 6.9 2.8	(3) 0.8 14.1 5.1	0. 2 2. 1 27. 1 10. 0	0.4 4.4 53.8 17.3	1.1 6.4 85.5 29.9	0.6 7.8 122.7 44.8	0.8 9.3 162.1 59.8	0.7 11.4 202.2 81.2	0.4 12.8 214.3 80.4	0.9 12.4 227.9 90.4	1.9 13.2 139.6 62.2
Cancer of the peritoneum, intestines, rectum (total)	8.6	0.5	2.1	3.4	7.5	11.8	17.9	32.6	48.4	60.3	81.5	90.7	85.1	84.9
Cancer of the— Mesentery and peritoneum, Intestines (except rectum). Rectum and anus. Others of this class	0.5 4.9 3.1	0.1 0.3 0.1	0.3 1.1 0.7	0.5 2.2 0.7 0.1	0.5 4.7 2.3	0.6 7.2 4.0	1.5 9.5 6.9	2.2 17.6 12.8	2.2 27.9 18.1 0.2	1.8 34.9 23.5 0.2	2.7 44.6 33.7 0.5	4.5 54.0 32.1	1.8 49.7 33.7	47.3 37.7
Cancer of the breast	0.3 3.8	0.1	0.1 0.2	0.1 0.4	0.2 0.7	0.4 3.1	0.8 5.7	0.8 9.0	1.4 14.5	2.1 25.9	2.2 44.6	2.5 69.7	1.8 124.1	3.8 235.8
Cancer of other organs or of organs not specified (total)	14.6	1.9	3.3	6,1	11.2	17.7	29.3	51.7	72.0	103.9	143.6	142.6	179.1	173.5
Cancer of the— Larynx. Lung and pleura. Pancreas. Kidneys and suprarenais Prostate Bladder Brain.	0.8 0.6 1.0 0.8 2.3 2.1 0.2	(a) 0.1 (b) 0.4 	0.1 0.3 0.1 0.2 0.1 0.1	0.2 0.4 0.6 0.5 0.3 0.5	0.6 0.6 1.3 0.8 0.5 0.9	1.1 1.2 1.9 1.1 1.0 1.6 0.6	2.6 1.6 2.5 1.5 1.8 5.3 0.7	3.8 2.7 4.8 3.0 7.1 7.2 0.7	5.3 3.3 7.0 2.3 13.3 12.7 0.2	7.1 2.1 7.2 3.1 25.4 16.6 0.8	6.1 3.2 7.8 4.6 36.1 25.2	7.8 0.8 7.0 5.8 42.5 28.0	6,2 1,8 1,8 4,4 37,2 26,6	5. 7 3. 8 5. 7 3. 8 30. 2 28. 3
Bones (except jaw)	0.7 0.4 5.7	0.3 0.1 0.8	0.4 0.4 1.5	0, 4 0, 6 2, 6	0.8 0.6 4.6	0.6 0.8 7.7	1.5 0.3 11.5	2.3 0.5 19.6	2.4 0.7 24.8	4.5 1.1 36.0	5.1 1.7 53.8	2,5 1,6 46,6	2.7 2.7 95.8	94.3
							FEM.	LE,						
Cancer and other malignant tumors (aggregate)	96.8	2.7	19.6	64.7	118.7	184.4	266.5	381.1	449.4	566.6	717.1	845.5	946.2	916.7
Cancer of the buccal cavity (total)	1.2	0.1	0,1	0.4	1.2	1.1	2.1	2.0	5.6	6.8	12.6	22.1	29.4	31.8
Cancer of the— Lip. Tongue. Mouth. Jaw. Others of this class	0.1 0.3 0.2 0.6 0.1	(a) (a) (a) (a) (a)	(a) (a) (b)	0.1 (a) 0.2	0.4 0.2 0.5 0.1	0.4	0.5 0.2 1.1 0.4	0.3 0.3 1.3 0.1	0.1 1.4 0.6 2.7 0.8	0.2 1.7 1.0 3.3 0.7	0.5 2.4 1.7 6.0 1.9	1.6 5.1 3.6 9.1 2.8	8.0 5.6 4.0 9.5 2.4	9.1 4.5 4.5 9.1 4.5
Cancer of the stomach, liver (total)	30.7	0.3	3.7	12.0	22.6	42, 7	73.7	122.2	166.0	228.8	296.6	249.9	356.2	257,2
Cancer of the— Pharynx Esophagus Stomach Liver and gall bladder.	*(*) 0.4 18.1 12.2	(a) 0.1 0.2	(3) 2.2 1.5	0.4 7.6 4.0	0.1 0.4 13.2 9.0	0,7 24,3 17,7	1.0 40.7 31.9	0.2 1.0 69.5 51.5	2, 2 97, 4 66, 4	3.3 133.1 92.3	0.5 3.9 182.7 109.6	1.2 .3.6 213.6 131.5	5.6 228.2 122.5	4.5 161.9 90.8
Cancer of the peritoneum, intestines, rectum (total) Cancer of the—	12.0	0.3	2.7	6.5	10.4	18.6	28.5	46.5	60.4	80.2	112.0	124.8	121.7	95.3
Mesentery and peritoneum Intestines (except rectum). Rectum and anus. Others of this class.	0.9 7.6 3.4 0.1	0.1 0.2 0.1	0.2 1.5 1.0 0.1	0.4 3.9 2.2 0.1	1.0 6.0 3.4	1.1 12.0 5.5 0.1	2.2 17.5 8.7 0.2	4.5 29.4 12.5 0.2	4.7 39.5 15.8 0.4	5.3 52.6 21.7 0.7	7.7 69.7 34.6	12.2 81.0 30.8 0.8	8.0 85.1 28.6	7.6 59.0 28.7
Cancer of the female genital organs (total)	24.6	0.4	7.7	26.5	48.0	65.0	84.1	106.0	102.1	102.3	106.9	108.2	106.5	98.3
Cancer of the— Ovary and fallopian tube. Uterus. Vagina and vulva. Others of this class	1.4 22.5 0.6 0.1	0.1 0.2 (a) (a)	0.6 6.9 0.2 0.1	1.7 24.4 0.2 0.1	3.3 44.1 0.5 0.2	3.0 60.6 0.9 0.4	4.7 78.1 1.0 0.2	5.3 98.3 1.9 0.5	6, 8 92, 4 2, 0 0, 9	4.1 93.7 4.0 0.5	3.4 97.0 5.8 0.7	3.9 96.4 5.9 2.0	3.2 93.0 10.3	3.0 78.7 15.1 1.5
Cancer of the breast	16.9 2.2	0.1 0.1	2.9 0.1	14.1 0.2	25.7 0,9	42.3 1.1	51.2 3.1	69.0 3.6	68.8 7.5	85.7 10.3	103.1 22.0	120.4 41.9	163.0 81.9	181.5 161.5
Cancer of other organs or of organs not specified (total)	9.1	1.4	2.3	5.1	9.9	13.6	23.9	31.8	39.0	52.6	63.9	78.2	87.5	90. 8
Cancer of the Larynx. Lung and pleura. Pancreas Kidneys and suprarenals Bladder Brain. Bones (except jaw) Others of this class.	0.2 0.5 1.0 0.8 0.9 0.2 0.7 4.8	(a) 0.1 (a) 0.3 (b) 0.1 0.3 0.7	(5) 0.2 0.2 0.3 0.2 0.2 0.4 0.9	0.2 0.5 0.5 0.5 0.4 0.4 0.3 2.3	0.2 0.6 0.8 0.7 1.0 0.2 1.0 5.6	0.3 0.8 1.4 1.1 1.6 0.4 1.2 6.8	0.5 1.6 3.1 1.6 2.1 0.5 1.9 12.6	0.3 2.2 4.6 2.5 2.8 0.6 1.8 17.0	1.4 2.5 5.0 2.4 4.5 0.4 2.7 20.1	1.2 2.3 6.6 5.0 6.0 0.7 3.0 27.9	1.0 2.7 8.7 4.6 7.5 0.7 4.6 34.1	0.8 2.8 10.7 5.5 11.5	0.8 0.8 5.6 5.6 11.1	4.5 4.5 4.5 13.6 60.5

¹ Exclusive of North Carolina.

^{* &}quot;Age unknown" distributed.

² Less than one-tenth of 1 per 100,000 p

Of all deaths charged to cancer, 31,138 were those of females, as compared with 21,282 deaths of males. Under four of the seven headings deaths of males predominate; but those of females are so largely in excess among deaths assignable to the headings, "Cancer and other malignant tumors of the peritoneum, intestines,

and rectum" and "Cancer and other malignant tumors of the breast," that, taken with the 8,152 assigned to "Cancer and other malignant tumors of the female genital organs," they bring the total for females far in excess of that for males. This is a condition which prevails year after year.

DEATH RATES IN FOREIGN COUNTRIES: 1900-1914.

The crude death rates per 100,000 population from cancer, for each of the years 1900 to 1914, for the registration area of the United States and for certain foreign countries, are shown in the following table.

The rates for foreign countries were computed by the Bureau of the Census and were based on the population and deaths as given in the Annual Report of the Registrar-General of England and Wales, 1914.

			D	EATH RAT	E PER 10	0, 000 POP	ULATION 1	ROM CAN	CER AND	OTHER M	ALIGNANT	TUMORS.			
COUNTRY.	1914	1918	1912	1911	1910	1909	1908	1907	1906	1905	1904	1908	1902	1901	1900
United States (registration area)	79.4	78.9	77.0	74.3	76.2	73.8	71.5	70.9	69.1	71.4	70.2	68.3	65.1	64.3	63.
Australian Commonwealth	74. 7 (1) (1) 36. 3 (1)	75.0 (1) (1) 83.1 (1)	76.1 81.4 71.0 82.2	74.0 82.3 68.6 29.8 80.2	73.3 77.9 63.3 31.8 79.2	72. 3 78. 7 64. 2 40. 9 77. 7	69. 6 78. 0 63. 8 43. 5 76. 5	71. 3 77. 4 60. 1 38. 5 74. 6	64. 2 77. 9 58. 5 37. 8 69. 5	63.5 76.2 58.7 30.2	60. 1 74. 9 56. 1 38. 4	61. 5 73. 7 58. 5 29. 2	64. 1 74. 2 (¹) (¹) (¹)	63.3 72.9 (1) (1)	62.6 70.6 (1) (1) (1)
German Empire 2	(1) (1) (1) (1) (1) 18.1	(1) 882.7 (1) 66.7 17.7	90. 1 81. 5 47. 2 64. 7 17. 4	88.9 80.6 46.4 66.8 17.9	87.9 78.5 45.6 65.6 20.8	84.5 74.8 44.5 64.2 18.3	83.6 73.6 44.1 64.5 16.1	83.1 73.4 42.7 61.7 15.1	82. 0 70. 4 40. 9 62. 0 17. 0	(1) 69.4 40.8 58.3 18.8	(1) 68.6 40.9 57.1 15.9	(1) 65.2 39.4 54.1 15.7	(1) 61.9 38.2 53.9 14.0	(1) 61.7 35.9 52.8 15.5	(1) 59.0 36.1 52.1
Japan	(1) 106.8 82.9 (1)	(1) 109. 5 80. 1 97. 3	(1) 109. 4 78. 2 104. 8	65. 5 108. 6 79. 7 96. 7	64. 2 106. 4 74. 7 92. 9	64. 8 102. 6 73. 2 95. 2	61.4 102.8 69.5 97.1	58. 3 101. 8 73. 3 100. 3	57. 8 100. 7 69. 6 97. 6	55. 9 101. 2 65. 1 98. 4	55.0 97.9 67.6 95.9	54. 7 98. 9 71. 0 93. 2	53.4 95.0 67.2 87.1	48. 7 93. 7 66. 2 95. 1	45.4 92.1 56.1 91.1
Ontario Serbia Spain Switzerland b	69.6 (1) 8 55.7 (1)	67.4 (1) 8 55.0 126.7	68.8 (1) 8 55.7 127.2	63. 5 13. 5 8 51. 4 123. 6	70. 9 12. 8 51. 7 123. 5	71.5 13.1 \$51.0 126.7	60.5 12.6 \$51.4 128.0	59. 9 13. 3 47. 7 122. 5	63.7 10.6 47.6 129.0	55. 4 10. 4 45. 8 129. 5	56.9 10.3 46.6 128.6	52.6 9.1 44.1 129.7	47.5 9.6 43.3 125.8	50.1 9.1 42.4 127.8	45.4 9.4 39.1 129.1
United Kingdom England and Wales Scotland Ireland	105.7 106.9 113.5 86.9	105. 1 106. 4 110. 2 89. 1	101. 6 102. 6 109. 6 85. 2	98.0 99.2 104.1 81.7	96. 0 96. 7 102. 6 83. 5	95. 1 96. 1 101. 5 79. 8	92. 1 93. 3 98. 5 75. 6	90. 6 91. 5 97. 9 76. 1	91.5 92.2 97.6 79.2	87. 6 88. 9 90. 0 74. 8	86. 0 88. 2 85. 9 69. 3	85. 1 87. 4 83. 7 69. 0	82. 2 84. 6 82. 3 64. 5	82.0 84.3 81.8 65.1	80. 6 82. 9 79. 6 60. 8

m relate to the deaths for 24 of the 26 states of the Empire, representing 98.9 per cent of the total population in 1912.

res are provisional. figures for deaths from cancer are incomplete; only about 85 per cent were stated in 1901, 88 per cent in 1910, and 84 per cent in 1913. deaths from cancer include only those which were medically certified; the proportion of such certified deaths was 97 per cent in 1911.

SUMMARY AND RATE TABLES



SUMMARY AND RATE TABLES.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914.

APP. AND 60107	Estimated popula-	CANCE	S FROM ER AND MALIG- UMORS.	AREA AND COLOR.	Estimated	CANCE	MALIG-	1774 1777 GOV 07	Estimated popula-	DEATHS CANCE OTHER NANT TO	R AND MALIG-
AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA END COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
SUMMARY.				REGISTRATION STATES— Continued.				REGISTRATION CITIES— Continued.			
The registration area (total)	65,989,295 62,631,566 3,357,729	52,420 50,515 1,905	79. 4 80. 7 56. 7	Minnesota (total)	2.196.341	1,701 1,696 5	76.8 77.2 28.4	ALABAMA —continued. Montgomery (total) White	41,777 20,597	30 18	71. 8 87. 4 56. 7
Registration states 1 (total). White	61,114,200 58,408,039 2,706,161	48,259 46,739 1,520	79.0 80.0 56.2	Missouri (total)	3,210,657	2,326 2,233 93	69. 0 69. 5 57. 3	CALIFORNIA.		12	
Cities in registration states ¹ (total) White Colored	30,287,640 29,029,647 1,257,993	26,795 25,893 902	88.5 89.2 71.7	Montana (total)	432,614 414,814 17,800	223 218 5	51.5 52.6 28.1	Registration cities (total). White		1,754 1,720 34	113. 4 116. 3 50. 0
Rural part of registra- tion states (total) White	30,826,560 29,378,392	21,464 20,846	69. 6 71. 0	New Hampshire (total) White Colored	437,983 679	442 440 2	100.8 100.5 294.6	Alameda. BakersfieldBarkeley. Eureka. Fresno.	26, 330 15, 538 52, 105 13, 768 29, 809	19 20 46 30 28	72. 2 128. 7 88. 3 217. 9 93. 9
Colored Registration states, ex- chusive of North Caro-	1,448,168	618	42.7	New Jersey (total)	2,714,371	2,223 2,163 60	79.0 79.7 59.2	Long Beach. Los Angeles (total). White. Colored		39 443 436	159. 6 100. 9 103. 9
lina (total)	60,641,905 58,096,403 2,543,502	47,986 46,549 1,437	79. 1 80. 1 56. 5	New York (total)	9,899,761 9,740,332 159,429	8,907 8,791 116	90.0 90.3 72.8	Oakland	183,002	7 170	36. 6 92. 9 129. 6
Registration cities in other states (total)	4,875,095 4,223,527 651,568	4,161 3,776	85. 4 89. 4	North Carolina 2 (total) White Colored	309,636	273 190 83	57.8 61.4 51.0	Pasadena. Pomona. Redlands.	12, 202 12, 856	53 10 8	82.0 62.2 82.0
Colored	35,162,735	385	59. 1 88. 0	Ohio (total)	5,026,898 4,908,559 118,339	4,176 4,080 96	83. 1 83. 1 81. 1	Riverside (total)	16, 245 2, 052	15 15 65	92. 3
WhiteColored	33,253,174 1,909,561	29,669 1,287	89.2 67.4	Pennsylvania (total) White	8,245,967 8,033,610	5.997 5,807	72.7 72.3	Sen Diese	48 900	25 85	160. 2 173. 8
REGISTRATION STATES. California (total)	9 757 905	2,701	97.9	Colored	212,357	190 539	89.5 91.2	San Francisco (total) White	448, 502 430, 324 18, 178	576 563 13	128. 4 130. 8 71. 5
White	2,621,161	2,649 52	101.1 38.0	White	580,191	530	91.3 81.6	San Jose		41 20	110.6
Colored	891,769 17,768	530 517 13	58. 3 58. 0 73. 2	Utah (total)	414,518 407,004 7,514	190 185 5	45.8 45.5 66.5	Santa Crus Stockton * Vallejo	13, 482 25, 702 12, 777	22 28 11	163. 2 108. 9 86. 1
Connecticut (total) White	17,110	1,040 1,022 18	86.5 86.2 106.2	Vermont (total)	359.523 1,682	397 396 1	109.9 110.1 59.5	COLORADO. Registration cities (total). White	330, 537	293 281 12	85. 9 85. 0 111. 9
Indiana (total)	62,688	2,199 2,162 37	79. 1 79. 6 59. 0	Virginia (total)	1,449,401	1,051 767 284	48.9 52.9 40.5	Colorado Springs Denver	31,717 245,523	30 222 37	94.6 90.4 72.2
Kansas (total)	1,784,897 1,725,156 59,741	1,095 1,064 31	61.3 61.7 51.9	Washington (total) White	1,367,331	871 865 6	61.9 63.3 14.8	Trinidad	12,799	4	31.3
Kentucky (total)	. 2,081,819	1,081 959 122	46. 0 46. 1 45. 4	Wisconsin	2,446,716 2,432,768 13,948	1,985 1,976 9	81. 1 81. 2 64. 5	Registration cities (total). White	825, 290 812, 646 12, 644	717 699 18	86. 9 86. 0 142. 4
Maine (total)	762,787 760,346 2,441	821 819 2	107.6 107.7 81.9	Registration Cities.				Ansonia Bridgeport Bristol	16, 204 115, 289 15, 145	3 97 11	18.5 84.1 72.6
Maryland (total)	1.341.075	1,092 947	81.4 86.1	Registration cities (total). White	263, 504 152, 236	159 115	60. 3 75. 5	Danbury town	25, 219 18, 290	21 14	83. 3 76. 5
Colored	3,605.522	3,649 3,613	101.2 101.5	Colored Birmingham (total) White	111, 268 166, 154 100, 642	77 56	39. 5 46. 3 55. 6	Hartford	107, 038 14, 935 33, 501 22, 138	132 12 35 18	123.3 80.3 104.5 81.3
Colored Michigan (total)	44,437	2,395	81.0	Colored	65,512	21 52	32. 1 93. 6	Naugatuck New Britain	13,651 50,612	3 26	22.0 51.4
White Colored	2,949,633	2,379 16	80.7	White	30,997	41 11	132 3		144, 505	164	113.5

Includes District of Columbia.
 Includes only municipalities having a population of 1,000 or over in 1910.
 Nonregistration state; cities shown below only those with effective local ordinances.

	Estimated	CANCE	S FROM IR AND MALIG- UMORS.		Estimated	CANCE	S FROM IR AND MALIG- UMORS.		Estimated	DEATHS CANCE OTHER NANT TO	R AND MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
REGISTRATION CITIES— Continued.				REGISTRATION CITIES— Continued.				REGISTRATION CITIES— Continued.			
CONNECTICUT—continued.				INDIANA—continued.				KENTUCKY—continued. Louisville (total)	025 114	187	79.5
Norwalk	26, 033 29, 032 13, 094 33, 095	29 17 7 23	111. 4 58. 6 53. 5 69. 5	Fort Wayne	72, 423 (1) 24, 481 10, 479	69 8 12 13	95.3 (²) 49.0 124.1	White Colored Newport (total) White Colored 3	235, 114 192, 551 42, 563 31, 517 30, 925 592	168 19 17 16	87. 2 44. 6 53. 9 51. 7 168. 9
Torrington town. Wallingford town. Waterbury. Windham town.	18,709 12,072 82,517 13,654	8 9 57 10	42.8 74.6 69.1 73.2	Indianapolis (total) White	259,820 235,500 24,320 10,260 8,744	265 250 15 7 4	102.0 106.2 61.7 68.2 45.7	Owensboro (total)	17, 212 13, 862 3, 350 24, 170 17, 745	11 9 2 10	63. 9 64. 9 59. 7 41. 4
Wilmington (total)	92,057	81	88.0	Kokomo.	1,516 19.694	3 20	197.9	White	6, 425	i	50.7 15.6
White	82, 471 9, 586	75 6	90. 9 62. 6	Lafayette Laporte Logansport Marion	20, 896 12, 533 20, 262 19, 656	29 9 22 18	138.8 71.8 108.6 91.6	LOUISIANA.1 New Orleans (total) White Colored	361, 221 265, 692 95, 529	358 257 101	99. 1 96. 7 105. 7
Washington (total) White	353,378 252,039 101,339	355 271 84	100. 5 107. 5 82. 9	Michigan City	20,710 14,579 24,969 20,629 12,201	18 9 19 20 9	86.9 61.7 76.1 97.0 73.8	MAINE. Registration cities (total) White	175, 127 174, 404 723	212 212	121. 0 121. 6
Registration cities (total). White	116, 535 63, 729 52, 806	72 58 14	61.8 91.0 26.5	Richmond. South Bend. Terre Haute. Vincennes	23,932 65,114 63,529 16,759	12 34 52 16	50. 1 52. 2 81. 9 95. 5	Auburn. Augusta * Bangor * Biddeford.	15,965 13,860 26,061 17,475	23 16 42 12	144. 1 115. 4 161. 2 68. 7
Jacksonville (total)	34, 453 35, 720 21, 150 15, 280	47 38 9 18 16	67. 0 110. 3 25. 2 85. 1 104. 7	KANSAS. Registration cities (total) White	345, 260 312, 516	282 263	81.7 84.2	Lewiston	17, 475 27, 305 62, 161 12, 300	42 65 12	153. 8 104. 6 97. 6
Pensacola (total)	5,870 25,212	7	34.1 27.8	Colored	32,744 16,635	19	58. 0 108. 2	Registration cities (total) White	640,317 547,542 92,775	653 567 86	102.0 103.6 92.7
WhiteColored	13,996 11,216	8	28.6 26.7	White	13,984 2,651 15,982 14,181	15 3 8 8	107. 3 113. 2 50. 1 56. 4	Baltimore (total)	579, 590 491, 276 88, 314	589 510 79	101. 6 103. 8
Registration cities (total) White Colored		186 139 47	62.7 77.4 40.1	Fort Scott (total)	1,801 10,522 9,469	14 13	133. 1 137. 3	Cumberland (total) White Colored 3	25,054 23,830 1,224	25 24 1	99. 8 100. 7 81. 7
Atlanta (total)	119,105 60,187	106 82 24 37	59. 1 68. 8 39. 9 74. 8	Colored	1,063 19,339 13,296	1 15 6	95. 0 77. 6 45. 1 64. 7	Frederick (total)	10,886 9,349 1,537 24,787	16 14 2 4 23	147. 0 149. 7 130. 1 4 92. 8
Augusta (total)	22,161	24 13 43	87. 9 58. 7 63. 3	White	83,582 10,689 13,018	55 6 18	65. 8 56. 1 138. 3	White	23,087 1,700	4 19	4 82. 3 4 235. 3
White Colored	33, 178	33 10	99. 5 28. 8	White	10, 457 2, 561 18, 778	16 2 19	153.0 78.1 101.2		2,814,238 2,776,966 37,272	2,781 2,749 32	98, 8 99, 0 85, 9
Registration cities (total) White Colored	2,567,385	2,338 2,278 60	89. 0 88. 7 100. 4	White	16,371 2,407 14,500 16,845	17 2 10 11	103. 8 83. 1 69. 0 65. 3	Adams town Arlington town. Attleborough town. Beverly.	13,830 12,287 18,294 20,679	7 9 23 31	50. 6 73. 2 125. 7 149. 9
Aurora. Belleville. Chicago (total). White. Colored.	33,022 21,139 2,397,600 2,346,883 50,717	33 16 2,107 2,059 48	99. 9 75. 7 87. 9 87. 7 94. 6	Topeka (total) *	47,102 42,198 4,904 64,972	52 49 3 50	110. 4 116. 1 61. 2 77. 0	Boston (total)	733,802 717,767 16,035 64,043 31,138	871 854 17 55 45	118.7 119.0 106.0 85.9 144.5
Decatur. Evanston Jacksonville* Quincy Springfield	37,525 27,724 15,431 36,730	38 25 20 37 62	101.3 90.2 129.6 100.7	Registration cities (total) White	425, 563 351, 273 74, 290	328 291 37	77.1 82.8 49.8	Cambridge	110,357 31,765 28,057 12,762	111 45 15 11	100. 6 141. 7 53. 5 86. 2
INDIANA. Registration cities (total) White	57,972 901,437 856,953 44,484	765 739 26	84.9 86.2 58.4	Covington (total)	55,896 52,840 3,056 10,882 7,917 2,965	38 35 3 6 4 2	68. 0 66. 2 98. 2 55. 1 50. 5 67. 5	Everett	37,381 125,443 40,507 13,648 16,353 23,666	28 70 38 17 11 32	74. 9 55. 8 93. 8 124. 6 67. 3 135. 2
Anderson	23,528 25,658 21,028 10,211 71,284	13 10 32 3 46	55. 3 39. 0 152. 2 29. 4 64. 5	Henderson (total)	11,953 8,805 3,148 38,819 26,628 12,191	18 17 1 41 33 8	150. 6 193. 1 31. 8 105. 6 123. 9 65. 6	Greenfield town	11 402	13 42 42 60 19	113. 1 89. 2 66. 8 62. 6 96. 0

¹ Nonregistration state; cities shown below only those with effective local ordinances.
² Incorporated in 1906; population not estimated.

Colored population less than 10 per cent of the total in 1910.
 Probably does not include deaths in territory annexed in April, 1914.

SUMMARY AND RATE TABLES.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS 1914—Continued.

	Estimated	CANCE	S FROM R AND MALIG- UMORS.		Estimated	CANCH	ER AND MALIG- TUMORS.		Estimated popula-	CANCE	MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation,	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber,	Rate per 100,000 popu- lation.	AREA AND COLOB.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
REGISTRATION CITIES— Continued.	0			REGISTRATION CITIES— Continued.				REGISTRATION CITIES— Continued.			
MASSACHUSETTS-contd.	p 121			MISSOURI.	120		1.00	NEW JERSEY—continued.	V		
Lowell Lynn Malden Marlborough Marlborough Marlborough Marlborough Mediord Med	48,979 14,991	98 91 44 18 23	88.3 92.7 89.8 120.1 91.1	Registration cities (total) White	1, 232, 741 1, 144, 160 88, 581 20, 710	1,171 1,121 50	95, 0 98, 0 56, 4	Irvington. Jersey City. Kearny. Long Branch. Millville.	14,697 293,921 21,967 14,719 13,246	15 217 10 15 13	102, 1 73, 8 45, 5 101, 9
Melrose	16,887 13,123 13,770	20 12 12 93 29	118.4 91.4 87.1 83.6 191.5	White	18,622 2,088 13,031 10,915 2,116	14 1 9 9	75. 2 47. 9 69. 1 82. 5	Montclair (total)	24, 782 21, 902 2, 880 13, 033 24, 827	21 19 2 23 23	84. 7 86. 8 69. 4 176. 8 88. 6
Newton. North Adams Northampton* Peabody town. Pittsfield.	42,455 21,090	41 26 26 7 41	96, 6 123, 3 131, 5 40, 0 112, 2	Joplin. Kansas City (total). White. Colored. Moberly St. Joseph *. St. Louis (total).	12, 162	33 254 240 14 10 97	100.5 90.1 94.1 52.0 82.2 117.3	Newark Orange Passaic Paterson Perth Amboy Phillipsburg	66,276 134,305	340 40 29 124 19 6	87. 4 125. 1 43. 8 92. 3 49. 7 39. 8
Plymouth townQuincyRevere townSalemSomerville	36,366 21,552 46,994	13 36 6 44 71	98.3 99.0 27.8 93.6 84.6	Colored	47, 629 18, 925 16, 938 1, 987	701 671 30 17 15 2	95. 4 97. 7 63. 0 89. 8 88. 6 100. 7 75; 0	Plainfield. Trenton * Union West Hoboken West New York.	22,755 106,831 23,588 40,647 17,093	98 10 19 10	91. 7 42. 4 46. 7 58. 5
Southbridge town	100,490 35,631 12,305 29,688	92 46 8 35 12	43.8 91.6 129.1 65.0 117.9	Springfield. Webb City. MONTANA. Registration cities (total)	109,011	6 82 81	75. 2 - 76, 0	NEW YORK. Registration cities (total). White	12,722 7,520,670 7,388,358	6,621 6,528	88. 0 88. 4
Watertown town Webster town	00027.75.55	5	84. 4 39. 5	White	106, 608 2, 403	1	41.6	Colored	132,312	93	70.2
Westfield town. Weymouth town Winthrop town. Woburn. Worcester.	17, 635 13, 564 11, 866 15, 755	22 13 9 11 176	124. 8 95. 8 75. 8 69. 8 111. 6	Anaconda Billings Butte Great Falls Helena	10, 424 13, 020 42, 286 13, 531 13, 258	6 8 28 19 6	.57. 6 61. 4 66. 2 140. 4 45. 3 91. 0	Albany. Amsterdam. Auburn Batavia Binghamton *	102, 961 35, 223 36, 509 12, 614 52, 191	151 20 36 12 46	146. 7 56. 8 98. 6 95. 1 88. 1
MicHigan. Registration cities (total) White	1, 157, 410	997 988 9	85. 2 85. 4 73. 4	Missouia. NEBRASKA. Registration cities (total) White Colored	16, 492 178, 917 173, 287 5, 630	187 185 2	104. 5 106. 8 35. 5	Buffalo. Cohoes. Corning. Cortland. Dunkirk	25, 049 14, 866 12, 565	435 24 7 11 7	95. 8 95. 8 47. 1 87. 5 35. 7
Adrian	13, 089 14, 948 28, 122	11 4 38 38 38 29	97. 9 - 30. 6 254. 2 135. 1 61. 6	Lincoln	45, 643 133, 274	47 140	103. 0 105. 0	Elmira	37,816 11,448 13,303 16,362 21,618	42 6 11 21 19	111. 1 52. 4 82. 7 128. 3
Detroit. Escanaba. Flint Grand Rapids. Holland	14,747 49,546 123,227	424 9 25 120 11	78. 9 61. 0 50. 5 97. 4 94. 5	Registration cities (total). White	184, 187 183, 849 338 13, 013	173 172 1		Hornell. Hudson. Ithaca. Jamestown.	14,341 12,221 15,510 34,878	18 16 19 48	125. 5 130. 9 122. 5 137. 6
Ironwood	14, 147 12, 106 34, 097 45, 842	6 7 35 49 20	42. 4 57. 8 102. 6 106. 9 53. 3	Concord * Dover Keene Laconia Manchester	22, 291 13, 264 10, 451 11, 094 75, 635	29 21 6 7 56	130. 1 158. 3 57. 4 63. 1 74. 0	Johnstown Kingston Lackawanna Little Falls	10,582 26,493 19,012 13,077	12 45 4 11	113. 4 169. 9 21. 0 84. 1
Manistee Marquette Menominee Muskegon	11,581 12,117 9,522 25,442	9 17 4 33 23	77. 7 140. 3 42. 0 129. 7	Portsmouth	26, 901 11, 538	21 24	78.1 208.0	Lockport	19,581 - 15,650 35,047 34,893	20 27 31 28	102. 1 172. 5 88. 5 80. 2
Pontiac * Port Huron Saginaw Sault Ste. Marie Traverse City *	18,738 53,988 13,499	23 15 50 6 14	138. 9 80. 1 92. 6 44. 4 105. 5	Registration cities (total). White	1, 828, 462 1, 765, 930 62, 532 12, 763 10, 322	1, 426 1, 384 42 12 11	78. 4 67. 2 94. 0 106. 6	New York (total) Bronx Borough Brooklyn Borough Manhattan Borough Queens Borough	5,333,539 529,198 1,833,696 2,536,716 339,886	4,452 516 1,439 2,124 277	83. 5 97. 5 78. 5 83. 7 81. 5
MINNESOTA.				White Colored Atlantic City (total)	2,441 53,952	1 39	41.0	Richmond Borough	94,043	96	102. 1
Registration cities (total) White	7,347 89,331	605 604 1	82. 6 83. 3 13. 6	White. Colored. Bayonne. Bloomfield. Bridgeton	42,356 11,596 65,271 17,372 14,335	36 3 28 13	85. 0 25. 9 42. 9 74. 8 139. 5	White. Bronx Borough. Brooklyn Borough. Manhattan Borough. Queens Borough. Richmond Borough.	5, 224, 202 523, 758 1, 806, 496 2, 465, 456 335, 798 92, 694	4,369 511 1,410 2,079 276 93	83. 6 97. 6 78. 1 84. 3 82. 2 100. 3
Mankato Minneapolis St. Cloud St. Paul Stillwater Virginia	10, 268 343, 466 11, 425 236, 766 0, 296	11 313 13 166 7	107. 1 91. 1 113. 8 70. 1 75. 3 29. 3	Camden East Orange Elizabeth Garfield Hackensack Harrison	102, 465 39, 852 82, 411 13, 071 16, 011 16, 160 74, 994	20 74 17 76 6 16 12 49	72. 2 42. 7 92. 2 45. 9 99. 9 74. 3	Colored Bronx Borough Brooklyn Borough Manhattan Borough Queens Borough Richmond Borough	109, 337 5, 440 27, 200 71, 260 4, 088	83 5 29 45 1	75, 9 91, 9 106, 6 63, 1 24, 5 222, 4

Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.
 Nonregistration state; cities shown below only those with effective local ordinances.

	Estimated	CANCE	S FROM IR AND MALIG- UMORS.		Estimated	CANCE	S FROM ER AND MALIG- UMORS.		Estimated	OTHER	S PROM R AND MALIG- UMORS,
AREA AND COLOR.	popula- tion, July 1, 1914.	Num• ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
REGISTRATION CITIES— Continued.				REGISTRATION CITIES— Continued.				REGISTRATION CITIES— Continued.			
NEW YORK-continued.	100.00		200	оню—continued.				PENNSYLVANIA—contd.			
Newburgh. Niagara Falls. North Tonawanda Ogdensburg *	13, 184 16, 464	37 26 9 17	127. 5 74. 0 68. 3 103. 3	East Liverpool Elyria Findlay Hamilton Ironton	17,396 13,684 38,814	13 19 19 31 14	59. 4 109. 2 138. 8 79. 9 102. 3	Johnstown Lancaster Lebanon McKees Rocks McKeesport	18, 258	36 55 20 3 26	55. 3 110. 3 100. 4 16. 4
Ossming Oswego Peekskill Plattsburg.	12,987 23,865 17,327	15 30 13 8	115. 5 125. 7 75. 0 65. 1	LakewoodLima	20, 219 14, 840 33, 904	11 11 40 20	54. 4 74. 1 118. 0 58. 2	Mahanoy City	16, 971 13, 472	5 19 1	29. 5 141. 0 5. 3
Piattsourg. Port Chester. Poughkeepsie. Rensselaer. Rochester	29,598 11,027	11 31 13 261	72.9 104.7 117.9 106.5	Lorain. Mansfield. Marietta. Marion	14,742 22,032	15 15 22	67.9 101.8 99.9	Monessen. Mount Carmel. Nanticoke. New Castle.	21,756	6 25	20.6 27.8 63.2
Rome	22,693	25	110.2	Massillon Middletown	14,827	5	46.9 33.7	Norristown * North Braddock	30, 265 14, 076	26 2	85. 9 14. 2
Saratoga Springs Schenectady Syracuse Troy	91,012 149,353 77,560	18 36 126 136	140. 5 39. 6 84. 4 175. 3	Newark Norwood Piqua Portsmouth	20,320	17 16 16 17	60.1 78.7 115.1 61.8	Oil City Old Forge Philadelphia (total) White	18,645 13,748 1,657,810 1,566,158	11 4 1,541 1,455	59. 0 29. 1 93. 0 92. 9
Utica *. Watertown Watervliet White Plains Yonkers.	28,874 15,394 19,379	82 33 17 19 65	99.9 114.3 110.4 98.0 69.6	Sandusky	50,058 44,782 5,276	23 37 33 4	114.3 73.9 73.7 75.8	Phoenixville	91, 652 11, 400 564, 878	86 8 481	93. 8 70. 2 85. 2
NORTH CAROLINA.				Steubenville	12,278	19 10	73.6 81.4	White	537, 479 27, 399 17, 847	460 21 11	85. 6 76. 6 61. 6
Registration cities (total) White Colored	176,010 109,604 66,406	124 76 48	70. 5 69. 3 72. 3	Toledo	12,074 100,593	184 10 66 39	99. 9 82. 8 65. 6 130. 2	Plymouth Pottstown Pottsville	18, 422 16, 408 21, 684	9 15 18	48, 9 91, 4 83, 0
Asheville (total). White Colored. Charlotte (total). White Colored.	14,397 5,760 37,951 24,835	11 9 2 30 19 11	54. 6 62. 5 34. 7 79. 0 76. 5 83. 9	OREGON. ¹ Portland (total)		229 222 7	87. 9 88. 7 67. 4	Reading Scranton Shamokin Sharon Shenandoah	20, 841 17, 538	86 85 14 10 6	83.2 60.1 67.2 57.0 21.4
Durham (total)	22,863 14,253	14 6 8	61.2 42.1 92.9	PENNSYLVANIA. Registration cities (total) White	3,957,679 3,800,812	3, 245 3, 104	82.0 81.7	Steelton	22, 840 15, 126	9	39. 4
Greensboro (total)	18,391 11,783	15 9 6	81. 6 76. 4 90. 8	Colored	156,867	141	89. 9 97. 8	Sunbury	15, 458 19, 140 14, 045	14 18 12	90. 6 94. 0 85. 4
Raleigh (total) *	12, 225 7, 608 27, 781	21 10 11 19	105.9 81.8 144.6 68.4	Altoona Beaver Falls. Bethlehem Braddock.	13,100 13,721 20,935	44 11 8 6	77. 8 84. 0 58. 3 28. 7	Washington West Chester (total) White Colored	20, 702 12, 722 10, 691 2, 031	12 15 13 2	58. 0 117. 9 121. 6 98. 5
White	13,078 29,034 17,408	12 7 14 11 3	81.6 53.5 48.2 63.2 25.8	Bradford Butler. Carbondale Carlisle (total) White Colored	25, 543 18, 532 10, 589	9 21 13 10 8	60. 7 82. 2 70. 1 94. 4 84. 8 173. 5	Wilkes-Barre Wilkinsburg Williamsport York	73, 660 21, 701 33, 181 49, 430	46 22 50 47	62. 4 101. 4 150. 7 95. 1
OHO. Registration cities (total) White	2, 410, 207 2, 335, 493 74, 714	2,104 2,041 63	87.3 87.4 84.3	Carnegie	11, 150 12, 192 40, 474 35, 419	2 16 25 22 3	17. 9 131. 2 61. 8 62. 1 59. 3	RHODE ISLAND. Registration cities (total). White	479, 487 470, 169 9, 318	426 419 7	88, 8 89, 1 75, 1
Akron Alliance Ashtabula Bellaire Cambridge	80, 291 17, 718 20, 478 13, 896 12, 844	62 15 10 7 9	77. 2 84. 7 48. 8 50. 4 70. 1	Coatesville (total)	13,369 11,533 1,836 11,055	5 5 17 15	37. 4 43. 4 153. 8 102. 6	Central Falls Cranston 4 Cumberland town East Providence town Newport	24, 707 24, 415 10, 608 17, 369 29, 154	11 34 10 23 25	44. 5 139. 3 94. 3 132. 4 85. 8
Canton	57, 426 15, 160 402, 175 380, 415 21, 760	35 15 419 400 19	60.9 98.9 104.2 105.1 87.3	Dubois Dunmore Duquesne Easton Erie	14,007 19,757 18,576 29,882	9 6 8 25 55	64. 3 30. 4 43. 1 83. 7 76. 0	Pawtucket. Providence Warwick town b Woonsocket.	56, 901 245, 090 28, 893	23 44 227 31 21	77.3 92.6 107.3 49.6
Cleveland	639, 431 204, 567 190, 139 14, 428	483 220 208 12 133	75. 5 107. 5 109. 4 83. 2 107. 4	Farrell. Greensburg. Harrisburg. Hazleton.	(4) 14,687 69,493 27,511	1 7 57 27 10	(3) 47.7 82.0 98.1 47.0	SOUTH CAROLINA. ¹ Charleston (total)	60, 121 28, 372 31, 749	35 23 12	58. 2 81. 1 37. 8

¹ Nonregistration state; cities shown below only those with effective local ordinances.
2 Colored population less than 10 per cent of the total in 1910.
3 Population not estimated; name changed from South Sharon (incorporated in 1901) in 1912.
4 Includes state institutions.
5 Includes West Warwick town, organised Nov. 1, 1913.

	Estimated	CANCE	S FROM E AND MALIG- UMORS.		Estimated	CANCE	S FROM ER AND MALIG- UMORS.		Estimated	CANCE OTHER NANT T	R AND MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
REGISTRATION CITIES— Continued.				REGISTRATION CITIES— Continued.				RURAL PART OF REGISTRATION STATES -Con.			
TENNESSEE. Registration cities (total). White Colored	237, 961	289 209 80	78, 0 87, 8 60, 3	VIRGINIA—continued. Portsmouth (total) White Colored Richmond (total)	24, 405 13, 164 134, 917	18 11 7 127	47. 9 45. 1 53. 2 94. 1	Glenn County Humboldt County Inperial County Inyo County	8,033 22,967 16,683 8,082	4 13 5 2	49.8 56.6 30.6 24.5
Chattanooga (total) White	34, 115 22, 962 17, 531	40 32 8 8 4	70. 1 93. 8 34. 8 45. 6 35. 8	White	85, 498 49, 419 40, 574 31, 349	89 38 20 15	104.1 76.9 49.3 47.8	Kings County	18 940	12 5 4	63.4 94.6 81.5
Knoxville (total)	37, 924 29, 952	29 19 10	76.5 63.4 125.4	Colored	9, 225 11, 316 8, 667	5 6 5 1	54. 2 53. 0 57. 7 37. 8	Lake County Lassen County Los Angeles County Madera County Marin County Mariposa County	29, 126	161 5 14	123.9 54.2 48.1 27.5
Colored	143,231 85,859 57,372 114,899	114 86 28 98 68	79. 6. 100. 2 48. 8 85. 3 88. 5	WASHINGTON. Registration cities(total). White	655, 896 18, 425	499 497 2	74.0 75.8 10.9	Mariposa County Mendocino County * Merced County Modoc County Mono County	1 002	10 11 2	39.4 62.2 30.0
White		30	78.9	Aberdeen	29, 937 32, 048	10 21 19 20	54. 9 70. 1 59. 3 106. 7	Monterey County Napa County* Nevada County Orange County	26, 176 21, 228 13, 748 40, 716	16 32 14 39	61. 1 150. 1 101. 8 95. 8
White	181,036 23,821 49,505	170 11 48	93. 9 46. 2 97. 0	Seattle	135,657	221 102 84 22	70.6 75.2 81.2 94.5	Placer County	19, 281 5, 516 23, 557 14, 416	13 1 7 5	67. 18. 29. 34.
White	2,134 40,289 31,480	52 45 7 81 77	101.3 129.1 142.9 79.5 70.4 75.4	WEST VIRGINIA.1 Wheeling (total) White Colored 2 WISCONSIN.	41,575 1,242	46 45 1	107.4 108.2 80.5	San Benito County San Bernardino County * San Diego County San Joaquin County San Luis Obispo County San Mateo County	40,510	9 34 24 32 14 23	83. 89. 101. 68. 70.
UTAH.	12,878	•	31.1	Registration cities (total). White	831, 317 2, 657	712 710 2	85. 4 85. 4 75. 3	Santa Barbara County Santa Clara County * Santa Cruz County Shasta County	56, 391	5 78 9 13	28. 138. 61.
Registration cities (total). White	136, 968 2, 296	93 88 5	66, 8 64, 2 217, 8	Appleton. Ashland Beloit Eau Claire Fond du Lac	17, 122	21 10 15 25 26	120. 1 91. 2 87. 6 134. 1 127. 7	Siskiyou County	19, 584 16, 238	8 9	66. 48. 40. 55.
Ogden Salt Lake City VERMONT, Registration cities (total). White	47,370	71 73 72 1	64. 7 154. 1 152. 5	Green Bay	28,026 14,195	36 20 16	128.5 140.9 55.1 114.8	Sonoma County	52, 618 28, 048 6, 515	63 19 5 10	76. 86.
Colored	11,706	5 35	671.1 42.7 164.7	Madison Manitowoc Marinette	13,553	36 29 17 11	98. 4 125. 4 78. 9	Trinity County Tulare County Tuolumne County		2 23 5	70. 53.
VIRGINIA. Registration cities (total).	14,417	33	228, 9	MilwaukeeOshkosh		291 38	69. 4 108. 3	Yentura County Yolo County Yuba County	20, 043 14, 057 10, 648	14 12 10	69. 85. 93.
White	277, 249 146, 422 15, 670	216 88	77. 9 60. 1 102. 1	Sheboygan Superior Wausau	27, 863 44, 344 18, 352	35 26 16	125.6 58.6 87.2	COLORADO. TotalWhite	568, 280 561, 232	237 236	41. 42.
White	19,697 13,267	14 2 19 14 5	123. 0 46. 6 96. 5 105. 5 77. 8	RURAL PART OF REGISTRATION STATES. CALIFORNIA. Total	1,211,170	947 929	78. 2 81. 3	Adams County	7, 048 10, 652 12, 295 3, 808 3, 266	3 4	28. 32.
Lynchburg (total)	21,609 10,221 20,446 13,089	27 20 7 5 4	84.8 92.6 68.5 24.5 30.6	Colored Alameda County Alpine County Amador County Butte County Calaveras County	68,757 34,101 226	18 39 7 23	26, 2 114, 4 85, 1 72, 7	Bent County Boulder County Chaffee County Cheyenne County Clear Creek County	5, 894 34, 073 7, 850 5, 044	25 6 1	73. 76. 19. 24.
Norfolk (total)	86,540 54,338 32,202 25,112 13,647	46 33 13 20 11	13.6 53.2 60.7 40.4 79.6 80.6 78.5	Colusa County Contra Costa County Del Norte County Eldorado County	7, 889 37, 483 2, 421	23 2 3 18 2 10 40	38.0 48.0 82.6 145.8 64.6	Conejos County 4	18, 213 1, 527 17.182 435 3, 223	3 1 4 3	16. 65. 23.

Nonregistration state; cities shown below only those with effective local ordinances.
Colored population less than 10 per cent of the total in 1910.
Exclusive of municipalities having a population of 10,000 or over in 1910.
Includes Alamosa and Costilla Counties; separate estimated populations not available.

	Estimated	CANCE	S FROM ER AND MALIG- UMORS.		Estimated	CANCE	S FROM ER AND MALIG- UMORS.		Estimated	DEATH CANCE OTHER NANT T	R AND MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES 1—Con.				RURAL PART OF REGISTRATION STATES 1—Con.				RURAL PART OF REGISTRATION STATES 1—Con.			
colorado—continued.			1	INDIANA—continued.	W. C.	1.37	556	INDIANA—continued.	100		1.6
El Paso County Elbert County Fremont County Garfield County Gilpin County	6, 281 19, 266 11, 980	5 1 7 4	30. 1 15. 9 36. 3 33. 4 32. 9	Clay County. Clinton County Crawford County Daviess County. Dearborn County.	26,026 11,455	24 32 3 17 18	75. 5 123. 0 26. 2 63. 4 85. 5	Union County Vanderburg County* Vermilion County Vigo County	33, 435	8 10 15 19	132. 116. 73. 53.
Grand County	6, 138 (2) 15, 418	2 5	(2) 32, 4	Decatur County	24,776 27,206	18 23 19 6 42	97. 4 92. 8 69. 8 22. 1 141. 6	Wabash County	21,734 16,610	20 4 11 8	75. 37. 50. 48.
Jefferson County Kiowa County Kiowa County Larson County La Plata County Lake County	16, 329 3, 534 9, 998 12, 429	7 2 6 4	42.9 20.0 48.3 (2)	Fayette County Floyd County Fountain County Franklin County Franklin County	14.805	19 9 16 10 13	128.3 92.4 80.0 67.2 87.3	Wayne County * Wells County White County Whitley County KANSAS,	16,950	9 16 11	40.9 94.6 65.8
Larimer County Las Animas County Lincoln County Logan County	25,874 8,043 12,213	18 10	58.0 38.6	Gibson County Grant County Greene County Hamilton County	30, 151	16 35 16 19	53. 1 115. 2 39. 6 73. 7	Total		813 801 12	56. 4 56. 7 44. 4
Mesa County	953 5,867 12,742	14 2 3 5 6	50. 5 209. 9 52. 8 39. 2 48. 9	Harrison County	19,606 20,649	18 15 10 14	94.9 76.5 48.4 44.1	Allen County. Anderson County. Atchison County Barber County Barton County.	19 784	19 9 2 5 11	61.1 65.3 17.1 44.1 56.0
Otero County ³	23, 899 2, 996 2, 277 3, 857	11 1 1 2 3 7	46.0 33.4 43.9 51.9 85.2	Henry County Howard County Huntington County Jackson County Jasper County Jay County	23, 915 12, 514	10 11 13 15 15	64.8 59.3 54.4 119.9 74.5	Bourbon County. Brown County. Butler County. Chase County. Chautauqua County.	20,867	10 10 18 3 6	75. 1 47. 1 78. 1 41. 1 53. 1
Prowers County	11,970		58.5	Jay County	19,448 13,542	31 12	159.4 88.6		1 1 1 1 1 1 1	18	49.
Pueblo County * Rio Blanco County	9,222	13 2 1	21. 7 23. 3	Johnson County Knox County Kosciusko County Lagrange County Lake County	20,465 25,165 27,437	14 9 25 11	68. 4 35. 8 91. 1 72. 9	Cherokee County Cheyenne County Clark County Clark County Clay County	4,933 5,112 15,005 18,524	2 2 9 13	40. 1 39. 1 60. 0 70. 2
San Juan County San Miguel County Sedgwick County Summit County	4,412 3,950	3 2 1	68, 0 50, 6 59, 3	Laporte County	15,709 32,709	25 13 15 20	71.3 82.8 45.9 68.4	Coffey County Comanche County Cowley County Crawford County Decatur County	3 000	5 1 25 20 3	34. 25. 77. 6 50. 1
Teller County Washington County Weld County Yuma County	8,109 7,190 48,709 10,180	8 1 19 5	98.7 13.9 39.0 49.1	Madison County Marion County * Marshall County Martin County Miami County	12,201 17,576	26 25 4 14	80. 9 105. 2 32. 8 79. 7	Dickinson County Doniphan County Douglas County Edwards County	05 440	12 9 7	47. 63. 60.
CONNECTICUT.	377, 398	323	05.6	Monroe County Montgomery County	24,511 29,258	22 27	89. 8 92. 3	Elk County	8,461 9,569	10	59. 104.
Total	372,932 4,466 53,443	323	85. 6 86. 6 80. 5	Newton County Noble County Ohio County	21,488 10,524 24,210 4,161	11 12 18	51, 2 114, 0 74, 3	Ellis County. Ellsworth County. Finney County. Ford County.	13,681 10,792 8,374 13,906	9 7 1 8 14	65. 8 64. 9 11. 9 57. 8
Hartford County Litchfield County	85,763 54,359	76 41 21	88. 6 75. 4	Orange County	17,334 13,586	6	34, 6 81, 0	Ford County	2.30(5.2)		67.7
Middlesex County New Haven County * New London County * Tolland County Windham County	50,768 45,284 27,285	48 46 19 29	83. 5 94. 5 101. 6 69. 6 82. 0	Parke County Perry County Pike County Porter County Posey County	19,343 21,120	14 8 12 23 5	64.0 45.0 62.0 108.9 23.4	Geary County Gove County Graham County Grant County Grant County	13,507 7,580 10,203 1,370 3,913	9 1 3 1	66. 6 13. 2 29. 4
INDIANA.				Contribution States Section 10 to a section 10 days			107.7	Greeley County	1,694 16,004	12	75. (
Total	1,878,030 1,859,826 18,204	1,434 1,423 11	76. 4 76. 5 60. 4	Pulaski County	20,112 29,164 19,271 19,009	14 24 23 21 15	119.3 78.9 109.0 78.9	Harper County	4, 184 16, 639 19, 887	1 8 18	23. 9 48. 1 90. 5
Adams County	21, 675 27, 830 24, 905 12, 503 15, 227	17 21 25 5 15	78. 4 75. 5 100. 4 40. 0 98. 5	St. Joseph County Scott County Shelby County Spencer County Starke County	15,455 8,328 26,933 19,939 10,624	18 12 18 15 12	116. 5 144. 1 66. 8 75. 2 113. 0	Haskell County. Hodgeman County Jackson County. Jefferson County. Jewell County.	1, 221 3, 314 16, 754 15, 100 17, 608	14 12 13	83. 6 79. 5 73. 8
Boone County	23,971 7,230 17,126 16,879 19,331	11 3 12 9	45, 9 41, 5 70, 1 53, 3 72, 4	Steuben County	9,093 19,765	14 19 12 21 12	100.9 54.0 132.0 106.2 71.6	Johnson County Kearny County Kingman County Klowa County Labette County	14.546	17 1 7 1 13	92.6 24.4 48.1 12.8 69.7

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
2 Population not estimated, decrease since 1900.
3 Includes Crowley County; separate estimated populations not available.
4 Includes Moffat County; separate estimated populations not available.
5 Includes National Military Home.

	Estimated popula-	CANCE OTHER	S FROM R AND MALIG- UMORS.		Estimated	CANCI OTHER	E FROM ER AND MALIG- TUMORS.		Estimated	CANCE	S FROM ER AND MALIG- UMORS.
AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES —Con. KANSAS—continued.				RURAL PART OF REGISTRATION STATES 1—Con.				RUBAL PART OF REGISTRATION STATES -Con.			
Lane County	3,046 22,544	1 16	32.8 71.0	Barren County (total) White	26, 186 22, 442	9	34.4 40.1	KENTUCKY—continued. Cumberland County (total)	10, 222	1	9.8
Linn County	13,903	23 23 2	19.5 165.4	Bath County (total)	3,744 13,673	4	29.3	White	9, 151 1, 071	i	10.9
Logan County	1 .	ľ	38.4	White	12,358 1,315	4	32.4	White	24,811 22,824	4	16. 1 17. 5
Lyon County McPherson County Marion County	24, 865 21, 563 23, 156	21 18 10	84. 5 83. 5 43. 2	Bell County (total) White	33,878 30,376	6 5	17.7 16.5	Colored 2 Edmonson County (total)	1,987 10,634	2	18.8
Marshall County Meade County	23,678	10 2	42. 2 30. 6	Colored .	3 502 1	1 5	28. 6 57. 6	White	10, 185 449	2	19.6
Miami County	19,344 13,853	12 8	62. 0 57. 7	Boone County (total) White	8,233 443	5	60.7	Elliott County (total) White	9, 571 9, 566 5	2 2	20. 9 20. 9
Montgomery County Morris County	28,903 12,578	13 3	45.0 23.9	Bourbon County (total) White	17,206 11,606	15 9	87.2 77.5	Estili County (total)	12,531	2	16.0
Morton County	1,771	1	56.5	ColoredBoyd County (total)	5,600 25,408	6 10	107. 1 39. 4	WhiteColored 2	12,422	2	16.1
Nemaha County Neosho County Ness County	25,669	7 18	37.8 70.1 15.5	Boyd County (total) White	24,496 912	10	40.8	Fayette County (total) White Colored	11,300 7,822 3,478	4	35.4 51.1
Norton CountyOsage County	11,736	1 8 13	68. 2 71. 0	Boyle County (total) White	15,031 10,744	7 4	46.6 37.2	Fleming County (total)	15,637	11	70.3
Osborne County Ottawa County	13,244 12,077	12 7	90. 6 58. 0	Colored. Bracken County (total) White	4,287 9,530 9,215	8 7 7	70.0 73.5 76.0	White Colored ³ Floyd County (total)	14,630 1,007 19,932	11 2	75. 2 10. 0
Pawnee County Phillips County	10,467 14,028	6 2	57.3 14.3	Colored 3	315	•••••		White	19, 776 156	<u>ā</u>	10.1
Pottawatomie County		9	52.6	Breathitt County (total) White	18,912 18,629	1	5. 3 5. 4	Franklin County (total) White	10,372 9,564	6	57.8 52.3
Pratt County Rawlins County Reno County	6,864	1 3 11	7.8 43.7 49.4	Colored 2 Breckinridge County (to- tal)	283 21,246	11	51.8	Colored 2	808 15,208	1 6	123.8 39.5
Republic County Rice County	17, 106	16 5	. 93.5 32.8	White Colored 2	19,636 1,610	9	45. 8 124. 2	White Colored	11,566 3,642	6	51.9
Riley County Rooks_County	16,616 12,696	12 5	72. 2 39. 4	Bullitt County (total) White	9,442 8,761			Gallatin County (total) White	4,499 4,235	2 2	44.5 47.2
Rush County	8, 546 11, 785	2 10	23.4 84.9	Colored 2 Butler County (total)	681 15,768	7	44.4	Colored 2	264 11,831	5	42.3
Saline County	1 1	11	50. 6 25. 8	White Colored 2	15,204 564	7	46.0	White Colored	9,543 2,288	1	41.9 43.7
Scott County Sedgwick County Seward County	20,504 5,484	5	24. 4	Caldwell County (total) White	13,875 11,371	2 1	14. 4 8. 8	Grant County (total) W hite	9, 449 9, 186	2 2	21.2 21.8
Shawnee County Sheridan County	18,244	12 2	65. 8 31. 1	Colored. Calloway County (total) White	2,504 20,819	1 9	39. 9 43. 2	Graves County (total)	263 33,682 30,748	11	32.7 32.5
Sherman County	5,062 14,931	3 7	59.3 46.9	Colored 2	19,691 1,128	9	45.7	WhiteColored 2	2, 934	10 1	34.1
Smith County Stafford County Stanton County	1,333	4	29.3	Campbell County (total) White	30,046 29,867	24 24	79.9 80.4	Grayson County (total)	19, 992 19, 656	8 8	40.0 40.7
Stevens County		17	51.8	Colored 2 Carlisle County (total)	179 8,561	į	11.7 12.2	Colored 2	336 11,708 10,373	6 5	51.2 48.2
Trego County	6,538	i	16.6	WhiteColored ¹	8, 186 375	1		Colored	1,335	i	74.9
Wabaunsee County Wallace County	12,683 3,432	9 3	71.0 87.4	Carroll County (total) White	7,383 6,897	7	94.8 87.0	White	19, 771 19, 483 288	9	45.5 46.2
Washington County Wichita County	19,492 2,351	8	41.0	Colored 3 Carter County (total) White	486 22,708 22,593	1 4	205.8 17.6 17.7	Hancock County (total)	8,343 7,784	2 2	24.0 25.7
Wilson County Woodson County Wyandotte County	21.594	16 4	74. 1 43. 4	WhiteColored 2	115			Colored ²	559 22,595	9	39.8
w yandotte County	17,235	16	92.8	Casey County (total) White	15,623 15,340 283	4	25.6 26.1	White	20, 764 1, 831	6	28. 9 163. 8
TotalWhite	1,730,546	753 668	39. 1 38. 6	White	39,221 22,993	26 17	66.3 73.9	Harlan County (total) White Colored 2	10,874 10,290	2 2	18.4 19.4
Colored Adair County (total)	194,622	85 4	23.3	Colored	16, 228 18, 538	9 16	55.5 96.3	Harrison County (total)	584 16, 151	10	i 61.9
White	15,643 1,547	4	25.6	WhiteColored	13,900 4,638	14 2	100.7 43.1	White	14,463 1,688	9 1	62.2 59.2
Allen County (total) White	14,978 14,055	7 6	46.7 42.7	Clay County (total)	18, 821 18, 294	8 7	42.5 35.3	Hart County (total)	18,0%0 16,0%5 1,995	3 3	16.6 18.7
Colored 2Anderson County (total)	923 10, 185	1	9.8	Clinton County (total)	527 8, 272	1	189.8	Henderson County (total)	15,884	9	56.7
WhiteColored s	9,443 742 13,512	2	10.6	White	8, 176 96 12, 490	 2	16.0	W hite	12,542 3,342 13,333	7 2 10	55.8 59.8
White	11,812	2	16.9	White	11,934 556	2	16.8	Henry County (total) White Colored	13,333 11,578 1,755	7 3	60.5

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Colored population less than 10 per cent of the total in 1910.

	Estimated	CANCE	S FROM ER AND MALIG- UMORS.		Estimated	CANCE OTHER	S FROM ER AND MALIG- UMORS.		Estimated	CANCE OTHER NANT T	R AND MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES -Con.				RURAL PART OF REGISTRATION STATES COn.				RURAL PART OF REGISTRATION STATES —Con.			
KENTUCKY—continued.				KENTUCKY—continued.				RENTUCKY—continued. Rockcastle County (total)	15, 348	5	32.6
Hickman County (total) White	11,750 9,971	6 5	51.1 50.1	Marion County (total) White	16, 347 14, 063	14 12	85.6 85.3	White	15, 214 134	5	32.9
Colored Hopkins County (total)	1,779 35,694	1 20	56.2 56.0	Colored (total)	2, 284 16, 655	2 2	87.6 12.0	Rowan County (total) White Colored 2	9, 931 9, 869	2 2	20.1 20.3
White	28, 802 6, 892	13 7	45.1 101.6	WhiteColored 2	16,511 144	2			62		
Jackson County (total)	10,806	8	27.8	Martin County (total)	7,935			Russell County (total) White	11,358 11,140	4	35. 2 35. 9
White	10, 784 22	8	27.8	White	7,931 4 17,829		. 	White	218 16, 480 12, 522	8 7	48. 5 55. 9
Colored 2 Jefferson County (total) * White Colored	40, 747 35, 204 5, 543	11 11	27.0 81.2	Mason County (total) White Colored	17,829 15,060 2,769	9 8 1	50.5 53.1 36.1	WhiteColored	3,958	í	25.3
Jessamine County (total)		10	77.5	Meade County (total)		6	63.4	Shelby County (total) White	17, 915 13, 923	8 8	44.7 57.5
White	9,851	8 2	81.2 65.5	Colored 3	8, 824 639	6	68.0	Colored Simpson County (total) White	3,992 11,393	5	43. 9
Johnson County (total) White	19,090 19,029	5	26.2 26.3	Menifee County (total) White	5.871	1 1	17.0 17.1	White Colored	9, 225 2, 168	5	54.2
	l					••••••		Spencer County (total)	7.634	4	52.4
White	17,342 17,021	10 10	57.7 58.8	Mercer County (total) White	13,910 11,747	6 5	43.1 42.6	l Whit≜	i Kara	4 <u>.</u> .	58.3
Knott County (total)	321 11,679	2	17.1	White. Colored White. Colored County (total) White. Colored 2	2, 163 10, 651	7	46. 2 65. 7	Colored	12,338 10,853	5 5	40.5 46.1
White Colored 2. Knott County (total). White Colored 3.	11,506 173	2	17.4	Colored 2	9, 836 815	5 2	50.8 245.4				
Knox County (total)	24, 136	9	37.3	Monroe County (total)	18,922 18,178	4.	28.7 30.4	Todd County (total) White	16, 113 10, 854 5, 259	12 8 4	74. 5 73. 7 76. 1
White	1,171 10,676	6	39. 2 56. 2	White	744 12, 881		69.9	White. Colored. Trigg County (total). White. Colored.	14, 737 11, 346	6	40.7 52.9
White	9. 887 789	6	60.7	Montgomery County (total) White	9, 661 3, 220	6	62. 1 93. 2	Colored	3, 391	•••••	
Laurel County (total)	20,848	5	24.0	i.		6	33.8	Trimble County (total) White	6, 189 6, 063		
White	20, 144 699	4	19. 9 143. 1	Morgan County (total) White	17,699 37	6	83.9	White	6, 053 136 19, 274	9	46.7
White	20,261 20,095	5 5	24.7 24.9	White	31,944 28,668	13 11	40.7 38.4	White Colored	16, 917 2, 357	7 2	41.4 84.9
Colored 3	166 10, 188	1	9.8	Colored		2 16	61. 1 94. 5	Warren County (total)	30, 837 24, 627	20 18	64.9 73.1
Lee County (total)	9,936 252	i	10.1	Nelson County (total) White Colored	13,967 2,974	13	93. 1 100. 9	White	6, 210 13, 839	2 5	82. 2 86. 1
Leslie County (total) White	9,923 9,776	1	10. 1 10. 2	Nicholas County (total)	10.026	777	69.8 76.3	White	12,060 1,779	4	33. 2 56. 2
WhiteColored 3	147			White	858			Webster County (total)		6	28.1
Letcher County (total) White	11 222	1	8.9 8.9	Ohio County (total) White	26,490	11 11	39.6 41.5	White	18,638 2,709	6	32. 2
Colored 2 Lewis County (total)	16,470		48.6	Colored 3Oldham County (total)	1,304 7,320	2	27.3	Wolfe County (total) White	10, 331 10, 272	1	9.7 9.7
White	16, 331 139	8	49.0	White	6,223 1,097	2	32.1	Colored 3	59		
Lincoln County (total) White	18, 253	9	49.3	Owen County (total)	12,841 11,985	6	46.7	Woodford County (total) White	12,331 8,652	6 3 3	48.7 34.7
Colored	15,217 3,036 10,319	1 3	52.6 32.9 29.1	White Colored 2 Owsley County (total)	856 8,448	8	50. 1 35. 5	Colored	8, 679	•	81.5
White	9,663	8	31.0	White.	8,368 80	3	35.9	Total White Colored	587, 660 585, 942	609 607	103.6 103.6
Logan County (total)	24,544	14	57.0	Pendleton County (total)	10.722	6	56.0	Colored	1,718	2	116. 4
WhiteColored	19, 245 5, 299	11	57. 2 56. 6	White Colored 2	10, 487 235	6	57.2	Androscoggin County Aroostook County	18, 931 80, 595	24 46	126. 8 57. 1
Lyon County (total) White Colored	9, 465 7, 644	2 1 1	21. 1 13. 1	White. Colored 2. Perry County (total). White. Colored 2.	12, 523 12, 283	1	8.0 8.1	Aroostook County Cumberland County Franklin County	54, 679 19, 406	60 20	109.7 103.1
Colored			54.9			······		Hancock County Kennebec County 4	34, 717	37	106.6
White	13,592 11,454 2 138	5 5	36. 8 43. 7	Pike County (total)	35, 510 35, 135 375	8	8.4 8.5	Kennebec County Knox County Lincoln County	34, 717 38, 298 28, 526	55 32 40	143.6 112.2 227.3
McLean County (total) White	2, 138 13, 578 12, 803	2 2	14. 7 15. 6	Powell County (total)	6, 194 5, 859			Oxford County	17, 597 37, 968	29	76.4
Colored 2	775			White	335			Penobscot County Piscataquis County	63, 075	84 17	85. 6 80. 4
Madison County (total) White	27, 523 21, 657	13 12	47. 2 55. 4	Pulaski County 1 (total) White	91, 570 88, 290	34 33	37.1 37.4	Sagadahoc County	17, 827	19	106.6
Colored	5,866 14,356	1 2	17.0 13.9	White	1 3.791	1 1	30.4 26.4	Somerset County	87, 345 23, 042	44 18	117. 8 78. 1 128. 8
White	14, 201 155	2	14.1	White Colored 2	3,727	1	26.8	Waldo County Washington County York County	41,915	54	128.8

Exclusive of municipalities having a population of 10,000 or over in 1910.

Colored population less than 10 per cent of the total in 1910.

Includes Wayne, Whitley, and McCreary Counties; separate estimated populations not available.
Includes National Military Home.

	Estimated popula-	CANCE	S FROM ER AND MALIG- TUMORS.		Estimated	OTHER	S FROM ER AND MALIG- UMORS.		Estimated	OTHER	S FROM R AND MALIG- UMORS.
AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber,	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES Con.				RURAL PART OF REGISTRATION STATES !- Con. MARYLAND-continued.				RUEAL PART OF REGISTRATION STATES 1—Con. MICHIGAN—continued.			
Total		439 380 59	62. 6 68. 8 39. 8	Worcester County (total) White	22, 257 14, 979 7, 278	22 15 7	98. 8 100. 1 96. 2	Lenawee County Livingston County. Luce County * Mackinac County.	4,438 9,906	39 21 5 2	107.0 124.1 112.1 20.1
Allegany County (total) White	41, 071 40, 681 390	23 23	56. 0 56. 5	MASSACHUSETTS.	791, 284	868	109.7	Macomb County	32, 337 14, 610	34	61. 6
(total)	39, 527 25, 149 14, 378	34 29 5	86. 0 115. 3 34. 8	White	7,165 97,423	864 4	110. 2 55. 8	Marquette County Mason County Mecosts County Menominee County	23,086 18,944	8 12 25 6	32, 5 52, 0 132, 0 38, 0
Baltimore County (total)*. White	135, 813 121, 581 14, 232 10, 368	111 104 7 2	81. 7 85. 5 49. 2 19. 3 19. 2	Berkshire County Bristol County Dukes County Essex County Franklin County	37, 895 56, 332 4, 482 92, 103	42 56 9 105	110. 8 99. 4 200. 8 114. 0	Midland County. Missaukee County. Monroe County. Montealm County Montmorency County.	11, 157	7 7 28 35 2	50.6 62.7 84.9 110.1 50.3
Caroline County (total) White	5,150 20,480 15,293 5,187	8 6 2	19.4 39.1 39.2 38.6	Hampden County Hampshire County Middlesex County*	46,101 45,481 125,247	35 33 173	75. 9 72. 6 138. 1 305. 5	Muskegon County Newaygo County Oakland County Oceana County Ogemaw County	16, 642 19, 877 35, 053	15 9 25 11	90. 1 45. 3 71. 3 57. 5
Carroll County (total) White Colored Cecil County (total)	31,917 2,048 23,377	20 19 1	58.9 59.5 48.8 77.0	Norfolk County * Plymouth County * Worcester County *	105, 294 80, 000 134, 853	99 99 138	94. 0 123. 8 102. 3	Ontonagon County. Osceola County. Oscoda County. Otsego County.	9, 694 17, 902 2, 263	5 12 2 3	95. 8 51. 6 67. 0 88, 4
White Colored Charles County (total) White Colored	3,333	14 4 4 2 2	69. 8 120. 0 25. 2 27. 0 23. 7	Total	1,792,223 14,139	1,398 1,391 7	77. 4 77. 6 49. 5	Ottawa County	6, 712 36, 061 12, 283 2, 480 38, 740	5 1 21	44.7 61.0 40.3 54.2
Dorchester County (total) White Colored Frederick County (total)	28,968 19,292 9,676 42,107	16 12 4 24	55. 2 62. 2 41. 3 57. 0	Alcona County Alger County Allegan County Alpena County Antrim County	8, 446	1 2 30 9 13	17. 5 23. 6 74. 5 118. 3 84. 8	St. Clair County St. Joseph County Sanilac County Schoolcraft County	32, 374 26, 185 33, 451 9, 018	30 25 29 9	92. 7 95. 5 86. 7 99. 8
White	38, 147 3, 960 21, 128	20 4 10	52.4 101.0 47.3	Arenac County	6, 898	4 3 24	41. 8 43. 5 105. 8	Shiawassee County Tuscola County Van Buren County	32, 983 34, 497 33, 147	32 29 43	97.0 84.1 129.7
White	21,015 113 27,837 22,661	10 13 13	47. 6 46. 7 57. 4	Bay County Benzie County Berrien County	55 521	14 8 58	59.1 72.4 104.5	Washtenaw County Wayne County Wexford County	28, 470 71, 842 22, 440	63 15	84,3 87.7 66,8
Colored Howard County (total) White	5,176 15,848 12,074	8 7	50. 5 58. 0	Branch County Calhoun County Cass County Charlevoix County	21 636	23 35 29 13	93. 2 110. 6 141. 3 60. 8	Total	1, 481, 593 1, 471, 362	1,096 1,092	14.0 74.2
Colored	3,774 16,178 10,203 5,975	1 8 4 4	26. 5 49. 4 39. 2 66. 9	Cheboygan County	18, 875	10 7 3 18	53.0 56.9 31.2 80.8	Aitkin County Anoka County * Becker County	11, 917 12, 995 20, 097	7 8 10 9	39. 1 58. 7 61. 6 49. 8
Montgomery County (total) White Colored. Prince Georges County (to- tal)	32,786 23,188 9,598 38,809	11 10 1	33.6 43.1 10.4	Crawford County Delta County Dickinson County Eaton County	4,356 18,013 21,647 30,003	5 4 14 25	22.2 64.7 83.3	Beltrami County	24, 010 11, 045 9, 637 17, 824 20, 282	8 17 20	54.3 83.0 95.4
White	26, 256 12, 553	16 2	60. 9 15. 9	Genesee County	19, 681 24, 705 9, 201	15 24	76. 2 97. 1 32. 6	Carver County	20, 773 17, 418	10 10	98. 6 48. 1 57. 4
White	16, 191 10, 508 5, 683 16, 967	9 8 1 5	55. 6 76. 1 17. 6 29. 5	Gogebic County Grand Traverse County Gratiot County Hillsdale County Houghton County	11, 996 11, 924 28, 366 29, 594	3 2 4 21 28	16.7 33.5 74.0 94.6	Cass County Chippewa County Chisago County Clay County Clay County Clearwater County	13, 258 13, 867 13, 660 20, 365 8, 531	13 15 14 11 2	98. 1 108. 2 102. 5 54. 0 23. 4
Colored	9,571 7,396 26,681 16,967 9,714	26 19	97.4 112.0	Houghton County Huron County Ingham County Ionia County Loseo County	97, 488 35, 011 21, 547 33, 220 9, 544	45 28 31 14 7	46. 2 80. 0 143. 9 42. 1 73. 3	Cook County	1,560 12,899 17,972 26,636 11,564	1 8 17 14 15	64. 1 62. 0 94. 6 52. 6 129. 7
Talbot County (total) White Colored Washington County (total)	19,313 12,531 6,782	19 7 17 12 5	72. 1 88. 0 95. 8 73. 7	Iron County	23, 132 21, 547 21, 453	3 7 25 17	16.9 30.3 116.0 79.2	Douglas County Faribault County Fillmore County Freeborn County	17, 544 19, 053 24, 590 22, 471	23 8 25 28	131. 1 42. 0 101. 7 124. 6
White	26, 741 26, 231 510 28, 503 21, 686 6, 817	22 22 10 9	82.3 83.9 35.1 41.5 14.7	Kent County Keweenaw County Lake County Lapeer County Leelanau County	8, 506 48, 459 8, 834 4, 933 25, 349 10, 629	50 3 1 18	105. 8 103. 2 34. 0 20. 3 71. 0	Goodhue County	31, 848 9, 190 34, 820 13, 829 11, 216	31 9 20 13 2	97.3 97.9 57.4 94.0 17.8

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Colored population less than 10 per cent of the total in 1910.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

	Estimated	CANCE	S FROM R AND MALIG- UMORS.		Estimated	CANCE	S FROM ER AND MALIG- UMORS.		Estimated	CANCE OTHER NANT TO	R AND MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOB.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR,	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES — Con. MINNESOTA—continued.				RURAL PART OF REGISTRATION STATES —Con. MISSOURI—continued.				RURAL PART OF REGIS- TRATION STATES!—Con. MISSOURI—continued.			
Itasea County Jackson County Kanabee County Kandiyohi County Kittson County	23, 121 14, 365 7, 248 19, 205 10, 427	9 10 3 14 8	38.9 69.6 41.4 72.9 76.7	Barton County. Bates County. Benton County. Bollinger County. Boone County.	16, 106 24, 050 14, 168 14, 545 31, 336	5 13 8 3 15	31.0 54.1 56.5 20.6 47.9	Morgan County. New Madrid County. Newton County. Nodaway County Oregon County.	13, 155 22, 985 27, 192 27, 085 15, 009	2 4 7 18 8	15. 2 17. 4 25. 7 66. 5 53. 3
Koochiching County Lac qui Parle County Lake County Le Sueur County Lincoln County	8,641 15,923 9,442 17,919 10,260	4 9 4 8 5	46.3 56.5 42.4 44.6 48.7	Buchanan County	22, 264 13, 732 23, 726	8 7 20 10 6	52.8 31.4 145.6 42.1 54.9	Osage County Ozark County Pemiscot County Perry County Pettis County	22,730 14,798	8 2 2 10 9	55.7 16.9 8.8 67.6 57.6
Lyon County	18,308 3,249	14 14 3 13 14	86. 4 76. 5 92. 3 78. 3 78. 8	Cape Girardeau County Carroll County Carter County Cass County	21,666 4,993 22,690	10 17 2 9 15	34. 4 78. 5 40. 1 39. 7 95. 4	Phelps County Pike County Platte County Polk County Pulaski County	21, 199 13, 679	6 12 6 11 6	36.4 56.6 43.9 52.8 50.5
Meeker County	1000	18 8 19 6	107.7 67.6 77.4 26.4 85.5	Chariton County Christian County Clark County Clay County Clinton County	22,088 15,360 11,716	11 6 11 16 12	49.8 39.1 93.9 76.6 83.2	Putnam County	13, 178 14, 761	3 3 13 11 1	22.6 22.8 88.1 54.9 9.8
Nicollet County *	13,849 15,328	20 6 10 99 43	144. 4 39. 1 74. 4 445. 3 92. 8	Cole County Cooper County Crawford County Dade County Dallas County	9,512 19,365 13,837 14,544	9 20 7 10 3	94. 6 103. 3 50. 6 68. 8 23. 3	Ripley County St. Charles County St. Clair County St. Francois County St. Louis County	15,776 40,717	20 8 15	80.7 50.7 36.8
Pennington County Pine County Pipestone County Polk County	10,314 17,722 9,675 36,245	6 9 6 24 4	58. 2 50. 8 62. 0 66. 2 31. 2	Daviess County Dekalb County Dent County Douglas County Douglas County Dunklin County	16,022 11,727 13,354	14 10 2 6	87.4 85.3 15.0 36.1	St. Louis County Ste. Genevieve County Saline County Schuyler County Scotland County Scott County	10,712 27,635 8,304 11,288	3 22 8 6 6	28.0 79.6 96.3 53.2 22.8
Ramsey County Red Lake County Redwood County Renville County Rice County	9,546 7,221 18,920 22,882	6 1 5 14 28	62.9 13.8 26.4 42.6 108.4	Franklin County. Gasconade County. Gentry County. Greene County. Grundy County.	29,510 13,079 15,229	8 22 3 8 14	23.5 74.6 22.9 52.5 46.8	Shannon County Shelby County Stoddard County Stone County Sullivan County	11, 525 14, 308 29, 143 12, 268 17, 882	1 10 11 1 17	8.7 69.9 37.7 8.2 95.1
Rock County	10,458 13,189 94,510	11 4 32 8 7	105. 2 30. 3 33. 9 55. 3 93. 1	Harrison County	18,791 26,897 8,211	12 12 5 12	36.9 63.9 44.6 60.9 89.2	Taney County	8,713 21,147 27,639 8,786 13,003	6 25 3 12	45.9 28.4 90.5 34.1 92.3
Sibley County Stearns County Steele County Stevens County.	14,977 39,973 15,986 8,112	12 17 10 5	80. 1 42. 5 62. 6 61. 6	Howell County	20,738 8,500 39,251	15 9 7 24 15	103.4 43.4 82.4 61.1 32.7	Wayne County	15, 126 17, 689 7, 230 18, 652	9 9 4 4	59. 5 50. 9 55. 3 21. 4
Swift County Todd County Traverse County Wabasha County	12,713 23,914 8,251 18,398	6 8 1 25	47. 2 33. 5 12. 1 135. 9	Knox County	25,640 11,944	11 27 8	38. 2 105. 3 67. 0	MONTANA. Total	323, 603 308, 206	141 137	43. 6 44. 5
Wadena County	15,953	8 11 8 6	89.3 85.2 50.1 52.9	Laclede County Lafayette County Lawrence County	17,721 29,506 24,420	34 11 6	22.6 115.2 45.0 38.9	Beaverhead County Broadwater County Cascade County	6,801 3,854 16,603	2 3 9	26.0 29.4 77.8 54.2
Wilkin County	27,625	3 15 28 10	31.6 104.7 101.4 63.5	Lewis County Lincoln County Linn County Livingston County McDonald County	16, 473 25, 148 18, 241	10 12 17 3	38.9 60.7 47.7 93.2 22.2	Custer County * Deer Lodge County *	31, 291 34, 557 3, 004	17 23 1	54. 3 66. 6
MISSOURI. Total	2, 140, 145	1,155 1,112	54.0 53.8	Maeon County	29,954 11,824	22 4 8 12	73. 4 33. 8 77. 8 102. 9	Fergus County 5. Flathead County Gallatin County. Granite County.	16,007 2,354	17 14 4	22.8 59.7 25.0 42.5
Colored	73,648	13	58. 4 56. 2	Mercer County	11,325 17,368	5 3	53.0 28.8	Lewis and Clark County Lincoln County	5,716 9,737 4,541	3 1	30. 8 22. 0
Andrew County	14,410 12,370 21,909	17 2 21 8	118.0 16.2 95.9 34.5	Mississippi County Moniteau County Monroe County	15,714 13,714 17,702	3 8 14 17	19.1 58.3 79.1 111.9	Madison County	12,176	2 4 8 4	28. 4 33. 3 65. 7 65. 5

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
2 Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.
3 Includes Blaine, Hill, Teton, and Toole Counties, the last named formed from parts of Teton and Hill Counties, May 7, 1914; separate estimated populations not avail-

able.

Includes Dawson, Fallon, Richland, and Wibaux Counties; separate estimated populations not available.

Includes Big Horn, Carbon, Meagher, Musselshell, Rosebud, Stillwater, Sweet Grass, and Yellowstone Counties; separate estimated populations not available.

Includes Mineral County, organized Aug. 7, 1914; separate estimated populations not available.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

	Estimated	CANCE	S FROM IR AND MALIG- UMORS.		Estimated	CANCI	S FROM ER AND MALIG- UMORS.		Estimated	CANCE	S FROM ER AND MALIG- UMORS.
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGIS- TRATION STATES 1—Con. MONTANA—continued.				RURAL PART OF REGISTRATION STATES!—Con. NEW YORK—continued.				RURAL PART OF REGIS- TRATION STATES Con. OHIOcontinued.			
Ravalli County Sanders County Silver Bow County Valley County 1	4,486 18,488	9 1 13 5	67.6 22.3 70.3 28.4	Herkimer County	23,752 38,455	43 42 22 32 -48	94. 4 79. 2 92, 6 83. 2 123. 9	Fulton County	24, 819 14, 640 28, 933	25 14 8 22 25	102.5 56.6 54.6 76.0 74.8
Total	254, 134	269 268 1	105. 7 105. 5 293. 3	Monroe County	26, 638 96, 068 31, 421	50 27 78 30 74	75, 8 101, 4 81, 2 95, 5 126, 5	Hamilton County	22, 417 30, 075 18, 476	54 16 27 18 15	89. 8 71. 4 89. 8 97. 4 62. 0
Belknap County	10, 974 16, 072 19, 927 18, 288 41, 996	14 24 23 19 43	127. 6 149. 3 115. 4 103. 9 102. 4	Onondaga County	64 396	62 56 55 31	96, 3 139, 6 71, 9 94, 6	Highland County	27, 744 23, 333 17, 227 35, 006	25 14 9 34 30	90. 1 60. 0 52. 2 97. 1 102. 3
Hillsborough County Merrimack County Rockingham County Strafford County Sullivan County	31,429 41,105 25,523	26 30 51 19 20	88. 9 95. 5 124. 1 74. 4 100. 5	Otsego County	46, 484 15, 039 33, 934	39 49 11 25 51 50	106.3 105.4 73.1 73.7 100.9 69.0	Jefferson County Knox County Lake County Lawrence County Licking County	48, 582 31, 208 23, 457 25, 780	31 25 28 14 19	63, 8 80, 1 119, 4 54, 3 61, 4
NEW JERSEY. Total	948, 441	797 779 18	80.7 82.1 46.4	Saratoga County Schenectady County Schoharie County Schuyler County Seneca County *	49,546 14,856 22,579	39 10 34 21	78. 9 67. 3 150. 6 158. 7	Logan County Lorain County Lucas County Madison County Mahoning County	33, 306 25, 292 19, 610	29 31 15 16 24	96. 9 93. 1 59. 3 81. 6 68. 2
Atlantic County Bergen County Burlington County Camden County	28, 806 134, 303 70, 114 54, 218	21 101 60 33	72.9 75.2 85.6 60.9	Seneca County *		33 69 92 26 28	124. 6 126. 9 88. 4 75. 5 113. 7	Marion County	14, 195 24, 297 24, 306	11 24 19 14 26	77. 5 98. 8 78. 2 51. 2 81. 3
Cape May County Cumberland County Essex County Gloucester County	29, 261 47, 945 39, 696	34 36 38 36	88.8 116.2 75.1 95.7 75.0	Tompkins County Ulster County Warren County Washington County	18,061 66,702 16,832	21 45 19 35	116.3 67.5 112.9 71.9	Monroe County Montgomery County 4 Morgan County Morrow County Muskingum County.	23,057 54,294 15,327	16 45 11 20	69. 4 82. 9 71. 8 122. 2
Hudson County Hunterdon County Mercer County Middlesex County Monmouth County	33,170 31,734 66,106	37 17 38 86	111.5 53.6 57.5 118.4	Wayne County Westchester County Wyoming County Yates County	97,047 32,503	59 106 37 22	116, 1 109, 2 113, 8 122, 7	Noble County Ottawa County	18, 235 22, 422 20, 686	30 11 16 15 19	102. 1 60. 3 71. 4 72. 5 51. 5
Morris County * Ocean County Passaic County Salem County	21,988	50 14 21 31	76. 1 63. 7 51. 0 112. 2	NORTH CAROLINA. Total White Colored	296, 285 200, 032 96, 253	149 114 35	50. 3 57. 0 36. 4	Perry County Pickaway County Pike County Portage County Preble County Putnam County	14,679 30,757 23,885	13 7 36 25 16	50. 4 47. 7 117. 0 104. 7 55. 4
Somerset County Sussex County Union County Warren County	27,910 52,438	37 16 48 23	89. 5 57. 3 91. 5 75. 6	OHIO. Total	2,616,691 2,573,066 43,625	2,072 2,039 33	79. 2 79. 2 75. 6	Richland County	27,006 24,539	32 19 29 15	77. 4 81. 6 62. 1
NEW YORK. Total WhiteColored.	2,379,091 2,351,974 27,117	2,286 2,263 23	96. 1 96. 2 81. 8	Adams County	24,087 26,343 23,738 42,521	6 13 26 39	24. 9 49. 3 109. 5 91. 7	Seneca County	30, 678 24, 678 44, 964 43, 533	22 25 38 36 30	71. 7 101. 3 84. 5 82. 7 69. 2
Albany County	33,711 41,375	28 42 34 53 38	83. 1 101. 5 110. 6 106. 0 122. 7	Athens County * Auglaize County. Belmont County. Brown County. Butler County.	69,770 23,383 22,342	32 26 48 19 18	61. 9 83. 2 68. 8 81. 3 80. 6	Trumbull County. Tuscarawas County. Union County. Van Wert County. Vinton County. Warren County.	58, 432 21, 673 28, 576	56 12 20 2 18	95. 8 55. 4 70. 0 16. 5 74. 9
Chantauqua County	57,805 17,100 35,155 36,283	58 23 24 17 23	100.3 134.5 68.3 46.9 72.7	Champaign County	26, 230 19, 572 28, 677 23, 459	21 16 30 29	91. 4 80. 1 81. 7 104. 6 123. 6	Washington County Wayne County Williams County Wood County Wyandot County	29, 478 38, 138 25, 301 44, 104	17 33 29 33 14	57. 7 86. 5 114. 6 74. 8 67. 9
Cortland County	17,396 45,220 60,615	18 60 63 71 39	103.5 132.7 103.9 73.6 112.6	Coshocton County	30, 454 34, 087 62, 283 43, 101	46 23 31 49 45	79. 1 75. 5 90. 9 78. 7 104. 4 59. 1	PENNSYLVANIA. Total White Colored	4, 288, 288 4, 232, 798	2,752 2,703 49	64. 2 63. 9 88. 3
Essex County. Franklin County. Fulton County. Genesee County. Greene County. Hamilton County.	16,938 13,055 26,302 29,676	49 14 32 27 2	104. 4 107. 2 121. 7 91. 0 48. 4	Defiance County Delaware County Erie County Fairfield County Fayette County Franklin County	18, 486	20 23 9 17 36	72. 7 124. 4 34. 0 78. 2 87. 1	Adams County Allegheny County Armstrong County Beaver County Bedford County	34, 215 385, 396 74, 412 74, 595	36 223 38 45 21	103. 1 57. 9 51. 1 60. 3

Exclusive of municipalities having a population of 10,000 or over in 1910.
 Includes Sheridan County; separate estimated populations not available.
 Includes only municipalities having a population of 1,000 or over but less than 10,000 in 1910.
 Includes National Military Home.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued

	Estimated				Estimated	OTHER	S FROM ER AND MALIG- UMORS.		Estimated	DEATH: CANCE OTHER NANT T	R AND MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,00 popu- lation.
RURAL PART OF REGISTRATION STATES 1—Con.				RUBAL PART OF REGISTRATION STATES -Con.				RURAL PART OF REGISTRATION STATES -Con.			
PENNSYLVANIA-contd.			- 4	UTAH.	PE L	1.59		VIRGINIA—continued.			
Berks County *	89, 920 62, 431 52, 449 78, 805 53, 847	66 44 68 76 33	73, 4 70, 5 129, 6 96, 4	Total. White. Colored	275, 254 270, 036 5, 218 5, 187	97 97 3	35, 2 35, 9 57, 8	Appomattox County(total) White Colored Augusta County (total)	8,583 5,579 3,004 33,178	3 3 17	35. 53. 51.
Butler County	127, 611	46	61. 3 36. 0	Beaver County Box Elder County Cache County Carbon County		5 10 6	32. 2 39. 7 59. 0	White Colored	28, 503 4, 675	16	56. 21.
Cameron County Carbon County	43,648	38 31	50.6 67.4 71.0	Davis County	11,126	4	36.0	Bath County (total) White	6, 939 5, 680 1, 259	4	57. 0 70.
Chester County	37,641	65 24	83. 9 63. 8	Emery County	1 1:785		26.5	Bedford County (total) White Colored	20,779	11 7 4	37. 33. 47.
Clearfield County Clinton County Columbia County	32,545 52,121	50 40 30	58. 6 122. 9 57. 6	Iron County. Juab County. Kane County.	1.586	1	63, 1	Bland County (total) White	5,011 4,881	1	20. 0 20. 1
Crawford County	47,210 45,651 60,784	48 33 39	72.3 64.2	Millard County	6,304 2,646 1,642		63.5	Colored 2. Botetourt County (total) White	17, 968 14, 395	6 5 1	33. 4 34. 7 28. 0
Dauphin County *	37, 135	74 21 67	84. 8 56. 6 133. 0	Salt Lake County San Juan County	44,576	22	Fe (55, 33)	Bristol (city) (total)	6,958	5 3	71.9
Fayette County	158,002 8,754	67	42.4 80.0	Sanpete County	16,869 10,340	5	29.6 48,4	Colored	1, 274 19, 683 7, 958	11 4 7	55. 9 50. 2
Franklin County Fulton County Greene County	49,659 9,611	31 7 18	62. 4 72. 8 61. 8	Summit County Tooele County Uinta County Utah County *	8 165	4	13.0 54.8	Buchanan County (total)	11,725		59.
Huntingdon County Indiana County Jefferson County Juniata County Lackawanna County	76, 290 64, 784	30 31 51 5 33	75.3 40.6 78.7 34.3 35.0	Wasatch County. Washington County Wayne County. Weber County.	10,701 5,339 1,682	19 1 2	47. 2 9. 3 37. 5	White. Colored 2 Buckingham County(total) White. Colored.	4	5 2 3	32.
Lancaster County	109,605	90	82, 1	VERMONT.	0,000	1	10.0	Buena Vista (city) (total)	3,609		
Lawrence County Lebanon County Lehigh County Luzerne County	35,997 42,084 64,260	21 15 45 99	58.3 35.6 70.0 44.9	Total	312,302	324 324	103, 2 103, 7	White. Colored. Campbell County (total) White. Colored.	3, 146 463 25, 135 15, 232 9, 903	5 5	19 32
Lycoming County	31,551 58,427 29,755	35 19 47 15 20	70. 2 60. 2 80. 4 50. 4 84. 4	Addison County Bennington County. Caledonia County. Chittenden County. Essex County.	21,239 26,734 22,412	19 18 25 22 5	99. 0 84. 7 93. 5 98. 2 70. 4	Caroline County (total) White Colored Carroll County (total)	16, 551 7, 750 8, 801 21, 887	6 2 4 6 6	36 : 25. 45. 27. 27.
Montgomery County Montour County * Northampton County Northumberland County	14,590 78,047 64,474	95 17 54 35	69. 9 116. 5 69. 2 54. 3	Franklin County	29,727 3,462 12,711	32 1 17 32	107.6 28.9 133.7 173.5	White	5,343 1,365	1	18.7
Perry County Pike County Potter County Schuylkill County	7,722 29,350	5 20 89	73. 2 64. 8 68. 1 57. 0	Rutland County Washington County*	23,897 35,396 32,168	33 26 33	73. 5 102. 6	Colored. Charlotte County (total) White Colored	3,978	5 2 3	31.3 26.8 35.3
Snyder County	16,585	16	96.5	Windsor County	27,046 34,300	25 36	92. 4 105. 0	Charlottesville (city)(total) White	6,900 4,321	5 5	72.1 115.7
Somerset County Sullivan County Susquehanna County Tioga County	10,935 36,770	32 7 23 39	42. 4 64. 0 62. 6 97. 1	VIRGINIA. TotalWhite	1, 172, 152	747 551	43. 3 47. 0	Colored Chesterfield County (total). White Colored	2,579 22,361 14,390	12 12	53. 83.
Union County Venango County Warren County* Washington County	25,793	17 34 19 75	108. 4 83. 8 73. 7 51. 8	Accomac County (total) White	38, 389 24, 366	196 22 13	57. 3 53. 4	Clarke County (total) White Colored	7, 275 5, 408 1, 867	6 3 3	82, 55, 160,
Wayne County Westmoreland County Wyoming County	28,839 228,177 14,810	23 110 15	79.8 48.2 101.3	Colored	1,67-12	9 19 13 6	64, 2 62, 4 63, 4 60, 3	Clifton Forge (city) (total). White Colored	5, 401 1, 269	1	15.0
York County	95,493	64	67.0	Alexandria County (total), White	8 762	6		Craig County (total) White Colored *	4.672	2 2	40.1
TotalWhite	110,022	113 111	101.1 100.9	Colored. Alleghany County (total). White. Colored.	14,780	9 8 1	60. 9 68. 5 32. 3	Culpeper County (total) White	13, 196 7, 998 5, 198	10 7 3	75. 87. 57.
Colored Bristol County Kent County Newport County Providence County Washington County	19,501 10,213 13,052 43,684	26 12 8 30 37	133.3 117.5 61.3 68.7 146.4	Amelia County (total) White	8, 586 3, 134 5, 452 19, 388	7 4 3 4 1 3	20.6 8.6	Cumberland County (total) White Colored Dickenson County (total) White Colored 2	3, 119 6, 161 9, 819	1 1 1 1	21. 6 32. 1 16. 1 10. 1

 $^{^{1}}$ Exclusive of municipalities having a population of 10,000 or over in 1910.

²Colored population less than 10 per cent of the total in 1910.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

·	Estimated popula-	CANCE OTHER NANT T	R AND		Estimated popula-	CANCE	S FROM IR AND MALIG- UMORS.		Estimated popula-	CANCE OTHER NANT TO	R AND MALIG-
ARRA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RUBAL PART OF REGISTRATION STATES -Con.				RURAL PART OF REGISTRATION STATES —Con.				RURAL PART OF REGISTRATION STATES —Con.			
VIRGINIA—continued.				VIRGINIA—continued.				VIRGINIA—continued.			
Dinwiddie County (total)*. WhiteColored	15, 470 6, 004 9, 466	4 3 1	25. 9 50. 0 10. 6	King and Queen County (total)	9,708 4,214	5 8	51. 5 71. 2	Patrick County (total) White	17, 967 16, 253 1, 704	1	5. 6 6. 2
Elizabeth City County 2 (total)	21,976	24	109. 2	Colored	5,494	2	36.4	Pittsylvania County (total)	52, 721	13	24.7
Colored	13, 624 8, 352	20	146. 8 47. 9	King George County (total) White Colored	6,151 3,318 2,833	3 1 2	48.8 30.1 70.6	Colored	31,571 21,150 5,792	6 7 1	19. 0 83. 1 17. 8
Essex County (total)	3,641	1	11.3	King William County (total)	8,619	3	34.8	WhiteColored	2, 312 3, 480	i	28.7
Colored Fairfax County (total) White	5, 212 21, 370	1 9	19. 2 42. 1	White Colored	8,498 5,121	8	58.6	Prince Edward County			
WhiteColored	16, 264 5, 106	7 2	43.0 39.2	Lancaster County (total)	10,094	2	19.8	(total)	13, 936 5, 603	1	28.7 17.8
Pauguier County (total)	22, 166	13	58.6	White	4,729 5,365	2	42.8	Colored	8,333	8	36.0
White	14,734 7,432	8 5	54. 3 67. 3	Lee County (total)	25,536 24,439	6 6	23. 5 24. 6	White	7, 887 3, 274	8 1	38.0 30.5
Floyd County (total) White Colored ³	13,542 12,731	9	66. 5 70. 7		1,097			Colored	4,613	2	43.4
			07.0	Loudoun County (total) White	20,835 15,652	14	67. 2 57. 5	Prince William County (total)	12, 413	12	96.7
Fluvanna County (total) White	8,016 4,738 3,278	7	87. 3 126. 6 30. 5	Colored Louisa County (total) White	5,183 16,608	5 13 9	96.5 78.3 104.2	White	9, 471 2, 942	10 2	106.6 68.0
Colored	26,704 21,176	1 12 10	44.9 47.2	Colored	8,640 7,968	4	50.2	Princess Anne County 4 (total)	11,667	5	42.9
Colored	5,528	2	36. 2	Lunenburg County (total).	13,237 6,121	7 6	52.9 98.0	Colored	5, 727 5, 940	5	84.2
Frederick County (total) White	12,597 11,907	6	47. 6 50. 4	White	7,116 9,988	1 12	14.1 120.1	Pulaski County (total) White	18, 370 15, 222	8	16. 8 19. 7
Colored 2. Fredericksburg (city)	7,690			White	6,718 3,270	10	148.9 61.2	Colored	3,148 4,567	8	65. 7
(total)	6,215 4,646 1,569	4	64. 4 86. 1	Mathews County (total) White	9,212 .6,595	6	65. 1 91. 0	Colored	3, 843 724	8	78.1
		8	66, 8	Colored	2,617			Rappahannock County (total)	7, 704 5, 629	4	51.9
Giles County (total)	785	7	62.5 127.4	Mecklenburg County (total)	29,979 12,860	14 6	46.7 46.7	Colored. Richmond County (total)	2,075 7,554	2 2 2	35. 5 96. 4 26. 5
Gloucester County (total) White	12,326 6,440	3 1	24.8 15.5	Colored	17,119	8	46.7	White	4,398 3,156	1 1	20. 0 22. 7 31. 7
Colored	5,886	2	34.0	Middlesex County (total) White	9,121 4,303	5 2	54.8 46.5	Roanoke County (total)	21,235	10	47.1
Goochland County (total). White	9,120 3,912	5 2	54. 8 51. 1	Colored	4,818	3	62.3	White	17, 386 3, 849	7	40.8 77.9
Colored	5,208 21,136	3 8	57. 6 37. 9	White	17,870 15,445	7 7	39. 2 45. 8	Rockbridge County (total). White	20, 906 17, 391	13 13	62. 2 74. 8
Colored 3	20, 127 1, 009	8	39.7	Colored	2,425	•••••	••••	Colored	3, 515		•••••
Greene County (total) White	7,245 5,835	1	13.8	Nansemond County (total) White	28,507 11,892 16,615	11 7	38.6 58.9 24.1	Rockingham County (total)	35, 488 33, 093	34 31	95.8
Colored. Greensville County (total).	1,410	1	7.8	Colored Nelson County (total) White	17, 137 11, 729	7 5	40.8 42.6	Colored 3 Russell County (total)	2,395 25,793	3 6	93. 7 125. 3 23. 3
White	4,773 8,026	i	12.5	Colored	5,408	2	37.0	White	24, 656 1, 137	6	24.3
Halifax County (total)	41,257	23	55.7	New Kent County (total) White	4,606 1,726	3	65. 1 57. 9	Scott County (total)	24, 290	8	32.9
White	20,461 20,796	10 13	48. 9 62. 5	Colored Norfolk County (total)	2,880 45,706	10	69. 4 21. 9	White	23, 773 517	8	33.7
Hanover County (total) White Colored	17,024 9,996 7,028	6 1 5	35. 2 10. 0 71. 1	White	17,885 27,821	6 4	33. 5 14. 4	Shenandoah County (total) WhiteColored 3	21, 234 20, 729 505	10 10	47. 1 48. 2
Henrico County (total)	27,331	11	40. 2	Northampton County (total)	17, 908 7, 815	8	44.7	Smyth County (total) * White	21, 690 20, 634	9 8	41.5
White	19,290 8,041	9	46.7 24.9	White Colored	7,815 10,093	7	89. 6 9. 9	Colored 3 Southampton County	1,056	î	38. 8 94. 7
White	18,119 10,731	9	49. 7 65. 2	Northumberland County (total)	11, 173	9	80.6	(total)	27, 773 10, 635	5 1	18. 0 9. 4
Colored	7,388	2	27.1	White Colored	6,711 4,462	9	134.1	Colored	17, 138	4	23. 8
Highland County (total) White	5,179 4,924	2 2	38. 6 40. 6	Nottoway County (total) White	13, 929 6, 262	8 5	57. 4 79. 8	Spotsylvania County (total)	10, 230		
Colored s. Isle of Wight County (total)	255 15 700	2	19.7	Colored	7,667 13,873	3 7	39. 1 50. 5	White	6, 198 3, 732		
(total) White Colored.	15,709 7,735 7,974	2	12.7 25.9	Orange County (total) White Colored	8, 138 5, 735	2 5	24.6 87.2	Stafford County (total) White Colored	8,059 6,326	5 4	62. 0 63. 2
James City County (total)*	6,596	4	60.6	Page County (total)	14, 296	7	49.0	Surry County (total)	1,733 10,245	1 3	57. 7 29. 3
White	3,408	4	117.4	White	13, 108	7	53. 4	White	3,858	8	29.3 77.8

Exclusive of municipalities having a population of 10,000 or over in 1910.
 Includes National Military Home.

Colored population less than 10 per centof the total in 1910.
 Includes Norfolk City Almshouse.

^{35030°—16——3}

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

	Estimated	CANCE	S FROM IR AND MALIG- UMORS.		Estimated	CANCI	S FROM ER AND MALIG- TUMORS.		Estimated	CANCE	S FROM IR AND MALIG- UMORS.
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES 1—Con.				RURAL PART OF REGISTRATION STATES 1-Con.				RURAL PART OF REGISTRATION STATES 1—Con.			
VIRGINIA—continued.				WASHINGTON—continued.				wisconsin—continued.			
Sussex County (total) White Colored	4,853	2 2	13.9 41.2	Jefferson County King County Kitsap County	9, 455 46, 009 22, 283	27 17	21. 2 58. 7 76. 3	Green County	21, 183 15, 362 22, 237	28 24 16	132.5 156.5 72.6
Pazewell County (total)	25, 611 22, 691	6	23.4 22.0	Kitsap County Kittitas County Klickitat County	22,336 13,078	10	44. 8 53. 5	Iron County	9,027 16,912	13	44.3
Colored	2 920	5 1 4 4	34. 2 47. 1 54. 4	Lewis County Lincoln County Mason County Okanogan County Pacific County	39, 358 19, 914 5, 729	17 8 2 2	43. 2 40. 2 34. 9	Jackson County. Jefferson County. Juneau County. Kenosha County.	34, 101 19, 120 8, 649	46 24 7	134.9 125.3 80.9
Warwick County (total)	6, 531	2	30.6	The state of the s		10	12. 2 65. 3	Kewaunee County La Crosse County	16,604 13,055	21 14	126 107.
White	4, 726 34, 463	1 1 14 12	55. 4 21. 2 40. 6 37. 5	Pierce County *	35, 620	30 2 32 1	66.3 51.4 89.8 29.4	Lafayette County Langlade County Lincoln County	19,701 18,982 20,256	10 13 15	50.1 68.4 74.1
Colored 3		2	81.4	Skamania County Snohomish County		20	47.4	Manitowoe County Marathon County Marinette County	32, 582 41, 728	17 30	52.5 71.9
Westmoreland County (total)	9,342 4,619 4,723	3 2 1	32.1 43.3 21.2	Spokane County * Stevens County 5 Thurston County Wahkiakum County	38,633 31,585 20,843 3,484	29 10 12	75. 1 31. 7 57. 6	Marquette County Milwaukee County 4	10, 838 57, 563	8 6 59	37. 55. 102.
Winchester (city) (total) White Colored	5,072	5 5	81.1 98.6	Walla Walla County Whatcom County Whitman County	14, 303 30, 395 36, 656	6 19	41. 9 62. 5 38. 2	Monroe County. Oconto County Oneida County Outagamie County Ozaukee County.	29, 211 27, 694 12, 523 32, 826 17, 446	21 22 5 20	71. 9 79. 4 39. 9 60. 9
Wise County (total) White	40, 344 36, 936	13 11	32. 2 29. 8 58. 7	Yakima County	34, 844	14 12	34. 4			14	80.2
White	3, 408 20, 347 18, 142 2, 205	10 7 3	49.1 38.6 136.1	Wisconsin. Total	1,612,742 1,601,451 11,291	1,273 1,266 7	78. 9 79. 1 62. 0	Pepin County Pierce County Polk County Portage County Price County	7, 438 21, 286 22, 886 31, 568 15, 792	13 16 21 11	80. 3 61. 3 69. 9 66. 4 69. 3
York County (total) White Colored	7, 873 4, 020 3, 853	3 2 1	38.1 49.8 26.0	Adams County	8,378	10 2 22	119. 4 17. 0 70. 0	Racine County		19 15	106. 1
WASHINGTON.	733, 544	372	50.7	Barron County Bayfield County Brown County	16, 666 29, 369	6	36.0 37.5	Rusk County St. Croix County	26, 068 12, 284 25, 519	18 6 16	69. 1 48. 8 62. 7
White Colored	711, 435 22, 109	368 4	51. 7 18. 1	Buffalo County Burnett County Calumet County Chippewa County	15,684 9,685 16,542	12 5 11	76. 5 51. 6 66. 5	Sauk County. Sawyer County. Shawano County Sheboygan County.	32 811	28 4 20	85.3 54.5 59.3
Adams County	10, 198 26, 092	3 5 4 13 7	72.7 39.2 49.8	Clark County	31, 875	25 24 33	70. 7 75. 3 106. 0	Taylor County	14,655 22,850	21 11 15	72. 3 75. 1 65. 6
Chelan County	7,245	3 17	35. 2 41. 4	Crawford County Dane County * Dodge County	51,376 47,778	13 42 45	81. 9 81. 8 94. 2	Vernon County Vilas County	28, 017 6, 482	10	35. 7 15.
Clarke County	31, 526 7, 007 14, 557 12, 079	17 6 6 2	53. 9 85. 6 41. 2 16. 6	Door County Douglas County Dunn County Eau Claire County	7, 802	5 18 10	46. 9 64. 1 71. 0 68. 9	Walworth County Washburn County Washington County Waukesha County,	29,766 9,334 23,866 37,895	35 8 17 34	117.6 85. 71. 89.
Ferry County Franklin County	4,318	3 1 3	61. 2 14. 0 69. 5	Florence County Fond du Lac County	3, 458 32, 957 9, 077	10 2 44 4	57. 8 133. 5	Waupaca County	33, 279 20, 127	36 10	108,
Frant Countysland County	11,386 5,913	5 5	43.9 84.6	Grant County	39,060	32	44. 1 81. 9	Wood County	28, 677 32, 592	30 30	92.

Exclusive of municipalities having a population of 10,000 or over in 1910.
 Colored population less than 10 per cent of the total in 1910.
 Includes Pend Oreille County; separate estimated populations not available.
 Includes National Military Home.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

		Death rate per	DEAT	TH RAT	E PER 1	00,000 P	OPULAT	ON FRO	M CAN	CER AND	OTHER	MALIGN	ANT TU	MORS (of the-	-
AREA AND COLOR.	Estimated population, July 1, 1914.	100,000 population from cancer and other malig- nant tumors.	Tongue.	Jaw.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Intes- tines.	Rec- tum.	Uterus.	Breast.	Skin.	Pan- creas.	Pros- tate.	Blad- der.	Other organs or of organs not specified.
SUMMARY. The registration area (total) White	62,631,566	79. 4 80. 7 56. 7	0.9 1.0 0.4	1.3 1.3 0.9	0.9 0.9 0.5	19.3 19.7 11.9	9.8 10.0 5.4	6. 1 6. 3 2. 7	3.3 3.4 1.8	11.3 11.0 17.4	8. 2 8. 3 6. 0	3.0 3.1 1.0	1. 0 1. 1 0. 8	1. 2 1. 2 0. 6	1. 5 1. 6 0. 6	11.5 11.7 6.9
Registration states 1 (total)	61, 114, 200 58, 408, 039	79. 0 80. 0 56. 2	0.9 0.9 0.4	1.3 1.3 0.8	0.9 0.9 0.6	19.3 19.6 12.2	9. 8 10. 0 5. 6	6. 2 6. 3 2. 8	3.3 3.3 1.7	11. 0 10. 7 16. 5	8. 3 8. 4 6. 0	3.0 3.1 ·0.8	1.0 1.0 0.7	1. 2 1. 2 0. 6	1.5 1.5 0.7	11.3 11.5 6.9
Cities in registration states ¹ (total). White	29,029,647	88. 5 89. 2 71. 7	1.2 1.2 0.7	1.3 1.3 0.9	1.3 1.3 1.1	20. 4 20. 6 15. 7	10.3 10.5 6.6	7.6 7.8 3.5	3.9 3.9 2.3	13.3 12.9 21.5	9. 3 9. 4 7. 2	2. 2 2. 3 1. 0	1.3 1.3 1.1	1.4 1.4 0.9	2.0 2.0 0.8	13. 0 13. 2 8. 4
Rural part of registration states (total) White Colored	30, 826, 560 29, 378, 392 1, 448, 168	69.6 71.0 42.7	0.6 0.6 0.1	1.3 1.3 0.8	0.5 0.5 0.1	18. 2 18. 6 9. 2	9.3 9.5 4.7	4.8 4.9 2.1	2.7 2.8 1.1	8.7 8.5 12.2	7.3 7.4 4.9	3.8 4.0 0.8	0.7 0.7 0.8	1.0 1.0 0.3	1.0 1.1 0.6	9.7 9.9 5.6
Registration states,¹ exclusive of North Carolina (total). White. Colored.	60, 641, 905 58, 098, 403 2, 543, 502	79. 1 80. 1 56. 5	0.9 0.9 0.4	1.3 1.3 0.9	0.9 0.9 0.6	19.3 19.7 12.4	9. 8 10. 0 5. 7	6.2 6.4 2.9	8.8 8.4 1.7	10.9 10.7 16.1	8.3 8.4 6.1	3.0 3.1 0.9	1.0 1.0 0.7	1.2 1.2 0.6	1.5 1.5 0.7	11.4 11.6 6.8
Registration cities in other states (total). White	4, 875, 095 4, 223, 527 651, 568	85. 4 89. 4 59. 1	1.4 1.5 0.3	1.3 1.4 0.9	1.4 1.6 0.2	20. 2 21. 7 10. 9	9.3 10.1 4.5	5.6 6.1 2.5	3. 5 3. 6 2. 5	15.6 14.8 20.9	7.1 7.3 5.8	2.2 2.3 1.4	1.4 1.4 1.2	1.4 1.5 0.8	1.9 2.2 0.3	12.9 13.9 7.1
All registration cities 1 (total)	35, 162, 735 33, 253, 174 1, 909, 561	88. 0 89. 2 67. 4	1.2 1.3 0.6	1.3 1.3 0.9	1.3 1.4 0.8	20.4 20.7 14.0	10. 2 10. 5 5. 9	7.8 7.6 3.1	3.8 3.9 2.4	13. 6 13. 2 21. 3	9. 0 9. 2 6. 8	2.2 2.3 1.1	1.3 1.4 1.2	1.4 1.4 0.8	2.0 2.0 0.6	13. 0 13. 3 8. 0
REGISTRATION STATES. California (total)	2,757,895 2,621,161 136,734	97. 9 101. 1 38. 0	1.5 1.6	2.0 2.1 0.7	1.3 1.3 1.5	25. 3 26. 0 11. 7	11.1 11.3 8.0	7.1 7.4 1.5	4.6 4.8	12. 1 12. 5 4. 4	10.8 11.3 2.9	3.6 3.8	1. 5 1. 5 0. 7	1.6 1.7	1.6	13. 7 14. 1 6. 6
Colorado. Connecticut. Indiana. Kansas	909, 537 1, 202, 688 2, 779, 467 1, 784, 897	58. 3 86. 5 79. 1 61. 3	0.5 1.4 0.6 0.4	1.3 1.5 1.4 1.1	0.4 0.7 0.4 0.3	18. 0 17. 8 18. 5 15. 4	8. 2 9. 1 12. 2 9. 1	3.2 9.3 5.0 4.6	2.7 3.2 2.6 1.4	8. 1 12. 1 11. 9 7. 2	5. 8 10. 1 8. 2 6. 2	1.5 2.7 5.0 2.6	0.5 1.3 1.4 0.8	0.7 1.9 0.7 1.1	0.3 2.7 1.5 0.8	6. 7 12. 7 9. 8 10. 5
Kentucky (total)	2,350,731 2,081,819 268,912	46.0 46.1 45.4	0.5 0.5 0.4	0.5 0.5 0.4	(2)	8.9 9.0 7.8	6.6 6.7 6.3	2.7 2.8 2.2	1.4 1.5 0.7	8.3 7.5 14.9	4.9 5.1 3.7	2.5 2.6 1.5	0. 5 0. 5	0.3 0.3 0.4	0. 6 0. 6	8. 2 8. 3 7. 1
Maine Maryland (total). White Colored.	762,787 1,341,075 1,100,153 240,922	107. 6 81. 4 86. 1 60. 2	0.9 1.1 1.2 0.8	1.4 1.0 1.1 0.8	0.7 0.7 0.6 1.2	23. 6 16. 8 18. 2 10. 4	14.9 11.4 12.3 7.5	11.3 5.7 6.3 3.3	4.9 3.2 3.8 0.4	18. 1 12. 8 11. 3 19. 5	12. 2 9. 8 10. 3 7. 9	3.7 2.6 3.0 0.8	1.0 1.3 1.3 1.2	0.8 0.9 1.1	1.7 1.9 2.3 0.4	12. 5 12. 1 13. 5 5. 8
Massachusetts	3,605,522 2,976,030 2,213,919	101. 2 80. 5 76. 8	1.4 0.7 0.6	1.3 1.7 1.4	1.4 0.6 0.9	20.0 21.4 27.6	10. 4 10. 6 7. 8	12.8 5.5 5.7	4.8 2.7 3.3	14.4 11.5 7.9	12. 1 7. 2 5. 4	2.6 3.8 2.6	1.0 1.1 0.8	1.9 1.3 1.1	1.9 1.2 1.3	15.3 11.0 10.4
Missouri (total). White Colored. Montana.	3, 3 72 , 886 3, 210, 657 162, 229 432, 614	69. 0 69. 5 57. 3 51. 5		1.1 1.1 1.2 1.6	0.8 0.8 0.6 0.7	16. 6 16. 9 11. 7 15. 0	8.6 8.8 4.3 5.8	3.8 3.8 3.7 3.7	2. 5 2. 5 1. 2 2. 1	10.3 10.0 17.3 6.0	6. 6 6. 6 6. 2 4. 2	4.6 4.8 1.2 1.6	0.7 0.8 1.4	0.9 1.0 0.6 0.9	1.3 1.3 1.2 0.2	10. 1 10. 2 8. 0 7. 6
New Hampshire. New Jersey (total). White Colored.	438, 662 2, 815, 663 2, 714, 371 101, 292	100.8 79.0 79.7 59.2	0.9 1.1 1.1	1.6 0.8 0.8	0. 2 0. 7 0. 7	15.3 19.5 19.8 11.8	14.6 9.8 10.1 3.9	14.4 7.1 7.2 4.9	4.8 3.8 3.8 4.9	18.0 10.3 9.9 18.8	12.3 8.2 8.4 4.9	3.9 2.3 2.4	1.1 0.8 0.8	1.4 1.2 1.3	2. 1 1. 5 1. 5 2. 0	10.3 11.7 11.9 7.9
New York (total)	9, 899, 761 9, 740, 332 159, 429	90. 0 90. 3 72. 8	1.3 1.3 0.6	1.1 1.1 1.3	1.6 1.6 1.3	20.7 20.8 15.7	10.3 10.4 6.3	7. 7 7. 8 6. 3	4.3 4.3 2.5	11.3 11.2 18.2	10. 5 10. 5 10. 0	2.5 2.5	1. 1 1. 1 0. 6	1.3 1.3 1.3	2.3 2.3 1.3	14. 1 14. 2 7. 5
North Carolina 2 (total)	472, 295 309, 636 162, 659	57. 8 61. 4 51. 0	0. 2 0. 3	0. 4 0. 6	0. 4 0. 6	10. 2 11. 0 8. 6	7.4 9.0 4.3	3.0 4.5	1.9 2.3 1.2	17. 2 13. 9 23. 4	4.9 5.2 4.3	2. 5 3. 6 0. 6	•••••	0. 2 0. 3	0.8 1.0 0.6	8.7 9.0 8.0
Ohio (total)	5,026,898 4,908,559 118,339	83. 1 83. 1 81. 1	0. 8 0. 8	1.5 1.5 0.8	0.9 0.9 0.8	19. 9 19. 8 20. 3	11.7 11.8 7.6	5.3 5.4 1.7	3. 6 3. 6 2. 5	11.6 11.3 24.5	8. 6 8. 6 8. 5	4.0 4.1	1. 1 1. 1 0. 8	1.3 1.3 0.8	1.4 1.4	11. 5 11. 5 12. 7
Pennsylvania (iotal)	8, 245, 967 8, 033, 610 212, 357	72.7 72.3 89.5	0.7 0.7 0.9	1.5 1.5 1.9	0.7 0.7 1.4	17. 8 17. 7 22. 6	9.8 9.9 8.0	5. 0 5. 0 5. 2	2.8 2.8 4.2	10. 7 10. 4 21. 7	7. 9 7. 8 10. 4	2.7 2.7 0.9	1.0 1.0 0.5	1.0 1.0 1.4	1.3 1.3 2.4	9. 7 9. 8 8. 0
Rhode IslandUtahVermont	591, 215 414, 518 361, 205	91. 2 45. 8 109. 9	0. 8 0. 2 0. 8	1.9 0.5 0.6	0.7 0.5 0.3	17. 9 19. 5 24. 4	8.6 4.3 11.6	9.5 1.7 8.0	4.4 1.4 7.2	14. 7 6. 0 17. 4	12. 2 3. 1 8. 3	2. 5 1. 2 4. 4	1.5 0.7 2.5	1.4 0.7 2.8	2.0 0.2 1.4	13.0 5.5 20.2
Virginia (total)	2, 150, 009 1, 449, 401 700, 608 1, 407, 865 2, 446, 716	48. 9 52. 9 40. 5 61. 9 81. 1	0.4 0.6 0.6 0.7	0.8 1.0 0.6 0.6 1.4	0. 2 0. 3 0. 4 1. 3	10.0 10.8 8.3 20.8 27.7	5. 0 6. 3 2. 4 6. 3 10. 7	2.3 2.5 1.9 4.3 6.0	1.3 1.7 0.4 2.3 3.1	11.1 9.0 15.4 7.1 7.6	4. 9 5. 2 4. 1 5. 2 6. 6	3. 0 3. 9 1. 1 1. 9 2. 9	0.7 0.8 0.7 0.9 0.7	0.7 0.9 0.3 1.3	0.9 1.0 0.7 1.3 1.1	7. 5 9. 0 4. 6 8. 9 9. 7

¹ Including District of Columbia.

² Less than one-tenth of 1 per 100,000 population.

³ Includes only municipalities having a population of 1,000 or over in 1910.

(The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asteriaks (*).]

AREA AND COLOR. Part Color Colo	N. C.		Death rate per	DEA	TH RAT	E PER I	00,000 P	OPULAT	ION PRO	M CAN	CER AND	OTHER	MALIGN	ANT TU	MORS (of the	
Registration cities	. ABEA AND COLOR.	population,	100,000 population from cancer and other malig- nant	Tongue.	Jaw.			and gall blad-			Uterus.	Breast.	Skin.			der.	Other organs or of organs not specified.
Registration clrise	REGISTRATION CITIES.																
Bringham 10	ALABAMA. ¹				1									İ			
Mobile	_																10.6
Registration cities	Montgomery 2	55, 573	93.6				16.2	3.6	10 8	1.8	25.2	3.6	3.6	1.8			8. 4 21. 6 4. 8
Oakland		1,546,725	113.4	2.0	1.7	1.7	27.8	13. 6	8.2	5. 5	14.7	12.9	3.3	1.9	1.9	2.0	16.7
San Francisco	Oakland	183,002 40,880	92 9 129.6	0.5	1.6 2 4	0.5 2.4	23.0 41.6	11.5 4.9	7.1 9.8	4.9 7.3	11.5 12.2	13. 1 17. 1	6.0 7.3	0.5	1.1 7.8	0.5 2.4	17. 5 10. 9 14. 7 15. 9
Registration cities	San Francisco. Other cities.	448, 502	128.4	3.6		2.9	30.5	13.2	8.2	6.9	16.1	13.6	2.9	3.3	1.6	2.7	30. 7 21. 6 10. 5
Other cities		341, 257	85. 9	1.2	2.9	1.2		8.8	4.7	4.1	13.8	10.0	2.3	0.6	0.6	0.9	10.8
Bright 115, 269 64,1 17 17 12 2 1.5 0.5	Other cities			1.6									2. 4 2. 1	0.8			10. 6 11. 5
Bartford	Registration cities	825, 290	86. 9	1.3	1.1	0.7	18.5	8.8	9.1	3.4	13. 2	8.8	2.5	1.6	1.9		12.8
Wilmington 92,087 88.0 1.1 2.2 1.1 20.6 9.8 9.8 5.4 17.4 7.6 8.3 8.3 6.	Hartford	107, 038 144, 505 82, 517	123.3 113.5 69.1	2.8 2.1	2.8 0.7 1.2	0.9 0.7	28. 0 24. 2 13. 3	7.5 12.5 9.7	13. 1 6. 2 12. 1	4.7 3.5 2.4	20. 6 18. 0 15. 8	7. 5 13. 1 2. 4	8. 7 4. 2	1.9 2.1 1.2	2.8 5.5 2.4	1.9 4.8	15. 6 25. 2 15. 9 7. 3 8. 5
Machington (total)				١.,	١	١.,		١.,					١.,			١.,	
Washington (total)		92,057	88.0	1.1	2.3	1.1	20.6	y.8	9.8	0.1	17.4	7.6		•••••		8.8	6.5
Registration cities	Washington (total)	252,039	107. 5		1.2		17.1	13.1	10.7	3.2	12.7	11.5		2.8	3.6	5.2	16. 1 19. 4 7. 9
Registration cities 296,660 62.7 1.0 1.0 0.3 8.4 6.4 4.0 2.0 16.5 5.1 2.7 1.0 1.0 1.0 1.0 1.2	Registration cities	116, 535	61.8	1.7	0.9	 	9.4	3.4	1.7	1.7	17.2	10.8	1.7	1.7		2.6	9.4
Other cities 4 117,368 68.2 0.9 2.6 0.9 7.7 7.7 2.6 3.4 15.3 3.4 2.6 1.7 0.9 1.7 17. ILLINOIS.1 Registration cities (total) 2,627,143 89.0 1.6 1.3 2.2 25.0 10.1 5.7 3.6 12.7 7.8 1.7 1.1 1.5 2.4 12. White 2,567,385 88.7 1.6 1.4 2.3 24.9 10.2 5.8 3.6 12.4 7.3 1.8 1.1 1.5 2.4 12. Chicago 2,397,600 87.9 1.8 1.2 2.4 25.0 9.9 5.4 3.6 12.2 7.2 1.5 1.0 1.5 2.4 12. Springfield 57,872 106.9 3.4 29.3 12.1 8.6 5.2 19.0 6.9 5.2 1.7 0.6 2.3 1.0 11.7 9.3 3.5		296, 660	62.7	1.0	1.0	0.3	8.4	6.4	4.0	2.0	16.5	5.1	2.7	1.0	1.0	1.0	12.1
Registration cities (total). 2, 627, 143 89.0 1.6 1.3 2.2 25.0 10.1 5.7 3.6 12.7 7.8 1.7 1.1 1.5 2.4 12. White 2, 567, 385 88.7 1.6 1.4 2.3 24.9 10.2 5.8 3.6 12.4 7.3 1.8 1.1 1.5 2.4 12. Colored. 59, 758 100.4 1.7 30.1 6.7 5.0 5.0 26.8 8.4 1.7 1.1 1.5 2.4 12. Colored. 59, 758 100.4 1.7 30.1 6.7 5.0 5.0 26.8 8.4 1.7 1.1 1.5 2.4 12. Colored. 59, 758 100.4 1.7 30.1 6.7 5.0 5.0 26.8 8.4 1.7 1.1 1.5 2.4 12. Colored. 59, 758 100.4 1.7 30.1 6.7 5.0 5.0 26.8 8.4 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7	Other cities 1		59. 1 68. 2		2.6	0.9								0.6 1.7			8.9 17.0
Springfield S7,972 106.9 3.4 29.3 12.1 8.6 5.2 19.0 6.9 5.2 1.7 1.7 1.7 1.8 1.7 1.7 1.8 1.7 1.7 1.8 1.7 1.7 1.8 1.7 1.7 1.8 1.7 1.7 1.8	Registration cities (total)	2,567,385	88.7	1.6		2.3	24.9	10.2	5.8	3.6	12.4	7.3				2.4	12.7 12.7 15.1
Registration cities 901, 437 84.9 0.9 1.0 0.8 18.0 11.2 6.5 3.0 15.6 9.3 2.9 2.4 1.0 1.7 10 Fort Wayne 72, 423 95.3 1.4 22.1 11.0 8.3 8.3 11.0 4.1 2.8 1.4 4.1 20 Indianapolis 259,820 102.0 0.4 1.9 0.8 18.1 11.5 9.6 1.2 20.4 12.3 3.8 3.5 0.4 2.7 15 Terre Haute 03,529 81.9 1.2 0.8 16.2 28.8 4.7 4.7 1.6 17.3 14.2 1.6 1.6 28.8 4.7 4.7 1.6 17.3 14.2 1.6 1.6 28.8 4.7 4.7 1.6 17.3 14.2 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.2 1.2 7.2 </td <td>SpringfieldOther cities</td> <td>57,972</td> <td>106.9</td> <td></td> <td>3.4</td> <td></td> <td>29.3</td> <td>12.1</td> <td>8.6</td> <td>5.2</td> <td>19.0</td> <td>6.9</td> <td>5.2</td> <td></td> <td>1.7</td> <td>1.7</td> <td>12. 7 13. 8 12. 8</td>	SpringfieldOther cities	57,972	106.9		3.4		29.3	12.1	8.6	5.2	19.0	6.9	5.2		1.7	1.7	12. 7 13. 8 12. 8
Indianapolis 259,820 102.0 0.4 1.9 0.8 18.1 11.5 9.6 1.2 20.4 12.3 3.8 3.5 0.4 2.7 15 Terre Haute 63,529 81.9 1.6 26.8 4.7 4.7 1.6 17.3 14.2 1.6 1.2 1.2 1.2 1.5 1.2 <td></td> <td>901,437</td> <td>84.9</td> <td>0.9</td> <td>1.0</td> <td>0.8</td> <td>18.0</td> <td>11.2</td> <td>6.5</td> <td>8.0</td> <td>15.6</td> <td>9.3</td> <td>2.9</td> <td>2.4</td> <td>1.0</td> <td>1.7</td> <td>10.5</td>		901,437	84.9	0.9	1.0	0.8	18.0	11.2	6.5	8.0	15.6	9.3	2.9	2.4	1.0	1.7	10.5
Registration cities	Indianapolis Terre Haute	259, 820 63, 529	102.0 81.9	0.4		1.6	18.1 26.8	11.5 4.7	9.6	1.2 1.6	20.4 17.3	12.3 14.2	3.8	3.5 1.6	0.4 1.6		20.7 15.4 7.9 6.9
Kansas City 94, 271 64.7 1.1 1.1 19.1 8.5 4.2 4.2 7.4 3.2 1.1 4.2 2.1 10.0 9 1.0 10.4 2.1 10.4 2.1 10.4 2.1 10.4 2.1 10.4 2.1 10.4 2.1 10.4 2.1 10.4 2.1 10.4 2.1 10.4 2.1 10.4 2.1 10.4 2.1 10.5 10.6 2.1 23.4 8.5 4.2 2.1 2.1 23.4 8.5 4.2 2.1 2.1 23.4 8.5 4.2 2.1 2.1 10.4 2.1 10.4 10.7 10.8 10.8 10.8 10.8 10.8 10.8 10.9 10.8 10.8 10.8 10.8 10.8 10.8 10.8 10.8		345. 260	81.7	0.6	0.9	0.3	17.7	12.2	7.5	2.6	12.5	7.2	2.9	2.6	2.0	0.9	11.9
KENTUCKY. 425,563 77.1 1.4 0.7 0.2 13.4 14.3 4.9 2.1 15.7 8.0 2.8 0.9 0.5 1.4 10	Kansas City Topeka* Wichita	94, 271 47, 102 64, 972	64.7 110.4 77.0	1. 1 2. 1			19. 1 23. 4 13. 9	8.5 8.5 10.8	4. 2 10. 6 6. 2	4. 2 2. 1 1. 5	7. 4 23. 4 13. 9	3.2 8.5 6.2	1.1 4.2 4.6	4. 2 2. 1 1. 5	2.1 2.1 4.6	3. 1	9.5 23.4 10.8 10.1
	KENTUCKY.	!									İ	1	į				10.6
Louisville. 235,114 79.5 1.3 1.3 16.2 14.9 7.2 1.3 15.7 6.0 1.7 1.3 0.9 1.3 10 10 10 10 10 10 10 1	Louisville		79.5	1.3		0.2	16. 2	14.9	7.2	1.3	15.7	6.0				1.3	

Nonregistration state: cities shown below only those with effective local ordinances.
 The only other registration unit: less than 50 deaths from cancer were reported.
 Nonregistration state: the registration cities are Jacksonville, Key West, and Pensacola.

Includes Augusta and Savannah.
 Includes Aurora, Belleville, Decatur, Evanston, Jacksonville, and Quincy.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

		Death rate per	DEA	TH BAT	E PER	00,000 P	OPULAT	ION FRO	M CAN	CER AND	OTHER	MALIGN	ANT TU	MORS (F THE	-
AREA AND COLOR.	Estimated population, July 1, 1914.	100,000 population from cancer and other malig- nant tumors.	Tongue	Jaw.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Intes-	Rec-	Uterus.	Breast.	Skin.	Pan- creas.	Prostate.	Blad- der.	Other organs or of organs not specified.
REGISTRATION CITIES—Continued.														- 4		
LOUISIANA.1												100				
New Orleans (total)	361, 221 265, 692 95, 529	99.1 96.7 105.7	2.5 3.0 1.0	1.9 2.3 1.0	1.1 1.1 1.0	18.0 17.7 18.8	11.4 10.5 13.6	5.8 6.8 3.1	3.3 3.4 3.1	21.0 15.8 35.6	8.0 7.9 8.4	3.3 4.1 1.0	2.5 2.3 3.1	2.5 2.3 3.1	1.7 1.9 1.0	16.1 17.7 11.5
MAINE.	107 100				2.4	00.0				04.0						16.6
Registration cities	175, 127	121,1	0.6	1.7	1.1	26.3	15.4	11.4	6.3	26.8	14.3	2.3	1.1	0.6	1.7	11.4
Portland Other cities	62, 161 112, 966	104.6 130.1	1.6	2.7	0.9	14.5 32.8	12.9 16.8	8.0 13.3	8.0 5.3	22.5 29.2	22.5 9.7	1.6 2.7	0.9	0.9	1.6	8.0 13.3
MARY LAND.									,				5.17			
Registration cities (total) White Colored	640, 317 547, 542 92, 775	102.0 103.6 92.7	1.7 1.8 1.1	0.6 0.5 1.1	1.4 1.1 3.2	20.8 21.4 17.2	14.8 15.9 8.6	6.9 6.9 6.5	4.2 4.7 1.1	16. 4 14. 2 29. 1	11. 2 11. 1 11. 9	1.7 1.6 2.2	2.3 2.2 3.2	1.4	3.3 3.7 1.1	15.1 16.6 6.5
Baltimore (total). White Colored Other cities	579,590 491,276 88,314 60,727	101.6 103.8 89.5 105.4	1.6 1.8 3.3	0.3 0.4 3.3	1.6 1.2 3.4	20.9 21.4 18.1 19.8	14.1 15.1 9.1 21.4	7.4 7.5 6.8 1.6	4.5 5.3	15.9 13.4 29.4 21.4	11. 2 11. 2 11. 3 11. 5	1.7 1.6 2.3 1.6	2.6 2.4 3.4	1.6 1.8	3.5 3.9 1.1 1.6	14.8 16.7 4.5 18.1
MASSACHUSETTS.	0.014.000	00.0				10.0	10.1	10.0						0.0		
Registration cities	2,814,238	98.8	1.3	1.5	1.4	19.0	10.1	12.9	4.6	14.2	11.7	2.1	1.2	2.6	2.0	_
Boston Brockton Cambridge Fall River	733, 802 64, 043 110, 357 125, 443	118.7 85.9 100.6 55.8	0.9	2.7	2.0 1.6 1.8	20.3 20.3 22.7 8.0	12.3 7.8 6.3 4.8	16.4 9.4 9.2 8.0	5.7 9.4 4.5 3.2	17.3 4.7 9.1 8.0	14.7 12.5 17.2 5.6	3.6 0.8	1.6 1.6 0.9 1.6	3.1 1.8	3.1 0.9 3.2	18.8 12.5 19.0 12.8
Lawrence. Lowell Lynn New Bedford.	95, 834 111, 004 98, 207 111, 230	62.6 88.3 92.7 83.6	2.1 0.9 1.8	2.1 2.0 1.8	2.1 1.8 2.0	17.7 20.7 20.4 17.1	8.3 16.2 7.1 9.0	7.3 5.4 9.2 13.5	4.2 4.5 1.0 1.8	9.4 9.9 18.3 12.6	4. 2 11. 7 9. 2 9. 9	3.6 2.0 2.7	1.0	0.9 1.0 0.9	0.9 2.0 0.9	5. 2 11. 7 17. 3 11. 7
Somerville Springfield Vorcester Other cities	83, 881 100, 490 157, 732 1, 022, 215	84.6 91.6 111.6 97.1	2.0 1.9 1.5	1.2 1.0 1.9 1.5	1.0 0.6 1.3	21.5 18.9 26.0 17.8	3.6 12.9 8.9 10.0	13. 1 16. 9 13. 9 12. 8	4.8 2.0 5.1 4.5	9.5 7.0 14.6 15.8	10.7 6.0 12.7 11.2	1.0 2.5 2.6	2.0 1.9 1.3	1.2 4.4 2.3	2.4 2.0 2.5 1.6	16.7 18.9 14.6 13.2
MICHIGAN.		1 3						100								
Registration cities	1, 169, 668	85.2	0.9	1.4	1.0	21.6	11.5	7.1	2.7	13.7	7.2	2.6	1.5	1.6	1.0	11.3
Detroit. Grand Rapids. Eaginaw. Other cities	537, 650 123, 227 53, 988 454, 803	78. 9 97. 4 92. 6 88. 6	1.5 0.8 0.4	0.9 0.8 5.6 1.5	1.1 0.8 1.9 0.9	21. 6 28. 4 20. 4 20. 0	10.6 14.6 16.7 11.2	6.1 8.1 9.3 7.7	3.0 4.1 2.4	13. 9 12. 2 14. 8 13. 6	5. 6 11. 4 3. 7 8. 4	1.1 4.1 3.7 3.7	0.7 0.8 1.9 2.6	1.5 0.8 3.7 1.8	0.9 1.9 1.3	10. 2 10. 5 9. 3 13. 0
Registration cities	732, 326	82.6	1.2	2.0	1.1	24.4	8.6	6.1	3.6	11.2	7.2	2.0	1.4	1.2	1.6	10.8
Duluth Minneapolis 8t. Paul Other cities	89, 331 343, 466 236, 766 62, 763	76.1 91.1 70.1 92.4	1.2 2.1	2.2 2.0 1.3 4.8	0.9 2.1	30. 2 25. 6 21. 5 20. 7	12.3 7.3 8.0 12.7	4.5 8.7 3.0 6.4	3.4 3.5 4.3 1.6	6.7 13.1 10.1 11.2	4.5 9.0 4.2 12.7	3.4 1.7 2.1 1.6	1.5 1.7 1.6	1.5 1.3 1.6	2.2 2.6 0.4	6.7 12.5 8.0 17.5
MISSOURI. Registration cities (total) White	1,232,741 1,144,160 88,581	95. 0 98. 0 56. 4	2.0 2.2	1.5 1.5 1.1	1.7 1.7 1.1	21. 4 21. 9 14. 7	9. 2 9. 9 1. 1	5. 4 5. 5 4. 5	4.4	17.8 17.5 21,4	8.8 9.3 3.4	3.7 3.9	1.4 1.5	1.2 1.2 1.1	2.5 2.7	14.0 14.4 7.9
Kansas City St. Joseph * St. Louis Other cities	281,911 2 82,712 734,667 133,451	90.1 117.3 95.4 89.2	3.2 1.2 1.9 0.7	1.1 1.2 1.6 1.5	0.7 2.5 0.7	18.1 27.8 22.9 16.5	6.7 10.9 9.9 9.7	5.7 8.5 5.4 3.0	5.0 6.0 4.5 1.5	17.0 23.0 16.3 24.0	10.3 19.3 7.4 7.5	6.0 2.4 3.1 2.2	0.7 1.2 1.9	1, 2 1, 6 1, 5	2.1 2.4 2.7 2.2	13.5 12.1 13.6 18.0
MONTANA. Registration cities NEBRASK ¹	109,011	75.2	2.8	1.8	0.9	22.9	5.5	4.6	2.8	11.0	4.6	0.9	2.8	0.9	0.9	12.8
Registration cities	178,917	104.5	0.6	0.6		24.6	12.3	8.9	2.2	19.0	10.1	2.8	1.1	0.6	2.8	19.0
Omaha. Lineoln ³ . NEW HAMPSHIRE.	133,274 45,643	105.0 103.0	2.2	2.2		24.0 26.3	10.5 17.5	5.3 19.7	3.0	21.8 11.0	9.8 11.0	3.8	1.5	0.8	3.0 2.2	21.8 11.0
Registration cities	184, 187	93.9		1.1	0.5	15.7	9.8	14.7	6.0	17.4	14.1	2.7	0.5	1.6	1.1	8.7
Winchester	75,635 108,552			2.6	0.9	13. 2 17. 5	2.6 14.7	13.2 15.7	7.4	17.2 17.5	10.6	1.8	0.9	2.8	1.8	6.6

^{75, 635 74.0 2.6 13.2 2.6 13.2 2.6 15.7 7.4 17.5 16.6 4.0 0.9 2.8 1.8 10.1 1.8 10.1 1.8 10.9 2.8 1.8 10.1 1.8 10.1 1.8 10.9 2.8 1.8 10.1 1}

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

		Death rate per		TH BATI	PER 1	.00,000 P	OPULATI	ON PRO	M CANO	ER AND	OTHER	MALIGN	ANT TU	MORS C	of the	
AREA AND COLOR.	Estimated population, July 1, 1914.	100,000 population from cancer and other malig- nant tumors.	Tongue.	Jaw.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Intestines.	Rec- tum.	Uterus.	Breast.	Skin.	Pan- creas.	Prostate.	Blad- der.	Other organs or of organs not specified.
REGISTRATION CITIES—Continued.																
NEW JERSEY. Registration cities	1,828,462	78.0	1.1	0.8	0.8	19.3	9.6	7.0	3.8	10.8	7.4	1.7	1.0	0.9	1.5	12.3
Camden	102,465	72.2	<u> </u>		1.0	19.5	4.9	2.9	7.8	11.7	4.9	4.9	1.0	2.0	3.9	7.8
Elizabeth	82,411 293,921 389,106	92. 2 73. 8 87. 4	2.4 0.7 1.5	1.2 0.7 1.0	1.2 0.3 2.1	25. 5 21. 4 21. 8	13.3 11.2 10.3	4.9 6.5 7.5	2.4 2.0 5.1	8.5 8.5 11.8	6. 1 6. 1 8. 0	1.2 1.7 2.3	1.2 0.7 1.0	0.7	2.4 0.7 1.8	21.8 12.6 13.1
Paterson. Trenton * Other cities.	106,831	92.3 91.7 69.1	2.8 1.1	0.7 2.8 0.4	0.7 0.9 0.1	28.3 18.7 14.7	8. 2 13. 1 8. 6	11.9 7.5 6.8	1.5 4.7 3.8	14.9 8.4 10.8	8.9 10.3 7.5	1. 9 1. 3	1.5 1.9 0.8	1.5 1.9 1.3	2. 2 1. 3	11.9 16.8 10.6
NEW YORK. Registration cities (total) White	7, 388, 358	88.0 88.4 70.3	1.3 1.3 0.8	1.1 1.1	1.8 1.9 1.5	20.4 20.5 11.3	9.7 9.7 7.6	8.2 8.2 4.5	4.2 4.2 3.0	11.3 11.2 20.4	9. 6 9. 6 10. 6	1.6 1.6	1. 1 1. 2 0. 8	1.2 1.2 1.5	2.4 2.5 0.8	14.0 14.1 7.6
Albany. Buffalo. New York (total). White. Colored.	102,961 454,112 5,333,539 5,224,202	146.7 95.8 83.5 83.6 75.9	1. 9 1. 1 1. 3 1. 3 0. 9	1.8 1.0 1.0	1.0 2.0 2.2 2.2 0.9	31. 1 23. 3 20. 6 20. 8 10. 1	10.7 10.3 9.5 9.5 9.5	11.7 7.0 7.8 7.8 4.6	3.9 4.0 4.1 4.2 3.7	26.2 12.3 9.7 9.4 23.8	19.4 10.1 8.4 8.3 11.9	1.9	1.1 1.0 1.0 0.9	6.8 3.5 0.8 0.7 1.8	5.8 2.6 2.3 2.4 0.9	26. 2 14. 8 13. 4 13. 6 7. 3
Bronx Borough. Brooklyn Borough. Manhattan Borough. Queens Borough. Richmond Borough.	529, 198 1, 833, 696 2, 536, 716 339, 886	97. 5 78. 5 83. 7 81. 5 102. 1	1.7 1.3 1.3 0.9	0.4 1.0 0.9 1.2 3.2	1.9 1.6 2.6 2.6 2.1	23. 4 19. 9 20. 5 20. 3 25. 5	9.8 9.4 9.2 9.4 16.0	11.9 7.4 7.5 5.6 6.4	6.0 3.7 4.0 5.3 2.1	10.8 9.7 9.5 8.5 13.8	10.4 8.4 8.0 9.4 5.3	1.5 1.6 1.0	0.8 0.8 1.3 0.6 2.1	1.5 0.4 0.9 0.3 1.1	2.6 2.0 2.3 3.5 3.2	14.7 11.2 14.6 12.7 21.3
Rochester 8yracuse Troy Utica * Yonkers Other cities	149,353 77,560 82,060 93,383	106. 5 84. 4 175. 3 99. 9 69. 6 92. 9	2.0 3.9 2.1 1.0	0.8 1.3 3.9	1.2 0.7 1.3	18.0 11.4 34.8 24.4 18.2 17.2	13. 1 9. 4 15. 5 12. 2 8. 6 9. 2	11.4 4.0 11.6 9.7 8.6 9.8	6. 1 3. 3 7. 7 11. 0 2. 1 3. 9	14.7 15.4 27.1 15.8 6.4 15.5	12.2 13.4 28.4 13.4 12.9 11.7		1.2 2.7 2.6 1.2 1.1 1.5	2.4 2.7 2.6	2.9 2.7 7.7 1.2 1.1 2.2	18.0 14.7 24.5 11.0 8.6 14.0
NORTH CAROLINA. Registration cities	176,010	70. 5	- 0.6	ļ	0.6	10.8	9.7	2.8	1.7	21.0	5.7	4.0		0.6	0.6	13. 1
OHIO. Registration cities (total) White	2,410,207 2,335,493 74,714	87.3 87.4 84.3	0.8 0.9	1. 5 1. 5	1.4 1.4 1.3	19. 8 19. 9 18. 7	11.9 12.0 9.4	5. 9 6. 0 1. 3	4.0 4.1 2.7	14. 4 14. 0 26. 8	8. 5 8. 6 8. 0		1. 1 1. 1 1. 3	1.2 1.2 1.3	1. 5 1. 6	12. 5 12. 5 13. 4
Akron Cincinnati Cleveland Columbus	80,291 402,175 639,431	77.2 104.2 75.5 107.5	1.2 0.6 1.0	1.5 1.3 2.0	1.7 1.9 1.0	18.7 22.6 21.7 18.6	11. 2 16. 7 8. 8 15. 6	6. 2 3. 5 5. 8 6. 4	2.5 5.0 3.8 2.4	12.5 17.9 9.4 26.4	12. 5 9. 0 6. 6 11. 7	1.2 3.7 1.6 3.9	1.0 0.5 1.5	1.2 2.2 0.8 1.5	2.5 2.5 0.6 1.0	8.7 15.7 12.4 14.7
Dayton Toledo Youngstown Othercities	123,794 184,126 100,593	107.4 99.9 65.6 79.5	1.6 0.5 0.9	0.8 2.7 1.0 1.5	2.4 2.7 1.0 0.6	18.6 28.2 11.9 16.0	13.7 10.3 9.9 11.4	6.5 5.4 5.0 7.3	7.3 4.9 4.0 3.6	24. 2 13. 6 8. 9 12. 9	11.3 8.1 4.0 9.0	5.7	3. 2 1. 6 1. 0 1. 2	2.4 2.2 	2.4 2.2 1.0 1.6	7.3 13.0 14.9 11.0
OREGON. ¹ Portland	260,601	87.9	1.2	1.9	0.8	21.5	10.0	7.7	6.5	11.9	6.5	1.5	1.9	1.2	2.3	13.0
PENNSYLVANIA. Registration cities (total) White. Colored.	3,957,679	82. 0 81. 7 89. 9	1.0 0.9 1.3	1.6 1.7 1.3	1.1 1.1 1.9	19. 4 19. 2 24. 2	9. 9 10. 0 7. 0	5. 8 5. 8 5. 7	3. 2 3. 1 3. 8	13.3 13.0 21.0	9.3 9.4 8.3	2.0	1.4 1.5 0.6	1.2 1.2 1.3	1.8 1.8 2.5	10.9 11.0 9.6
Allentown. Erie. Harrisburg. Lancaster.	60, 297 72, 401 69, 493	97. 8 76. 0 82. 0 110. 7	1.4	1.4 2.9 4.0	1.7	18. 2 19. 3 7. 2 24. 2	3.3 8.3 10.1 14.1	11.6 5.5 11.5 4.0	1.7 2.8 2.9 10.1	21.6 8.3 18.7 10.1	18. 2 9. 7 11. 5 16. 1	5.0 2.8 5.8 2.0	6.0	3.3 1.4 1.4 2.0	2.8 1.4 4.0	13.3 12.4 8.6 12.1
Philadelphia (total)	1,657,810 1,566,158 91,652	93. 0 92. 9 93. 8 85. 2	1.5 1.5 1.1	1.8 1.9 1.1 1.6	1.5 1.4 3.3 1.1	21. 1 20. 8 26. 2 22. 8	10.3 10.5 6.5 11.0	6.3 6.4 5.5 4.4	3.0 2.9 4.4 3.5	14.9 14.5 21.8 14.5	11. 2 11. 4 8. 7 7. 3	2.0 2.1	2.2 2.3 1.1 1.4	1.2 1.3	2.4 2.4 3.3 1.8	13.6 13.7 10.9 12.0
Reading. Scranton. Williamsport. Other cities.	103, 361 141, 351 33, 181	83. 2 60. 1 150. 7 64. 4	1.9	1.0 1.4	2.9	15. 5 16. 3 54. 2 15. 8	10.6 3.5 18.1 9.5	6.8 9.9 9.0 4.6	3.9 0.7 18.1 2.9	12.6 2.5 15.1 10.9	9. 7 9. 2 12. 1 6. 7	1.0 0.7 3.0 2.1	1.0	1.0 1.4 3.0 1.0	1.4 3.0 1.2	15. 5 7. 1 15. 1 6. 6
RHODE ISLAND, Registration cities	479, 487	88.8	1.0	1.7	0.6	16.7	8.8	9.2	3.8	15. 2	11.3	2.5	1.0	1.7	2.1	18.8
Providence	245, 090 234, 397	92. 6 84. 9	0.4 1.7	0.8 2.6	1.2	16.3 17.1	9.8 7.7	11. 4 6. 8	3.7 3.8	14.3 16.2	10.6 11.9	2.0 3.0	0.8 1.3	2.9 0.4	3.3 0.9	15.1 11.5

^{234,337 84.9 1.7 2.6 17.1 7.7 16.8 3.6 16.2 11.9 2.0 1.3 0.4 0.9 11.5 1}Nonregistration state; cities shown below only those with effective local ordinances.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asteriaks (*).]

		Death rate per	DEA	TH RAT	E PER 1	00,000 P	OPULAT	ION PRO	M CAN	CER AND	OTHER	MALIG	NANT T	UMORS	OF THE	÷
AREA AND COLOR,	Estimated population, July 1, 1914.	100,000 popu- lation from	Tongue.	Jaw.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Intes- tines.	Rec-	Uterus.	Breast.	Skin.	Pan- creas.	Prostate.	Blad- der.	Other organs or of organs not speci- fied.
REGISTRATION CITIES—Continued.																
SOUTH CAROLINA.1					1	6		0.0	100			100				
Charleston	60, 121	58.2	*******			5.0	5.0	.,	3.3	20.0	13.3	1.7		3.3		6.
TENNESSEE.2			1	95			15.5					1				1 350
Registration cities (total)	370, 662 237, 961 132, 701	78.0 87.8 60.3	0.3	1.3 1.3 1.5		12.9 14.7 9.8	7.6 10.1 3.0	4.0 5.5 1.5	3.5 2.9 4.5	25. 4 24. 8 26. 4	5.7 5.0 6.8	2.7 3.4 1.5	2.7 2.8 0.8	0.8		11.3 15.1 4.5
Memphis Nashville Other cities ¹	143, 231 114, 899 112, 532	79.6 85.3 68.4	0.9	0.9		16.1 10.4 11.6	9.1 7.8 5.3	4.2 6.1 1.8	3.5 3.5 3.6	25.1 22.6 28.4	5.6 7.0 4.4	1.4 5.2 1.8	2.1 2.6 3.6			9.8 18.3 6.3
TEXAS.2	004 927	00.4	0.5	2.0		11.0	10.7			10.1				0.0	20	10 1
Registration cities	204,857	88.4	0.5	2.0	0.5	14.2	22.3	4.4	4.4	. 18.1	6.3	7.4	2.0	5.0	2.0	37.2
Galveston San Antonio El Paso	40, 289 115, 063 49, 505	129.1 70.4 97.0	2.0	2.5	2.5	12. 4 13. 9 16. 2	6.1 12.1	3.5 10.1	7.4 3.5 4.0	14.9 14.8 28.3	4.3 6.1	1.7	2.6	0.9	1.7 2.0	14.8
UTAH.					W.				100							
Registration cities	139, 264	66.8		1.4	0.7	28.0	3.6	2.9	2.9	10.1	3.6	3.6	0.7		0, 7	8.6
Salt Lake City Ogden 5	109,736 29,528	64.7 74.5		1.8	3.4	23.7 44.0	4.6	3.6	2.7 3.4	10.9 6.8	3.6 3.4	3.6 3.4	3.4		0.9	6.8
VERMONT. Registration cities	47,370	154.1	,,,,,,,,			48.6	10.6	12.7	12.7	16.9	14.8	2.1	4.2	2.1	2.1	27.4
VIRGINIA. Registration cities (total) White Colored	423, 671 277, 249	71.8 77.9	0.5 0.7	0.5 0.7	0.5 0.7	11.1 12.6	6.8	5.0 6.1	1.9 2.5	20.3 15.9	6.6 7.2	2.1 2.2	1.9 1.8	1.7 2.2 0.7	1.4	11.6 15.1
		94.1	0.7	0.7		8.2	3.4	6.7	0.7	28.7 18.5	10.4	2.0	2.0	3.7	1.4	17.0
Richmond. Other cities (total). White. Colored.	134, 917 288, 754 191, 751 97, 003	61.3 66.2 51.5	0.7 0.3 0.5	0.7 0.3 0.5	0.7 1.0	16.3 8.7 9.9 6.2	9.6 5.5 7.3 2.1	4.2 5.7 1.0	3.0 1.4 1.6 1.0	21.1 17.7 27.8	4.8 4.2 6.2	3.7 1.4 1.6 1.0	1.7 2.1 1.0	0.7	1.4 1.6 1.0	9. (11. 3 4. 1
WASHINGTON.			1				11		1.7				(20)			
Registration cities	674, 321	74.0	0.6	0.7	0.7	24.0	6.7	5.8	3.0	8.7	6.2	1.6	0.9	1.5	2.1	11.
Seattle Spokane Tacoma Other cities	313,029 135,657 103,418 122,217	70.6 75.2 81.2 75.3	1.3	1.3 0.7	0.6 1.5 0.8	21.4 24.3 30.0 25.4	6.7 6.6 5.8 7.4	4.8 5.2 9.7 5.7	3.2 1.5 3.9 3.3	8.3 11.8 2.9 11.5	6.7 6.6 7.7 3.3	1.3 1.5 1.0 3.3	1.3 0.7 1.0	0.6 3.7 1.9 0.8	2.6 2.9 1.6	10.5 8.1 17.4 12.3
WEST VIRGINIA.				10.1				11				6.1		100		
Wheeling WISCONSIN.	42,817	107.4		2.3	2.3	16.3	11.7	14.0	2.3	18.7	16.3	2.3	2.3	4.7		14.0
Registration cities	833,974	85. 4	1, 1	1.3	1.4	24. 7	12.4	7.3	3, 4	10.0	7.2	1.8	0.7	1.3	1.9	10.5
Milwaukee	419,589 414,385	69. 4 101. 6	1.2 1.0	0.7 1.9	1.2 1.7	19.1 30.4	12. 2 12. 5	5.0 9.7	3.3 3.4	6.9 13.0	7. 1 7. 2	1.0 2.7	0.5 1.0	0.7 1.9	1.9	8, 6 13, 3
RURAL PART OF REGISTRATION STATES. ⁶ CALIFORNIA. Total.	1,211,170	78, 2	0.9	2.4	0.7	22.8	8.0	5.6	3.5	8.8	8.2	4.0	0.9	1.3	1.1	9.1
		123.9	1.5	5.4	2.3	31.5	18.5	9. 2	4.6	14.6	13.8	3.1	0,8	3.8	2.3	13.
Los Angeles County . Santa Clara County * Sonoma County . Other rural districts	56,391 52,618 972,196	138.3 119.7 66.3	3.5 0.7	5.3 1.9 1.9	5.3 0.3	30. 1 39. 9 20. 3	16.0 13.3 5.9	12. 4 9. 5 4. 6	3.5 1.9 3.4	16, 0 17, 1 7, 1	12. 4 22. 8 6. 4	1.8 1.9 4.4	3.5 0.9	0.9	1.8	23. 11. 8.
Total	568, 280	41.7	0.2	0.4		14.4	7.9	2.3	1.9	-4.8	3.3	1.1	0.5	0.7		4.3
Total	377, 398	85. 6	1.6	2.4	0.5	16, 2	9.5	9.8	2.9	9.5	12.7	3.2	0.8	1.9	2.1	12.
Hartford CountyOther rural districts	85, 763 291, 635	88. 6 84. 7	1.2 1.7	4.7	1.2	16.3 16.1	12.8 8.6	10.5 9.6	2.3 3.1	5. 8 10. 6	15. 2 12. 0	4.7 2.7	1.2	1.2 2.1	1.2	10. 13.

Nonregistration state; the only registration unit is shown, and less than 50 deaths from cancer were reported.
 Nonregistration state; cities shown below only those with effective local ordinances.
 Includes, Chattanooga, Jackson, and Knoxville.
 The only other registration unit; less than 50 deaths from cancer were reported.
 The only other city of 10,000 inhabitants or over in 1910; less than 50 deaths from cancer were reported.
 Exclusive of municipalities having a population of 10,000 or over in 1910.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asteriaks (*).]

		Death rate per	DEA	TH BAT	E PER 1	.00,000 P	OPULATI	ON PRO	M CAN	ER AND	OTHER	MALIGN	ANT TU	MORS C	F THE-	-
AREA AND COLOR.	Estimated population, July 1, 1914.	100,000 population from cancer and other malig- nant tumors.	Tongue	Jaw.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Intes- tines.	Rec-	Uterus.	Breast.	Skin.	Pan- creas.	Prostate.	Blad- der.	Other organs or of organs not speci- fied.
RUBAL PART OF REGISTRATION STATES —Continued.																
Kansas.	1,439,637	56.5	0.3	1.1	0.3	14.9	8.3	3.9	1.1	6.0	5.9	2.5	0.3	0.8	0.8	10.
KENTUCKY.	1,20,00	00	"					""			-				0.0	
Total. White Colored.	1,925,168 1,730,546 194,622	39. 1 38. 6 43. 7	0.3 0.3	0. 5 0. 5		7.9 8.0 6.7	4.9 4.7 6.7	2.2 2.1 3.1	1.3 1.3 1.0	6. 7 5. 9 13. 9	4.3 4.4 3.1	2.4 2.5 1.0	0.4	0.8 0.3 0.5	0.4	7.0 7.0 7.3
MAINE. Total	587,660	103. 6	1.0	1.4	0.5	22.8	14.8	11.2	4.4	15.5	11.6	4.1	1.0	0.9	1.7	12.8
Cumberland County Kennebec County * Penobecot County Washington County York County Other rural districts	54,679 38,298 63,075 41,915 52,602	109. 7 -143. 6 - 85. 6 -128. 8 	4.8 1.9 0.9	5. 5 2. 6	1.8 2.6	25. 6 13. 1 17. 4 33. 4 26. 6 22. 5	12.8 18.3 19.0 21.5 11.4 13.6	7.3 18.3 7.9 7.2 13.3 11.9	3.7 7.8 4.8 4.8 7.6 3.6	14. 6 15. 7 12. 7 31. 0 7. 6 15. 4	14. 6 7. 8 12. 7 7. 2 28. 5 9. 2	5. 5 15. 7 1. 6 4. 8 1. 9 3. 3	1. 8 	1, 8 5, 2 0, 6	5. 5 1. 6 2. 4	9. 1 36. 6 7. 9 11. 9 11. 9
MARYLAND. Total White Colored	700,758 552,611 148,147	62. 6 68. 8 39. 8	0.6 0.5 0.7	1.4 1.6 0.7	0.1 0.2	13. 1 15. 0 6. 1	8.3 8.7 6.8	4.7 5.6 1.4	2.3 2.9	9. 4 8. 3 13. 5	8.6 9.4 5.4	3.4 4.3	0.3 0.4	0.4 0.5	0.7 0.9	9.1 10.5 5.4
Baltimore County * Other rural districts (total). White. Colored.	135, 813 564, 945 431, 030	81. 7 58. 1 64. 0 38. 8	0.7 0.5 0.5 0.7	2.2 1.2 1.4 0.7	0.7	13. 3 13. 1 15. 3 6. 0	11.8 7.4 7.4 7.5	7.4 4.1 5.1 0.7	2.9 2.1 2.8	11.0 9.0 7.9 12.7	15. 5 6. 9 7. 7 4. 5	2.9 3.5 4.6	1.5	0. 5 0. 7	0.7 0.7 0.9	11. 6 8. 9 9. 6
MASSACHUSETTS.					١		١									
TotalBristol County		99.4	2.0	0.9	1.4	23.5	11.6	12.1	5. 4 8. 9	14.8	13.6	1.8	0.1	1.4	2.3	16.
Essex County * Middlesex County * Norfolk County *	92, 103 125, 247 105, 294	114.0 138.1 94.0	1.1 6.4 1.9	2.4 0.9	2.2 3.2 1.9	29.3 32.7 20.9	11.9 12.8 10.4	15.2 9.6 18.0	7.6 4.0 3.8	14. 2 13. 0 23. 2 10. 4	10.7 8.7 15.2 9.5	2.2 4.8 1.9	1.1	2. 2 3. 2 1. 9	5. 4 1. 9	14. 1 20. 8 10. 4
Plymouth County *	80,000 134,853 197,455	123. 8 102. 3 100. 3	1.3 0.7 1.5	1.3 0.7 0.5	2.5 0.7	25. 0 19. 3 18. 7	15.0 9.6 11.1	8.8 14.1 10.1	6.3 3.0 6.6	10. 0 12. 6 16. 2	21. 3 15. 6 13. 7	6.3 4.4 6.1		1.3 0.7 0.5	2.5 8.0 2.5	22.1 17.8 12.7
Michigan. Total	1,806,362	77.4	0.6	1.9	0.4	21.3	10.0	4.5	2.7	10.0	7. 2	4.7	0.9	1.1	1.3	10.8
Berrien County	55, 521 48, 459 71, 842	104. 5 103. 2 87. 7 75. 3	1.8	4.1 2.8 1.9	1.4	28. 8 20. 6 22. 3 21. 0	19.8 12.4 11.1 9.6	5.4 6.2 7.0 4.4	5.4 2.1 2.8 2.6	18.0 20.6 12.5 9.3	9.0 6.2 8.4 7.1	9.0 14.4 8.4 4.0	2.1 1.4 0.9	1.8	3.6 2.8 1.2	1.1 14.4 7.6 11.5
MINNESOTA. Total	1 481 593	74.0	0.3	1.1	0.8	29. 2	7.4	5.5	3, 2	6.2	4.5	2.8	0.5	1.1	1.1	10.
Olmsted County *Other rural districts	22, 232	445. 3 68. 3	0.3	1.1	4.5	152. 9 27. 3	22. 5 7. 2	72.0 4.5	36. 0 2. 7	18.0 6.0	4. 5 4. 5	18.0 2.6	18.0	9. 0 1. 0	27. 0 0. 8	63.
Missouri. Total	2, 140, 145	54.0	0.3	0.9	0.3	13. 9	8.3	2.9	1.4	6.0	5.2	5.2	0.4	0.8	0.6	7.1
MONTANA. Total	323, 603	43.6		1.5	0.6	12.4	5.9	3.4	1.9	4.3	4.0	1.9	0.9	0.9	ļ	5.1
NEW HAMPSHIRE. Total	254, 475	105.7	1.6	2.0	<u> </u>	14.9	18.1	14.1	3.9	18.5	11.0	4.7	1.6	1.2	2.8	11.
Rockingham CountyOther rural districts	41, 105	124. 1 102. 2	2.4 1.4	2.4 1.9		29. 2 12. 2	14.6	14.6	4.9	26. 8 16. 9	12. 2 10. 8	2.4 5.2	4.9	2.4 0.9	2.4 2.8	12.
NEW JERSEY. Total	987, 201	80.7	1.0	0.9	0. 5	19. 9	10. 2	7.4	3.8	9.3	9. 7	3. 5	0.4	1.7	1.5	10.
Bergen County Burlington County Monmouth County Morris County * Other rural districts	70, 114 72, 654 65, 739	75. 2 85. 6 113. 4 76. 1 77. 6	3. 0 1. 2	2.2 1.4 1.5 0.6	1. 5 0. 6	17. 9 20. 0 34. 4 19. 8 18. 6	11. 2 5. 7 12. 4 12. 2 10. 1	6. 0 5. 7 9. 6 6. 1 7. 8	5. 2 4. 3 5. 5 1. 5 3. 6	8. 2 11. 4 15. 1 6. 1 9. 0	10. 4 12. 8 13. 8 3. 0 9. 5	1. 5 4. 3 6. 9 7. 6 3. 1	1. 4 1. 4 1. 5 0. 2	1. 5 4. 3 1. 4 1. 5 1. 6	1. 5 4. 3 2. 8 1. 5 1. 1	9. 10. 15. 9. 10.
NEW YORK. Total	2,379,091	96.1	1.1	1.4	0.8	21.8	12.2	6.3	4.4	11.3	13.0	5.2	0.8	1.3	1.6	14.
Cattaraugus County	57, 805 45, 220	106. 0 100. 3 132. 7	2.0 3.5 2.2	5. 2	2.2	14. 0 15. 6 31. 0	24.3	11.1	6. 0 3. 5, 4. 4	20. 0 10. 4 17. 7	8. 0 15. 6 22. 1		2.0		4.0 1.7 4.4	20. 15. 11.
Dutchess County *	60, 615 96, 473	103. 9 73. 6	3.3	1.0	1.6	14.8	18.1	8.2	1.6	11.5	14.8	6.6	1	1	1	23.

² Includes National Military Home.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asteriaks (*).]

		Death rate per	DEA	TH BAT	E PER	100,000 P	OPULAT	ON FRO	OM CAN	CER AND	OTHER	MALIGN	IANT TU	MORS	OF THE	
AREA AND COLOR.	Estimated population, July 1, 1914.	100,000 population from cancer and other malig- nant tumors.	Tongue.	Jaw.	Esophagus.	Stom- ach.	Liver and gall blad- der.	Intestines.	Rec-	Uterus.	Breast.	Skin.	Pan- creas.	Prostate.	Blad- der.	Other organs or of organs not specified.
RURAL PART OF REGISTRATION STATES —Continued.																
NEW YORK—continued.												ŀ				1
Monroe County. Nassau County. Oneida County Onondaga County Ontario County.	65, 987 96, 068 58, 506 64, 396 40, 125	75. 8 81. 2 126. 5 96. 3 139. 6	3. 4 1. 6	1. 5 2. 1 1. 7	1. 7 3. 1	7. 6 21. 9 23. 9 29. 5 44. 9	12. 1 13. 5 18. 8 7. 8 10. 0	1. 5 9. 4 6. 8 1. 6 10. 0	4. 5 5. 2 6. 8 1. 6 10. 0	9. 1 5. 2 22. 2 6. 2 7. 5	10. 6 8. 3 17. 1 20. 2 24. 9	3. 0 3. 1 6. 8 4. 7 10. 0	3. 0 3. 1 1. 7 1. 6 5. 0	3. 0 1. 0 1. 7 1. 6 5. 0	1. 5 1. 0 1. 7	18. 2 7. 3 12. 0 17. 1 12. 5
Orange County Rockland County St. Lawrence County Steuben County	76, 501 50, 528 72, 508 54, 383	71. 9 100. 9 69. 0 126. 9	2.0 1.8	2.8 1.8	1.8	18. 3 25. 7 16. 5 27. 6	9. 2 9. 9 8. 3 20. 2	5. 2 4. 0 2. 8 7. 4	2. 6 5. 9 6. 9 3. 7	7. 8 11. 9 6. 9 20. 2	5. 2 7. 9 6. 9 1. 8	2. 6 4. 0 2. 8 16. 5		1.3 2.0 -1.4	3. 9 7. 9 	15. 7 19. 8 13. 8 22. 1
Suffolk County * Wayne County Westchester County Other rural districts	104, 045 50, 825 97, 047 1, 238, 041	88. 4 116. 1 109. 2 95. 2	1.0 4.1 0.8	1. 0 2. 0 5. 2 1. 2	1.0 2.0 1.0	25. 0 27. 5 18. 5 22. 2	7. 7 15. 7 10. 3 11. 6	11.5 7.9 4.1 6.0	3.8 5.9 7.2 4.0	11. 5 19. 7 11. 3 11. 6	12. 5 11. 8 10. 3 14. 4	1. 0 2. 0 11. 3 5. 3	0.7	1.0 1.0 1.5	1. 0 2. 0 3. 1 1. 2	10. 6 19. 7 22. 7 13. 9
NORTH CAROLINA. ² Total	296, 285	50. 3		0.7	0.8	9.8	6.1	3.4	2.0	14.9	4.4	1.7			1.0	6.1
оню.																
Total	<u> </u>	79. 2	0.7	1.5	0.5	19. 9	11.5	4.9	3. 2	9.1	8.6	5. 1	1.1	1.3	1.3	10.7
Hamilton County. Tuscarawas County. Other rural districts.	60, 078 58, 432 2, 498, 181	89. 9 95. 8 78. 5	1.7 0.7	1.6	0. 5	26. 6 29. 1 19. 5	10. 0 15. 4 11. 4	6.7 8.6 4.7	5.0 6.8 3.0	10. 0 10. 3 9. 0	10.0 5.1 8.6	5.0 6.8 5.0	1. 2	3.3 1.3	3. 3 3. 4 1. 2	8. 3 10. 3 10. 7
PENNSYLVANIA.					١								١			
Total	4, 288, 288 385, 396	64. 2 57. 9	0.4	1.4	0.4	16. 4	9.8	3.6	2.5	9.6	6.5	2.9	0.6	0.8	1.0	4.0
Berks County * Bradford County Bucks County Chester County	89, 920 52, 449	73. 4 129. 6 96. 4 83. 9	1.1	3.3 3.8 1.3 3.9	1. 1 1. 3 1. 3	17. 8 15. 3 16. 5 • 20. 6	8. 9 15. 3 19. 0 9. 0	13.3 8.9 1.3	1.1 5.7 1.3 1.3	7. 8 26. 7 14. 0 9. 0	10. 0 13. 3 12. 7 7. 7	4.4 11.4 5.1 2.6	1. 1 1. 9	3.3 1.9 1.3 1.3	3.3 5.7 2.5 3.9	5. 6 15. 3 11. 4 14. 2
Clearfield County. Delaware County. Erie County. Fayette County. Jefferson County.	87, 294 50, 381	58. 6 84. 8 133. 0 42. 4 78. 7	0.6	1. 2 1. 1 4. 0 0. 6 4. 6	1. 2	17. 6 21. 8 21. 8 12. 7 23. 2	10. 5 14. 9 11. 9 6. 3 12. 3	7. 0 1. 1 2. 0 3. 2 3. 1	1. 2 4. 6 7. 9 1. 3 1. 5	8. 2 10. 3 15. 9 5. 1 6. 2	1. 2 18. 3 23. 8 2. 5 3. 1	3. 5 2. 3 6. 0 1. 9 3. 1	1. 1 4. 0 0. 6 3. 1	2. 0 0. 6 3. 1	1. 2 2. 0 1. 5	5. 9 9. 2 31. 8 7. 0 13. 9
Leneaster County	220, 666 135, 954 78, 047	82. 1 44. 9 69. 9 69. 2 57. 0	0.5 0.7	2.7 0.9 0.7 2.6 1.9	0.7	21. 0 16. 3 16. 2 20. 5 14. 1	12. 8 5. 9 11. 0 14. 1 9. 0	7. 3 3. 6 3. 7	2.7 1.8 5.9	8.2 2.3 5.1 9.0 6.4	10.9 4.1 8.1 5.1 5.1	4.6 3.2 5.1 1.3 3.2	0. 5 0. 7 1. 3	2.9 3.8	2.7 0.7 2.6 0.6	9.1 5.9 8.1 9.0 9.6
Washington County Westmoreland County York County Other rural districts	144, 924 228, 177 95, 493 1, 989, 495	51. 8 48. 2 67. 0 63. 8	1.3	1.3 3.1 1.2	0. 7 0. 4 0. 3	20. 0 9. 2 9. 4 16. 5	8.3 10.1 11.5 9.3	1.4 3.1 4.2 4.4	2.2 3.1 2.8	5. 5 7. 9 10. 5 8. 4	4. 1 3. 9 10. 5 6. 0	2.1 0.9 2.1 3.5	1. 0 0. 8	1. 4 0. 4 0. 7	0. 7 0. 6	7. 6 7. 5 11. 5 8. 7
RHODE ISLAND. Total	111,728	101. 1	ļ	2.7	0.9	23. 3	8.1	10.7	7. 2	12.5	16.1	2.7	3.6		1.8	11.6
UTAH. Total	275, 254	35. 2	0.4		0.4	15.3	4.7	1.1	0.7	4.0	29		0.7	1.1		4.0
VERMONT. Total VIRGINIA.	313, 835	103. 2	1.0	0.6	0.3	20.7	11.8	7.3	6.4	17. 5	7.3	4.8	2.2	2.9	1.3	19.1
Total	1,726,338 1,172,152 554,186	43.3 47.0 35.4	0. 4 0. 6	0. 9 1. 0 0. 7	0. 1 0. 2	9. 7 10. 3 8. 3	4. 6 5. 7 2. 2	1. 6 1. 6 1. 6	1. 1 1. 5 0. 4	8.9 7.4 11.9	4. 5 4. 8 8. 8	3. 2 4. 4 0. 9	0. 5 0. 5 0. 4	0.5 0.6 0.2	0. 8 0. 9 0. 5	6. 5 7. 5 4. 5
WASHINGTON.	720 544	E0 7		۸.		17.0	F 0	,,			4.6		1.0	.,	۸.	
Totalwisconsin.	733, 544	50.7	0.5	0.5	ļ .	17.9	5. 9	3.0	1.8	5. 6	4.2	2. 2	1.0	1.1	0.5	6.5
Total	1,612,742	78.9	0.6	1.5	1.3	29.3	9.8	5.3	3.0	6.3	6.3	3. 5	0.7	1.5	0.7	9. 1
Milwaukee County 3 Other rural districts	57, 563 1, 555, 179	102. 5 78. 1	0, 6	3. 5 1. 4	3. 5 1. 2	33.0 29.1	15. 6 9. 6	3. 5 5. 4	5. 2 2. 9	6.9	6, 6	3. 5 3. 5	0.8	3.5	0.7	24.3 8.6

Exclusive of municipalities having a population of 10,000 or over in 1910.
 Includes only municipalities having a population of 1,000 or over but less than 10,000 in 1910.

³ Includes National Military Home.





GENERAL TABLES.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECI-PIED AGES. BY SEX AND COLOR. FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914.

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 30 per cent of the 1922 or a 2022-red \$19,00 or Cent in 1932. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1932. All cities and countries in registration states are shown in Table I, p. 21.

						MATES I	BOM CA	SCER (A	LL PORM	5) AT AG	ik 09-					at un-
AREA AND BARRS OF MAGNORS.	Allages	25	34	25 to 20 7:25.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 50 7:ars.	60 to 64 years.	ti to ters.	70 to 74 years.	75 to 79 years.	90 to 84 Jears.	85 to 89 years.		Douths at
SUMMARY.																
The registration area	. \$2.430	919	1,451	2,119	3,325	4,732	6, 131	6,43	6,909	6,790	5, 893	4,033	2,213	525	267	57
Yales	21.29	47.5	\$45 1.105	\$ // 1,553	2,358	1,502 3,130	2, 323 3, 806	2.741 3,922	3,071 3,535	3, 134 3, 646	2.754 3.139	1,757 2,276	966 1,247	352 476	107 160	35
		212	3.72	251	577	971 871	1.252	1.426	1.676	1.416	1, 157	734	471	207	74	. 2 ! 13
Diagnosis reasonably certain \bigcap_{F}^{M} . Diagnosis uncertain \bigcap_{F}^{M}	19,455	30	5×0 65	1,241 116	1,575 217	2,373	2,735 647	2, 618 849	2,249 1,045	1,913	1, 524 1, 1 3 6	1,650 762	634 365	2×2	107 19	18
Diagnosis unknown		67 73	114 105	155 99	2.5 153	411 256	645 394	811 446	1,0×2 550	1, 174 541	1,151		445 127	150 28	38 14	13
·	-	71	112	157	217	345	428	493	507	559	434	342	165	4	15	4
White		458	1,517 515	1,935	3, 129	4,3,3	5, 835 2, 232	- 6, 454 	6,705	·,529	5,798	3,964	2,15	516	259	52
Males Females	29,75	410		1,407	2,210	1,441 2,932	3,406	2,6% 3,788	2,9:5 3,713	3,077 3,552	2,714 3,074	1,736 2,225	9-0 1,225	351 465	105 154	20
Diagnosis reasonably certain. ${M \choose F}$	19,511 15,531	202 255	255 797	335 1, 123	545 1,749	856 2,226	1,245 2,579	1,394 2,520	1,449 2,174	1,396 1,853	1,140	729 1,024	467 622	207 274	74 104	12
Diagnosis uncertain		54 ·	62 105	104 148	203 255	333 358	619	824 787	1,015	1, 157 1, 153	1,120 1,164	749 870	367 441	116	18 37	11
I riagnosis unknown $\left\{ egin{align*} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	3, 432 3, 732	72 · 62	95 190	89 136	171 206	250 318	3/.5 410	448 481	531 492	524 546	454 426	259 334	126 162	28 42	13 13	4
Colored	1,905	51	134	194	196	259	293	209	201	151	105	•	28	12	8	5
Wales	54.5 1,340	17	20 104	2 % 146	49 148	61 198	91 202	75 134	76 125	57 94	40 65	21 48	6 22	11	2 6	2 3
Diagnosis reasonably certain. ${M \choose F}$	228	10	17	16	22	23	34	32	27	20	17	5	4			1
Diagnosis uncertain $\begin{cases} M \\ P \end{cases}$	192	21 6:	83 3 9	118 12 7	127 14 10	147 20 23	156 28 28	98 25 24	75 30	60 20 21	40 16	26 14	12	8	1	1
Diagnosis unknown		1	10 12	10 21	12 11	8 25	29 18	18 12	25 19 15	17 13	17 7 8	14 2 8	1 3	1	1 2	2
Registration states 1	48,259	829	1,449	1,985	2,996	4, 159	5,540		6,376	6,343	5, 554	3,807	2, 128	790	258	51
Males	19,545	427	476	506	864	1,343	2,074	2, 483	2,824	2,911	2, 585	1,663	933	1 336	102	19
Females	28,713	402	973	1,379	2, 132	2,816	3, 466	3,611	3,552	3, 432	2,969	2,144	1, 195	454	156	32
Diagnosis reasonably certain $\left\{ egin{align*} M \\ P \end{array} \right\}$	9,545 18,155	281 281	329 773	321 1,000	512 1,691	795 2,134	1, 134 2, 476	1,294 2,405	1,358 2,079	1,308 1,797	1,084 1,445	973 973	457 607	197 269	72 105	10 16
Diagnosis uncertain $\left\{ \begin{matrix} M \\ P \end{matrix} \right\}$	6,528 7,028 3,163	83 59	59 102 88	101 146 84	190 244 162	321 380 227	592 607 348	790 757 399	976 1,022 490	1, 122 1, 123 481	1,083 1,129 418	728 843 242	357 432 119	113 143 26	18 38 12	13
Diagnosis unknown $\left\{ \overrightarrow{r}\right\}$	3,520	62	96	134	197	302	383	449	451	512	395	323	156	42	13	3
White	46,739	791	1,352	1,743	2,849	3,960	5,317	5, 928	6,202	6,208	5, 465	3,743	2, 103	779	252	47
MalesFemales	19,100 27,639	413 378	460 892	476 1,267	830 2,019	1,298 2,662	2,007 3,310	2,426 3,502	2.757 3,445	2,860 3,348	2, 549 2, 916	1,644 2,099	928 1,175	335 444	100 152	17 30
Diagnosis reasonably certain. $\{M, P\}$	9,677	272	320	309	498	775	1,114	1,271	1,336	1, 292	1,069	689	454	197	72	9
Diagnosis uncertain	17,396 6,373 6,961	267 78 56	707 56 96	1,010 91 140	1,594 180 238	2,023 303 360	2,358 571 584	2,327	2,018 950	1,745 1,103 1,104	1,414 1,067	955 715		262 112 142	103 17 37	16 4 11
Diagnosis unknown $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$		63 55	84 89	76 117	152 187	220 279	322 368	737 345 438	989 471 438	1, 104 445 499	1, 113 413 389	829 240 315	425 118 153	26 40	11 12	4
Colored	1,520	38	97		147	199	223	166	174	135	89	64	25	11	6	4
Males	446	14	16	30	34	45		.57	67	51	36	19		1	2	2
Pemales	1,074	24	81 9	112 12	113 14	154	156 20	109	107	84 16	53	45	20	10	4	2
Diagnosis reasonably certain.	759 165	14 5	66	89 10	97 10	111 18	118 21	23 78 20	61 26	52 19	15 31 16	23 13	10	7	2 1	i
Diagnosis uncertain	177	3	6	6	6 10	20 7	23 26	20 14	33 19	19 16	16	14	7	ī	i	2
(- ·	. 138	7	9	17	10	23	15	11	13	13	6	8	3	2	1	
Cities in registration states:		455	971	1,251	1,931	2,741	3,463	3,632	3,541	3, 293	2,582	1,671	829	308	86	8
Males Females	10,505 16,290	262 226	318 653	345 906	572 1,359	894 1,847	1,311 2,152	1, 494 2, 138	1,575 1,966	1,465 1,828	1,125 1,457	1,009	326 503	118 190	35 51	. 5
Diagnosis reasonably certain ${M \choose F}$	5,566 10,652	182 168	218 528	234 730	351 1,077	528 1,407	743 1,546	815 1,425	804 1,155	690 1,000	484 772	290 450	143 237	58 120	24 33 7	2
Diagnosis uncertain $\begin{Bmatrix} \mathbf{M} \\ \mathbf{F} \end{Bmatrix}$	3,159 3,616	41 28	40 58	53 94	112 154	207 240	333 357	432 435	497 543	532 549	443 504	275 396	133 187	52 56	7 15	i
Diagnosis unknown	1,751 2,022	39 30	60 67	58 82	109 128	159 200	235 249	247 278	274 268	243 279	198 181	97 163	50 79	8 14	4 3	i
White	1 1	467	909	1,148	1,832	2, 594	3,323	3, 533	3, 452	3, 227	2,552	1,646	816	302	85	7
Males		254	311	322	547	861	1, 272	1,456	1,538	1,443	1,110	655	324	117	35	
Females	'	213 176	598 215	-	1,285 341	1,733	2,051 733	2,077 799	1,914 790	1,784	1,442	991	492 141	185 58	50 24	5 1
Diagnosis reasonably certain. ${M \choose I'}$	10, 196	159	485	666	1,017	1,325	1,470	1,379	1,129	975	763	441		117	32	4
(44)				1 Includ	les Distr	ict of Co	lumbia.									

GENERAL TABLES.

والعرب المعرب

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

U-1				7	Ď	EATHS F	ROM CAN	NCER (AL	L FORMS	AT AG	E OF-					ė,
ALEA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	34	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	30
SUMMARY—Continued.																
Cities in registration states 1—Continued. White—Continued. Diagnosis uncertain. Diagnosis unknown. F . F .	3,074 3,513 1,712 1,937	39 27 39 27	38 53 58 60	47 91 52 69	106 148 100 120	193 224 155 184	320 341 219 240	420 426 237 272	486 526 262 259	523 537 237 272	439 499 195 180	271 389 96 161	133 182 50 76	51 55 8 13	7 15 4 3	
Colored	902	21	62	103	99	147	140	99	89	66	30	25	13	6	1	,
MalesFemales	258 644	-8 13	7 55	23 80	25 74	33 114	39 101	38 61	37 52	22 44	15 15	7 18	11	1 5	····i	
$\begin{array}{ll} \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{Diagnosis uncertain.} \\ \text{Diagnosis unknown.} \\ \end{array} \right. \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \left\{ \begin{matrix} M \end{matrix} \right$	105 456 84 103 69 85	6 9 2 1	3 43 2 5 2 7	11 64 6 3 6	10 60 6 6 9 8	15 82 14 16 4 16	10 76 13 16 16	16 46 12 9 10 6	14 26 11 17 12 9	7 25 9 12 6	8 9 4 5 3 1	2 9 4 7 1 2	2 3 5	3 1 1	i	
Rural part of registration states	21,464	341	478	634	1,065	1,418	2,077	2,462	2,835	3,050	2,972	2,136	1,299	482	172	43
Males. Females. Diagnosis reasonably certain. { M. F. Diagnosis uncertain	9,041 12,423 4,279 7,503 3,380 3,422 1,382 1,498	165 176 99 113 42 31 24 32	158 320 111 245 19 44 28 31	161 473 87 369 48 52 26 52	292 773 161 614 78 90 53 69	449 969 267 727 114 140 68 102	763 1,314 391 930 259 250 113 134	989 1,473 479 980 358 322 152 171	1, 249 1, 586 554 924 479 479 216 183	1,446 1,604 618 797 590 574 238 233	1,460 1,512 600 673 640 625 220 214	1,001 1,135 403 528 453 447 145 160	607 692 314 370 224 245 69 77	218 264 139 149 61 87 18 28	67 105 48 72 11 23 8 10	10 20 11 11 11 11 11 11 11 11 11 11 11 11 11
White	20,846	324	443	595	1,017	1,366	1,994	2,395	2,750	2,981	2,913	2,097	1,287	477	167	40
MalesFemales	8,853 11,993	159 165	149 294	154 441	283 734	437 929	735 1,259	970 1,425	1,219 1,531	1,417 1,564	1,439 1,474	980 1,108	604 683	218 259	65 102	18
Diagnosis reasonably certain. $\begin{cases} M \\ F \end{cases}$ Diagnosis uncertain. $\begin{cases} M \\ F \end{cases}$ Diagnosis unknown. $\begin{cases} M \\ F \end{cases}$	4,216 7,200 3,299 3,348 1,338 1,445	96 108 39 29 24 28	105 222 18 43 26 29	86 344 44 49 24 48	157 577 74 90 52 67	262 698 110 136 65 95	381 888 251 243 103 128	472 948 350 311 148 166	546 889 464 463 203 179	609 770 580 567 228 227	593 651 628 614 218 209	401 514 444 440 144 154	313 363 223 243 68 77	139 145 61 87 18 27	48 71 10 22 7 9	11
Colored	618	17	35	39	48	52	83	67	85	69	59	39	12	5	5	2
Males	188 430	6 11	9 26	7 32	9 39	12 40	28 55	19 48	30 55	29 40	21 38	12 27	3 9	5	2 3	1
Diagnosis reasonably certain. $\left\{\begin{matrix} M \\ F \\ . \end{matrix}\right\}$ Diagnosis uncertain $\left\{\begin{matrix} M \\ F \\ . \end{matrix}\right\}$ Diagnosis unknown $\left\{\begin{matrix} M \\ . \end{matrix}\right\}$	63 303 81 74 44 53	3 5 3 2	6 23 1 1 2 2	1 25 4 3 2 4	37 4 1 2	5 29 4 4 3 7	10 42 8 7 10 6	7 32 8 11 4 5	8 35 15 16 7 4	9 27 10 7 10 6	7 22 12 11 2 5	14 9 7 1 6	1 7 1 2 1	4 i	1 1 1 1 1	
Registration states, exclusive of North Carolina	47,986	821	1,435	1,872	2,969	4,128	5,500	6,064	6,330	6,310	5,545	3,797	2,121	786	257	51
MalesFemales	19,474 28,512	424 397	472 963	503 1,369	860 2,109	1,340 2,788	2,066 3,434	2,473 3,591	2,809 3,521	2,898 3,412	2,583 2,962	1,659 2,138	931 1,190	335 451	102 155	19
Diagnosis reasonably certain. $\begin{cases} M \\ F \end{cases}$ Diagnosis uncertain	9,810 18,010 6,517 7,006 3,147 3,496	279 278 82 59 63 60	326 764 59 101 87 98	319 1,089 100 146 84 134	510 1,671 190 241 160 197	795 2,116 320 375 225 297	1,131 2,449 589 604 346 381	1,287 2,387 788 755 398 449	1,351 2.064 972 1,014 486 443	1,305 1,785 1,115 1,120 478 507	1,084 1,440 1,081 1,129 418 393	690 975 728 840 241 323	455 605 357 420 119 156	196 267 113 142 26 42	72 104 18 38 12 13	10 16 5 13
White	46,549	785	1,343	1,738	2,832	3,945	5, 295	5,905	6, 162	6, 180	5, 459	3, 735	2,097	775	251	47
Males Females	19,047 27,502	410 375	457 886	475 1,263	827 2,005	1,296 2,649	2,004 3,291	2,418 3,487	2,746 3,416	2,848 3,332	2,548 2,911	1,641 2,094	926 1,171	334 441	100 151	17 30
Diagnosis reasonably certain. $\begin{cases} M \\ F \end{cases}$ Diagnosis uncertain. $\begin{cases} M \\ F \end{cases}$ Diagnosis unknown. $\begin{cases} M \\ F \end{cases}$	6,357	270 266 77 56 63 53	318 701 56 96 83 89	308 1,006 91 140 76 117	1,583 179 235 151 187	2,017 303 357 218 275	1,113 2,343 570 581 321 367	1, 265 2, 314 768 735 385 438	1,332 2,004 947 982 467 430	1,289 1,735 1,097 1,101 462 496	1,069 1,411 1,065 1,113 414 387	687 953 715 826 239 315	452 595 356 423 118 153	196 260 112 141 26 40	72 102 17 37 11 12	16 4 11 4 3
Colored	1,437	36	92	134	137	183	205	159	169	130	86	62	24	11	6	4
MalesFemales	1,010	14 22	15 77	28 106	33 104	44 139	62 143	55 104	63 105	50 80	35 51	18 44	5 19	1 10	2 4	2 2
Diagnosis reasonably certain. F Diagnosis uncertain	158 704 160 172 109 134	9 12 5 3	8 63 3 5 4	11 83 9 6 8	13 88 11 6 9	20 99 17 18 7 22	18 106 19 23 25 14	22 73 20 20 13 11	19 60 25 32 19 13	16 50 18 19 16	15 29 16 16 4 6	3 22 13 14 2 8	3 10 1 6 1 3	7 1 1	2 1 1 1 1	1 1 2

¹ Includes District of Columbia.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

					r	EATHS I	BOM CA	NCER (AI	LL FORM	S) AT AC	3E OF					ġ,
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	84	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	years and over.	급
SUMMARY—Continued.													•			
Registration cities in other states	4, 161	90	202	234	329	473	591	589	533	437	339	226	85	38	9	
Males Females	1,736 2,425	48 42	69 133	60 174	103 226	159 314	249 342	258 311	247 286	223 214	169 170	94 132	33 52	16 22	5 4	
Diagnosis reasonably certain. ${M \choose F}$	904 1,651	31 25 7	43 107	30 142	55 185	96 239	148 259	132 213	118 170	108 116	73 79	41 72	14 27	10 13	2 2	
Diagnosis uncertain $\left\{\begin{array}{ll} M \\ F \end{array}\right\}$	428 400	8	12 20	15 9	27 21	32 31	55 38	59 54	69 60	55 51	53 52	34 41	11 16	7		
Diagnosis unknown $\left\{ \begin{array}{ll} \mathbf{M} & \mathbf{M} \\ \mathbf{F} & \mathbf{M} \end{array} \right\}$	404 374	10 9	20 14	15 .3	21 20	31 44	46 45	67 44	60 56	60 47	43 39	19 19	8 9	2 2	2 2	
White	3,776	77	165	192	280	413	521	526	506	421	323	221	83	37	7	
MalesFemales	1,617 2,159	45 32	55 110	52 140	89 191	143 270	225 296	240 286	238 268	217 204	165 158	92 129	32 50	16 21	5 2	
Diagnosis reasonably certain. $\binom{M}{F}$	834	30	35	26	47	83	134	123	113	104	71	40	13	10	2	
Diagnosis uncertain $\binom{\mathbf{r}}{\mathbf{F}}$	1,435 401 374	19 6 7	90 6 9	113 13 8	155 23 17	203 30 28	221 48 33	193 54 50	156 65 58	108 54 49	70 53 51	69 33 41	25 11 16	12 4 7	1	
Diagnosis unknown $\left\{ egin{matrix} M \\ F \\ \end{array} \right\}$	382. 350	9 7	14 11	13 19	19 19	28 30 33	43 42	63 43	60 54	59 47	41 37	19 19	8	2 2	2 1	
Colored	385	13	37	42	49	60	70	43	27	16	16	5	3	1	2	
MalesFemales	119 266	3 10	14 23	8 34	14 35	16 44	24 46	18 25	9 18	6 10	4 12	2 3	1 2	i	2	
Diagnosis reasonably certain. $\{M_{\mathbf{F}}^{\mathbf{M}}$	70	1	8 17	4 29	8 30	13 36	14 38	å	14	4	2	1 3	1	i	; .	ļ
Diagnosis uncertain $\left\{ \begin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	216 27 26	7 1 1	3	29 2 1	4	2	37 5	20 5 4	4 2	8 1 2	9	ı	2			
Diagnosis unknown $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \\ \end{bmatrix} \right\}$	22	1 2	6 3	2 4	2 1	1 5	3	4 1	2	î	2 2				i	
All registration cities 1	_	578	1, 173	1,485	2,260	3, 214	4,054	4, 201	4,074	3, 730	2,921	1,897	914	346	95	;
MalesFemales	12, 241 18, 715	310 268	387 786	405 1,080	675 1,585	1,053 2,161	1,560 2,494	1,752 2,449	1, 822 2, 252	1,688 2,042	1, 294 1, 627	756 1,141	359 555	134 212	40 55	
Diagnosis reasonably certain. ${M \choose F}$	6, 470 12, 303	213 193	261 635	264 872	406	624 1,646	891 1,805	947 1,638	922 1,325	798	557 851	331 522	157	68	26 35	
Diagnosis uncertain $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	3,586	48 36	46 70	68 103	1, 262 139 175	239 271	388 395	491 489	566 603	1,116 587 600	496 556	309 437	264 144 203	133 56 63	8 15	
Diagnosis unknown $\left\{ \begin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	2, 185 2, 396	49 39	80 81	73 105	130 148	190 244	281 294	314 322	334 324	303 326	241 220	116 182	58 88	10 16	6	
White	29,669	544	1,074	1,340	2, 112	3,007	3, 844	4,059	3,958	3, 648	2,875	1, 867	898	339	92	1
MalesFemales	11, 864 17, 805	299 245	366 708	374 966	636 1,476	1,004 2,003	1,497 2,347	1, 696 2, 363	1,776 2,182	1,660 1,988	1, 275 1, 600	747 1,120	356 542	133 206	40 52	
Diagnosis reasonably certain. $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$. Diagnosis uncertain	6, 295 11, 631 3, 475 3, 887	206 177 45 34	250 575 44	249 779 60	388 1,172 129	596 1,528 223	867 1,691 368 374	922 1,572 474 476	903 1, 285 551 584	787 1,083 577	547 833 492	328 510 304 430	154 259 144 198	68 129 55 62	26 33 8 15	
Diagnosis unknown $\left\{\begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix}\right\}$	2,094 2,287	48 34	62 72 71	99 65 88	165 119 139	252 185 223	262 282	300 315	322 313	586 296 319	550 236 217	115 180	58 85	10 15	6	
Colored	1, 287	34	99	145	148	207	210	142	116	82	46	30	16	7	3	
MalesFemales	377 910	11 23	21 78	31 114	39 109	49 158	63 147	56 86	46 70	28 54	19 27	9 21	3 13	1 6	3	
Diagnosis reasonably certain. $\{\frac{M}{F}\}$	175	7	11	15	18	28	24	25	19	11	10	3	3			
Diagnosis uncertain $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	672 111 129	16 3 2	60 2 8	93 8 4	90 10 10	118 16 19	114 20 21	66 17 13	40 15 19	33 10 14	18 4 6	12 5 7	5 5	1 1	2	
Diagnosis unknown $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	91 109	1 5	8 10	8	11 9	5 21	19 12	14	12 11	7 7	5 3	i	3	i	····i	
REGISTRATION STATES.		_														-
California	2, 701	30	92	117	180	238	319	331	361	345	326	208	103	37	13	
MalesFemales	1,278	14	46 46	35 82	63 117	85 153	140 179	153 178	196 165	174 171	172	110 98	64 39	20 17	6 7	
Diagnosis reasonably certain. $\binom{M}{F}$.	1,423 731 1,004	16 7 13	38 40	24 67	41 96	58 123	84 136	87 143	119 114	94 103	154 79 83	52 52	34 18	11 13	3 3	
White	2,649	29	88	113	175	236	306	328	350	340	323	208	103	37	12	
Males	1,244	13	45	34	60	84	131	150	187	171	170	110	64	20	5	
Females Diagnosis reasonably certain. ${M \choose F}$	715	16	43 37	79 23	115 39	152 57	175 82	178 86	163 114	169 93	153 77	98 52	39 34 18	17 11	3	
Colored	991 52	13	38	65 4	94 5	122	133	143	113	101 5	83	52	18	13	3	
Males	34	1		1	3	1	9	3	9	3		 			1	
Females	18		3	3	2 2	1 1	4 2	i	2 5	2 1	1 2				ļ <u>.</u>	
Diagnosis reasonably certain. ${M \choose F}$	13		2	2	2	1	3		1	2		١			i	l

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

				See note	at head	Of this to			LL FORM	S) AT AG	E OF-					ė
ABEA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	84	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	120
REGISTRATION STATES—Contd.																! = _
COLOBADO	530	6	20	23	51	51	73	70	63	60	53	33	20	5	2	ļ
MalesFemales	232 298	2	3 17	8 15	20 31	16 35	25 48	32 38	40 23 13	30 30	28 25	12 21	13 7	3	1	
Diagnosis reasonably certain. ${M \choose F}$	133 199	2 2	3 9	13	12 25	12 27	12 34	23 27	13 14	17 18	16 17	7 9	5 2	2 2	1	
White	517	6	20	22	49	49	. 72	69	60	58	53	32	20	: , 5	2	
MalesFemales	230 287	2 4	3 17	8 14	20 29	16 33	24 48	32 37	39 21	30 28	28 25	12 20	13 7	2 3	1	١
Diagnosis reasonably certain. $\binom{M}{F}$	133 194	2 2	3 9	8 12	12 24	12 26	12 34	23 26	13	17	16	7 9	5 2	2 2	î	
Colored	13			1	2	2	1	1	3	2		1		ļ <u>.</u>		
Males	2						1		1							
Females Diagnosis reasonably certain. $\binom{M}{F}$	11			1	2	2		1	2	2		1		ļ	l:::::	
,	5			1	1	1		1		i						
CONNECTICUT	1,040	13	29	27	56	95	111	150	141	124	127	98	40	19	7	
MalesFemales	394 646	6 7	12 17	12 15	14 42	39 56	31 80	55 95	56 85	53 71	56 71	30 68	19 21	10	6	8
Diagnosis reasonably certain. $\left\{ egin{matrix} ext{M} & ext{.} \\ ext{F} & ext{.} \end{array} ight.$	199 412	3 6	8 12	8 15	9 32	23 43	20 58	27 62	25 50	29 37	21 32	18 43	10	7	1 4	i
White	1,022	12	28	26	53	93	108	149	138	124	127	96	40	18	7	3
MalesFemales	390 632	6	12 16	11 15	13 40	39 54	31 77	55 94	54 84	53 71	56 71	30 66	19 21	10	1 6	<u>.</u>
Diagnosis reasonably certain. ${M \choose F}$	198	3 5	8 11	8 15	30	23 41	20 55	27 61	24 49	29 37	21 32	18 42	3 10	4 7	i	i
Colored	18	1	1	1	3	2	3	1	3	"	"	2		i	- 	
Males	4			1	1				2			<u> </u>				
Females Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	14	1	1		2	2	3	1	. 1			2		1		
(12	1	1		2	2	3	1	ī			1				
INDIANA	2,199	29	64	79	118	180	219	282	268	313	275	202	116	44	8	2
MalesFemales	821 1,378	20	19 45	16 63	35 83 20 71	46 134	75 144	97 185	106 162	131 182	131 144	75 127	57 59 33	20 24	3 5	1
Diagnosis reasonably certain. ${M \choose F}$	433 847	18	12 38	12 51	20 71	30 106	40 98	54 131	52 89	64 78	54 60	41 60	33 28	12 14	3	1
White	2, 162	29	62	75	118	175	212	277	265	309	271	201	115	44	7	2
Males	812 1,350	9	18	16	35	45	73	95	105	131	130	75	56	20	3	1
Females	1, 350 429 830	20 5 18	11 38	59 12 48	83 20 71	130 30 103	139 40 95	182 53 130	160 52 87	178 64 76	141 53 59	126 41 59	59 32 28	24 12 14	3 3	1
Colored	37	10	2	4	: '*	5	7	5	!	4	4		1	17		
Males	9		1			1	2		1		1		1			-
Females	28		i	4		4	5	3	2	4	3	i	i		1	
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	17			3		3	3	i	2	2	ī	1	ļ		1	
KANSAS	1,095	22	27	30	52	73	101	132	161	170	146	93	65	17	6	<u> </u>
MalesFemales	504 591	10 12	9 18	11 19	15 37	26 47	28 73	59 74	68 93	94 76	92 54	53 40	27 38	9 8	4 2	
Diagnosis reasonably certain. ${M \choose F}$	257 364	8	5 11	17	31	13 32	19 55	32 49	27 54	45 35	40 21	26 24	18 20	6 5	4 2	
White	1.064	22	22	28	50	71	101	127	157	168	142	90	63	17	6	
Males	496	10	8	10	14	25	28	57	68	93	90	53	27	9	4	• • • • • • • • • • • • • • • • • • • •
Females Diagnosis reasonably certain. ${M \choose F}$	568 254	12 8	14 5	18	36	46 13	73 19	70 31	89 27	75 45	52 39	37 26	36 18	8	4	
,	349	8	8	16	30	32	55	47	51	34	21	21	19	5	2	
Colored	31	<u> </u>	5	2	2	2		5	4		4	3	2			·····
MalesFemales	8 23 3		1 4	1 1	1 1	1		1 4 1	4	1	2 2 1	3	2			
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	15		3	1	i			2	3	· · · · · i	ļ . .	3	i			
Kentucky	1,081	26	43	59	79	85	105	118	146	146	107	79	54	14	3	17
MalesFemales	388 693	10 16	7 36	11 48	18 61	21 64	38 67	40 78	55 91	66 80	51 56	30 49	23 31	10 4	1 2	10
Diagnosis reasonably certain. ${M \choose F}$	162 446	6 7	5 21	33	8 45	10 51	17 43	20 60	14 50	24 46	23	9 26	12 22	6	1 2	3
White	959	22	35	44	67	72	91	104	129	138	101	71	52	14	3	ļ
Males	356	8	7	8	17	19	32	36	50	62	49	28	22	10		7
Females	603	14 5	28 5	36 4	50 8	53 8	59 15	68 19	79 14		52	43	30 12	4 6	2	9
Diagnosis reasonably certain, ${M \choose F}$	382	7	16	22	36	43	37	53	43	42	22 27	24	21	Š.	2	3 6

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

					1	DEATHS 1	FROM CA	NCER (A	LL FORM	S) AT AC	GE OF—					9
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 84 years.	\$5 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at known age
REGISTRATION STATES—Contd.																
KENTUCKY—Continued. Colored	122	4	8	15	12	13	14	14	17	8	6	8	2			
Males	32	2		3	1	2	6	4	5	4	2	2	1			
Females Diagnosis reasonably certain. $\binom{M}{F}$	90 7 64	2	\ 8 8	12 11	11	11 2 8	8 2 6	10 1 7	12 7	4	1	6	1			1
MADVE	821	9	12	31	39	63	73	87	103	125	105	90	50	25	7	
MalesFemales	293 528	4 5	11	5 26	6 33	16 47	19 54	26 61	43 60	46 79	45 60	44 46	24 26	12 13	1 6	
Diagnosis reasonably certain. ${M \choose F}$	122 308	3	1 9	1 19	3 27	8 32	9	9 38	21 38	19 38	13 25	14	10 15	10	1 3	
White	819	9	12	31	39	63	73	87	103	124	104	90	50	25	7] 2
MalesFemalesDiagnosis reasonably certain. ${M \over F}$.	292 527 122 308	4 5 2 3	1 11 1 9	5 26 1 19	6 33 3 27	16 47 8 32	19 54 9 41	26 61 9 38	43 60 21 38	45 79 19 38	45 59 13 25	44 46 14	24 26 10 15	12 13 10 6	1 6 1 3	1
Colored	2				<u></u>				ļ	1	1		ļ			
MalesFemales	1 1									1	·····i					
Diagnosis reasonably certain. $\{ \stackrel{\mathbf{M}}{\mathbf{F}} : :$		ļ					•••••									
MABYLAND	1,092	17	30	51	69	105	137	138	167	139	103	74	40	14	7	
MalesFemales	401 691 215 457	6 11 5 7	13 17 10 16	12 39 10 29	22 47 13 40	30 75 20 58	38 99 18 68	54 84 33 64	80 87 42 49	51 88 18 49	46 57 22 34	28 46 13 23	9 31 2 14	8 6 5 4	4 3 4 2	1
White	947	15	23	39	52	88	108	126	149	126	94	70	37	13	6	1
Males. Females Diagnosis reasonably certain. $\left\{ egin{matrix} M & \cdots \\ F & \cdots \end{array} \right.$	365 582 199 378	6 9 5 6	12 11 9 10	12 27 10 19	18 34 12 29	28 60 19 46	32 76 16 52	48 78 29 58	73 76 39 44	46 80 16 44	42 52 20 31	27 43 13 21	28 2 13	8 5 5 3	4 2 4 2	i
Colored	145	2	7	12	17	17	29	12	18	13	9	4	3	1	1	
Males	36 109 16 79	2	1 6 1 6	12 10	13 1 11	15 1 12	6 23 2 16	6 6 4 6	7 11 3 5	5 8 2 5	5 2 3	3 2	3	1 1	1	
Massachusetts	3,649	52	90	121	222	317	420	457	483	491	424	295	175	71	31	<u></u>
Males. Females. Diagnosis reasonably certain. ${M \over F}$.	1,324 2,325 683 1,475	29 23 23 17	30 60 22 51	27 94 19 68	63 159 36 125	86 231 57 182	140 280 76 204	169 288 94 187	196 287 102 175	190 301 88 165	183 241 88 129	111 184 33 81	67 108 30 47	20 51 9 29	13 18 6 15	
White	3,613	52	88	117	220	312	417	450	479	487	422	295	174	69	31	
Males. Females. Diagnosis reasonably certain. {\begin{matrix} M \\ F \end{matrix}	1,310 2,303 678 1,457	29 23 23 17	29 59 21 50	26 91 19 65	61 159 36 125	83 229 55 181	139 278 76 203	168 282 93 181	195 284 102 172	187 300 87 164	183 239 88 128	111 184 33 81	67 107 30 47	19 50 9 28	13 18 6 15	
Colored	36		2	4	2	5	3	7	4	4	2		1	2		
Males	14 22 5 18		1 1 1 1	1 3 3	2	3 2 2 1	1 2 1	1 6 1 6	3 3	3 1 1 1	2		1	1 1 1		
Michigan	2,395	34	77	72	137	196	271	301	330	334	308	190	99	28	15	3
MalesFemales	1,015 1,380 498 854	21 13 11 10	27 50 20 38	20 52 13 40	44 93 26 75	58 138 37 95	108 163 53 112	116 185 62 125	146 184 69 112	165 169 64 77	151 157 67 74	84 106 28 51	49 50 30 31	18 10 13 8	7 8 5 6	2
White	2,379	32	76	70	135	193	270	300	329	331	308	190	99	28	15	3
Males Females Diagnosis reasonably certain. ${M \over F}$.	1,010 1,369 495 850	19 13 10 10	27 49 20 37	20 50 13 40	44 91 26 74	57 136 36 94	108 162 53 112	116 184 62 124	146 183 69 112	163 168 63 77	151 157 67 74	84 106 28 51	49 50 30 31	18 10 13 8	7 8 5 6	2
Colored	16	2	1	2	2	3	1	1	1	3	<u> </u>			······	<u></u> .	<u></u> .
MalesFemalesDiagnosis reasonably certain. ${M \over F}$.	5 11 3 4	2	1 1	2	2 1	1 2 1 1	i	1	i	2 1 1						

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

							DEATHS	PROM CA	NCER (A	LL FORM	(S) AT A	3E OF-					ġ,
Minoreserta	AREA AND BASES OF DIAGNOSIS.	All ages.	25	84	89	44	49	54	59	64	69	74	79	84	89	90 years and over.	1 = 8
Males	REGISTRATION STATES—Contd.																
Diagnosts reasonably certain. M	Minnesota	1,701	35	52	59	96	133	202	187	226	222	199	162	90	28	10	
Diagnosis reasonably certain. M	Males	829				32			95							7 3	
White	Diagnosis reasonably certain. ${\mathbb{F}}_{\mathbb{F}}^{M}$.	406	9	14	14	19	40	50	44	60	52	42.	32	19	6	5 2	
Males	(1	1	1	ŀ	İ							1		_	
Permales											 					10 7	
Colored S 1 29 31 53 40 79 64 65 63 57 22 17 8	Females	868	15	35	41	64	64	114	92	116	103	99	61	46	15	3 5	
Females	Diagnosis reasonably certain. $\{\mathbf{F}_{\cdot}^{m}\}$							79			53		22			2	
Framales	Colored	5	1	<u></u>	1					2			1			• • • • • •	
Missourian Mis	Males									1							
Males	Diagnosis reasonably certain. $\binom{M}{V}$.	••••••								·····•			·····•				
Males 1,950 20 20 20 20 20 20 20		2 326	50	85	82	153	180	282	200	208	300	270	189	114	24	13	
Diagnosis reasonably certain. F 534 12 24 14 23 24 24 24 24 26 38 32 6		 -														5	-
White	Females	1,348	30	56		116	115	164	164	171	143	148	94	64	13	8	:
Males	Diagnosis reasonably certain $\{\mathbf{F}\}$			40		94					83		38	32	6	5	"
Females	White	2, 233	46	74	75	149	168	271	279	284	297	262	177	111	24	13	:
Colored. Services Se	Males		17						123		157					- 5 8	
Colored. 93 4 11 7 4 12 11 11 12 5 8 5 3		518		22	13		l 50	68	78 00	60	69	46	45	27	4	4 5	
Males	\\						1				1	1			ľ		'
Females			I														-
Montana Maiss Ma	Females		1	7	6	. 4			8	6	3	4	3	3			
Males	Diagnosis reasonably certain. $\left\{ F \right\}_{i=1}^{m}$			6		4	7	5						3			
Females	Montana	223	6	9	13	16	25	26	27	37	16	20	15	9	3	1	
Disgnosts reasonably certain. M.	Males		3							19						1	
White		67	3	4	3		5	6	10	10	6	6	7	4	1	i	
Males	\ }		l		•	1		l] -		_	1	
Females 112 3 5 8 11 15 14 10 18 4 10 6 6 5 2 Diagnosis reasonably certain			I														
Colored.	Females	112	3	5	8	11	15	14	10	18	4	10	6	5	2	1	
Males	Diagnosis reasonably certain.				8	7				8						1	
Permales	Colored	5						1	1	1	1		1				
Diagnosis reasonably certain.	Males Females									1							
New Hampshire	Diagnosis reasonably certain. $\{M_{\kappa}^{M} \cdot \}$	Ĩ								i	<u>.</u>		<u>.</u>				
Males				7	16	18	38			55	47	50	52	28	12	4	
Females																1	
White	Females	300 64	2	7	11	12	29	43	28	35	34	37	31	18	9	3	
Males	\ ·	187	2	5		9	22							8		2	1
Pemales 299 2 7 11 12 26 43 28 35 34 37 31 17 9	White	440	3	7	16	18	38	54	47	55	47	59	52	27	12	4	1
Diagnosis reasonably certain. \begin{array}{c c c c c c c c c c c c c c c c c c c	MalesFemales	141 200	1 2		5 11				19 28							1 3	
Colored		63	1	l	1	2	6	5	9	9	9	6	8	1 4		1 2	ļ
Males	()					l					**		"	1 .		_	;
Diagnosis reasonably certain. \begin{array}{ c c c c c c c c c c c c c c c c c c c	Males	1								•••••						••••	.] :
New Jersey. 2,223 37 52 83 139 210 275 287 323 294 251 139 93 30 Males. 859 23 14 20 41 57 94 116 140 135 105 59 39 11 139 146 80 54 19 10 10 10 10 10 10 10 10 10 10 10 10 10	Diagnosis reasonably certain. $\{\frac{M}{H}\}$	i												ļ . .			
Males. 859 23 14 20 41 57 94 116 140 135 105 59 39 11 Females 1,364 14 38 63 98 153 181 171 183 159 146 80 54 19 Diagnosis reasonably certain. {M. 370 12 7 11 21 29 47 52 63 44 44 19 14 6 White 2,163 37 49 77 137 199 267 280 315 287 245 138 92 30 Males 845 23 14 19 40 56 91 113 139 132 104 59 39 11	New Jersey	2,223	37	52	83	139	210	275	287	323	294	251	139	93	20	10	
Diagnosis reasonably certain. \begin{array}{c c c c c c c c c c c c c c c c c c c	Males	859	II	14	20								59			5	-
White	Females	1,364	12	38 7	63 11	98 21	153 29	181	171	183 63	159	146	80	54 14	19 6	5	
Males	(808	7	31	49	68	117		102	87	82	71				2	
	-		II						280		287	245		92	30	10	<u> </u>
	Females	1,318	23 14	35	58	97	143	91 176	113 167	176	155	141	59 79	39 53	19	5 5	
Females 1,318 14 35 58 97 143 176 167 176 155 141 70 53 19 Diagnosis reasonably certain{M 366 12 7 11 21 28 47 51 63 43 43 19 14 6 1 2 2 44 67 109 117 99 83 80 60 41 18 10		366	12	7	11	21	28	47	51	63	43	43	1 19	14	16	1	

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					1	DEATHS I	BOM CA	NCER (A	L FORM	8) AT AG	E OF-					ė,
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at uknown age.
REGISTRATION STATES—Contd.				i								,				
New Jessey—Continued. Colored	60		3	6	2	11	8	7	8	7	6	1	1			
MalesFemales	14 46		3	1 5	1 1	1 10	3 5	3 4	1 7	3 4	1 5	i	<u>i</u>			
Diagnosis reasonably certain ${M \choose F}$.	34		3	5	i	1 8	4	1 3	4	1 2	1 2	i	<u>î</u> .			
New York.	8, 907	168	299	385	580	873	1,090	1,187	1,170	1,108	946	622	323	113	38	L
$ \begin{array}{c} \textbf{Males}. \\ \textbf{Females}. \\ \textbf{Diagnosis reasonably certain.} \\ \begin{array}{c} \textbf{M}. \\ \textbf{F}. \end{array} $	3,568 5,339 1,863 3,359	90 78 65 52	115 184 73 156	100 285 64 234	172 408 116 318	289 584 168 437	429 661 260 458	509 678 255 423	501 669 246 370	492 616 231 323	419 527 173 266	264 358 119 153	125 198 52 108	49 64 28 39	13 25 13 19	
White	8, 791	166	287	370	572	864	1,073	1,173	1,162	1,095	941	612	321	113	38	L
$ \begin{array}{c} \textbf{Males}. \\ \textbf{Females}. \\ \textbf{Diagnosis reasonably certain.} \\ \left\{\begin{matrix} \textbf{M}. \\ \textbf{F}. \end{matrix}\right. \\ \end{array} $	3, 536 5, 255 1, 853 3, 298	90 76 65 51	112 175 72 148	99 271 63 222	171 401 116 311	285 579 167 433	425 648 260 448	501 672 251 419	499 663 246 367	489 606 228 318	418 523 173 262	260 352 119 151	125 196 52 107	49 64 28 39	13 25 13 19	4
Colored	116	2	12	15	8	9	17	14	8	13	5	10	2	<u></u>		1
Males Females Diagnosis reasonably certain .{M. F	32 84 10 61	2	3 9 1 8	1 14 1 12	7	5 1 4	13 10	8 6 4 4	2 6 3	3 10 3 5	1 4 4	6 2	2 1			1
NORTH CAROLINA 1	273	8	14	13	27	31	40	30	46	33	9	10	7	4	1	
$\begin{array}{c} \textbf{Males}. \\ \textbf{Females}. \\ \textbf{Diagnosis reasonably certain.} \left\{ \begin{matrix} \textbf{M}. \\ \textbf{F}. \end{matrix} \right. \end{array}$	72 201 35 145	3 5 2 3	10 3 9	3 10 2 10	• 4 23 2 20	28 18	8 32 3 27	10 20 7 18	15 31 7 15	13 20 3 12	7 5	4 6 3 3	2 5 2 2	1 3 1 2	i i	
White	190	6	9	5	16	15	22	23	40	28	. 7	8	6	4	1	
Males. Females Diagnosis reasonably certain. $\left\{ egin{matrix} M & \\ F & \end{array} \right.$	53 137 25 90	3 3 2 1	3 6 2 6	- 1 4 - 1 4	14 1 1	13 · · · · · · · · · · · · · · · · · · ·	3 19 1 15	8 15 6 13	11 29 4 14	12 16 3 10	2 5 3	3 5 2 2	2 4 2 2	1 3 1 2	1	
Colored	83	2	5	8	11	16	18	7	6	5	2	2	1			
Males Females Diagnosis reasonably certain. $\left\{ M \dots \right\}$	19 64 10 55	2	1 4 1 3	2 6 1 6	9 1 9	15 12	5 13 2 12	2 5 1 5	4 2 3 1	1 4 2	2	1 1 1 1	1 			
OHIOMales	1,660	63	37	167	267	314	454 164	516 194	536 236	564 261	523 242	335 136	204 84	95 42	25	
Females Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \\ \end{array} \right.$	2,516 813 1,603	23 25 15	76 19 59	127 24 99	193 39 153	213 53 172	290 94 210	322 102 224	300 112 179	303 119 160	281 95 141	199 60 90	120 42 67	53 26 25	16 3 9	
White	1,632	62	37	155 36	256 71	302	162	510 194	523 233	553 254	239	133	203	94	24	
Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{array} \right.$	2,448 806 1,555	22 25 15	73 19 56	119 23 93	185 39 146	203 51 165	279 94 199	316 102 218	290 112 175	299 117 158	278 95 139	197 58 90	120 42 67	52 26 25	15 3 9	
Colored	96	1	3	12	3	12	13	6	13	7	8	3	1	1	1	
Females. Diagnosis reasonably certain. ${M \choose F}$.	68 7 48	i	3	8 1 6	87	10 2 7	11 11	6	10	2 2	3	3 2 2		1	i	
PENNSYLVANIA	5,997	111	194	266	399	546	683	760	786	781	656	463	218	98	31	
$egin{array}{ccc} Males & & & & & & \\ Females & & & & & & \\ Diagnosis reasonably certain & & & & & \\ F & & & & & & \\ \end{array}$	2,304 3,693 1,131 2,325	58 53 41 39	50 144 34 114	70 196 40 154	102 297 60 232	189 357 106 252	263 420 125 299	291 469 156 308	335 451 157 269	352 429 150 225	284 372 116 182	184 279 66 126	82 136 51 68	29 69 18 45	13 18 10 10	3 1 2
White	5,807	103	189	251	380	505	657	740	771	766	645	456	214	96	29	
Males. Females. Diagnosis reasonably certain. \bigcup H.	2, 241 3, 566 1, 108 2, 233	56 47 40 34	140 34 111	66 185 37 147	95 285 57 222	176 329 101 233	256 401 123 285	282 458 152 299	329 442 156 262	348 418 149 217	278 367 114 178	182 274 66 123	81 133 50 68	29 67 18 43	12 17 10 9	8 1 2
Colored	190	8	5	15	19	41	26	20	15	15	11	7	4	2	2	
Males	63 127 23 92	6 1 5	1 4 3	11 3 7	7 12 3 10	5	7 19 2 14	9 11 4 9	6 9 1 7	11 1 8	6 5 2 4	2 5 3	3 1	2	1	

¹ Includes only municipalities having a population of 1,000 or over in 1910.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

						DEATHS 1	PROM CA	NCEB (A	LL PORM	3) AT AC	E OF-					B
AREA AND BASES OF DIAGNOSIS.	All ages.	Under 25 years.	84	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 60 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 year. and over.	aths et
REGISTRATION STATES—Contd.																-
RHODE ISLAND	539	10	11	19	33	50	72	73	74	71	54	45	19	7	1	
Males Females	196 343	2 8	4 7	3 16	11 22	20 30	28 44	28 45	27 47	31 40	23 31	12 33	4 15	2 5	1	
Diagnosis reasonably certain $\left\{ egin{align*}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	102 220	7	2 5	3 15	8 20	11 22	12 29	17 32	25	19	111	13	11	2 4		
White	530	9	10	19	32	48	71	72	73	70	54	45	19	7	1	ļ
Males Females	194 336	1 8	4 6	3 16	10 22	20 28	2N 43	28 44	27 46	31 39	23 31	12 33	15	2 5	1	¦
Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{matrix} \right.$	101 218	7	2 5	3 15	8 20	11 21	12 28	17 32	9 25	19 19	11 18	13	11	2 4		
Colored	9	1	1		1	2	1	1	1	1					ļ	ļ
MalesFemales	2 7	1			1	2	i	i	i			1				
Diagnosis reasonably certain ${M \choose F}$	i	i	: -							ļ						::::
\ **	_	• _				1	1						_	•••••		
UTAH.	190	7	4	9	11	20	27		26	21	18	11	-			<u> </u>
MalesFemales	94 96	5 2	1 3	3 6	3 8	8 12	13 14	12 17	18 8	9	13 5	5 6	4 3	` 	-	
Diagnosis reasonably certain $\begin{cases} M & \cdot \\ F & \cdot \end{cases}$	41 61	3 2	1 3	3 5	2 6	4 7	8	5 12	4 5	4	4 3	2	3			
White	185	7	4	9	11	16	27	28	26	21	18	11	7			
Males	91	5	1	3	3	5	13	12	18	9	. 13		<u> </u>			,
Females	94	2	3	6	8	11	14	16	8	12	5	6	3			
Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	40 61	3 2	3	3 5	6	3 7	8 9	5 12	5	4	4 3	2	3			
Colored	5					4	ļ	1								ļ . .
Males	3					3		;								
Females Diagnosis reasonably certain ${M \choose F}$	2					1 1		1								
•																
VERMONT	397	9	8	10	11	12	28	53	41	51	67	45	38	18	4	
MalesFemales	159 238	4 5	1 7	3 7	3 8	3 9	6 22	24 29	15 26	24 27	31 36	18 27	17 21	11	2 2	İ
Diagnosis reasonably certain. $\{ \mathbf{M} \cdot \mathbf{r} \}$	* 88 145	3 5	1 4	1 6	2 7	2 7	17	10 19	6 16	16 16	20 16	7 15	12	3	2 2	
White	396	9	8	10	11	12	28	53	41	51	66	45	38	18	4	
Males	158	4	1	3	3	3	6	21	15	24	30	18	17	7	2	
Females	238 87	5 3	7	7	8 2	9 2	22	29 10	26 6	27 16	36 19	27	21 12	11	2 2	
Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	145	5	4	6	7	7	17	iğ	16	16	16	15	ii	4	2	
Colored	1					<u> </u>	ļ				1		<u>.</u>			
Males	1								• • • • • • • • • • • • • • • • • • • •		1					
Diagnosis reasonably certain $\binom{M}{F}$.	····i										i					
•															·····	ļ
Vinginia	1,051	24	36	50	77	81	108	121	137	126	128	84	43	27	8	.
MalesFemales	390 661	12 12	6 30	16 34	17 60	16 65	37 71	46 75	58 79	46 80 19	66	87 47	18 25	12 15	3 5	
Diagnosis reasonably certain. ${M \choose F}$	189 440	12 7 7	23 23	7 28	14 49	7 43	24 53	13 49	28 53	19 50	22 30	20 22	25 10 18	11 10	2 5	
White	767	15	16	26	42	49	70	87	101	102	110	76	41	24	8	
Males	324	9	5	10	12	12	28	37	47	38		35	17	12	3	
Pamales	443 165	6 5	111	16	30 10	37	42 19	50 12	54 25	64	59 51	41 20	24	12 11	5 2	
Diagnosis reasonably certain. $\{_{\mathbf{F}}^{\mathbf{M}}$.	286	3	9	14	23	23	32	33	37	41	21 22	19	17	18	5	
Colored	284	9	20	24	35	32	38	34	36	24	18	8	2	3	ļ . .	
Males	66	3	1	6	5	4	9	9	11	8	7	2	1			
Females	218 24	6 2	19	18 2	30	28	29 5	25 1	25 3	16	11	6	1 1	3		
(154	4	14	14	26	20	21	16	. 16	9	8	3	1	2	·····	
WASHINGTON	871	18	25	36	51	82	119	120	120	104	84	59	42	7	1	.
MalesFemales	446 425	12 6	10 15	17 19	18 33	26 56	57 62	59 61	72 48	66 38	42 42	32 27	27 15	6	<u>i</u> .	
Diagnosis reasonably certain. ${M \choose F}$	242	8	9	13 17	9	14	34	3.5	39 33	31	17	15	14	2	ļ . .	
(300	6	l	l	30	46	47	. 43		21	24	12	7	1	ļ <u>.</u>	
White	865	18	25	36	50	82	117	119	120	104	84	58	41	7	1	.
Males Females	442 423	12 6	10 15	17 19	17 33	26 56 14	56 61	59 60	72 48	66 38	42 42	31 27	26 15	6	i	
Diagnosis reasonably certain. $\{F \}$		8	9	13 17	9	1 14	33	35	39	. 31	17	15	13	9	·	1

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at heed of this table, p. 44.]

REGISTRATION STATES—Contd. Washington—Continued. Colored.	35 20 15 14 12 35 20 15 14 12	37 12 25 6	\$5 to \$9 years. 52 19 33 11 24 51 19 24 1	40 to 41 years. 1 1 1	130 47 83 28 70 130 47 83 28 28 70	2 1 1 1 1 2009 91 118 411 83 209 91	55 to 59 years. 1 1 263 124 139 51 83 262	60 to 64 years. 247 132 115 52 66 245	301 150 151 59 67	70 to 74 years. 259 130 129 48 52 259	1 1 187 105 82 38 32	1 1 1 1 1 1 1 1 1 2 2 2 2 2 2 1 1 1 1 1	85 to 89 years. 49 19 30 9 16	years and over.	Deaths at unknown age.
Washington - Continued Colored Males Females 2	35 20 15 14 12 35 20 15 14 12	12 25 6 20 37 12 25 6	19 33 11 24 51 19 32 11 24	86 30 56 13 43 86 30 56 16 13	130 47 83 28 70 130 47 83	1 1 1 1 209 91 118 41 41 83 209	1 263 124 139 51 83	132 115 52 66	150 151 59 67	130 129 48 52	187 105 82 38 32	11	19 30 9	10 2	
Males Females Males Females Males Females Males Females Males Females Males Females Males Females Males Males Males Females Males 35 20 15 14 12 35 20 15 14 12	12 25 6 20 37 12 25 6	19 33 11 24 51 19 32 11 24	86 30 56 13 43 86 30 56 56	130 47 83 28 70 130 47 83	1 1 1 1 209 91 118 41 41 83 209	1 263 124 139 51 83	132 115 52 66	150 151 59 67	130 129 48 52	187 105 82 38 32	11	19 30 9	10 2		
Females	35 20 15 14 12 35 20 15 14 12	12 25 6 20 37 12 25 6	19 33 11 24 51 19 32 11 24	86 30 56 13 43 86 30 56 13	47 83 28 70 130 47 83	2009 91 118 41 83 209	1 263 124 139 51 83	132 115 52 66	150 151 59 67	130 129 48 52	187 105 82 38 32	117 66 51 22	19 30 9	10 2	
Diagnosis reasonably certain. M 2 2	35 20 15 14 12 35 20 15 14 12	12 25 6 20 37 12 25 6	19 33 11 24 51 19 32 11 24	30 56 13 43 86 30 56 13	47 83 28 70 130 47 83	209 91 118 41 83 209	1 263 124 139 51 83	132 115 52 66	150 151 59 67	130 129 48 52	105 82 38 32	117 66 51 22	19 30 9	10 2	
Males	200 151 144 122 35 200 151 141 12	12 25 6 20 37 12 25 6	19 33 11 24 51 19 32 11 24	30 56 13 43 86 30 56 13	47 83 28 70 130 47 83	209 91 118 41 83 209	263 124 139 51 83	132 115 52 66	150 151 59 67	130 129 48 52	105 82 38 32	66 51 22	19 30 9	10 2	
Temales	15 14 12 35 20 15 14 12	25 6 20 37 12 25 6	33 11 24 51 19 32 11 24	56 13 43 86 30 56 13	83 28 70 130 47 83	118 41 83 209	139 51 83	115 52 66	151 59 67	129 48 52	82 38 32	51 22	30 9	10 2	1
Males	20 15 14 12	12 25 6	19 32 11 24	30 56 13	47 83	91	262	245	299	259					
Temales	15 14 12	25 6	32 11 24	56 13	83					,	186	116	48	12	1
Males			1		70	118 41 83	124 138 51 83	131 114 52 65	150 149 59 65	130 129 48 52	105 81 38 31	66 50 22 21	19 29 9 15	2 10 2 6	
Females					<u></u>		1	2	2		1	1	1		
REGISTRATION CITIES.			·····i				······i	1	2		·····i	····i	·····i	•••••	
ALABAMA.¹ Registration cities								1	2		1	1	1		
Males 53 Females 106 Diagnosis reasonably certain.	11														
Females	6	16	11	14	20	20	15	15	16	6	13	4	2		1
	3 3	5 11 4 9	9 2 7	12 11	8 12 7 9	10 10 6 9	11 4 6	7 8 6 7	6 10 6 9	3 3 2 3	3 10 2 6	4	1 1 1 1	•••••	i i
Females	3	11	6	10	10	15	12	12	14	4	12	3	2	•••••	1
Males	1 2 2	. 2	1 5 1 4	9 8	5 5 4 5	9 6 6 5	4 8 4	6 6 5 5	6 8 6 7	3 1 2 1	3 9 2 5	3	1 1 1 1	•••••	1 i
Females	3	. 5	5	4	10	5	3	3	2	2	1	1			
Riemingham 77		2 3 2 1	1 4 1 3	3	3 7 3 4	1 4 4	3	1 2 1 2	2	2	1 1	1 1			\
District Control of the Control of t	2	9	5	9	9	12	8	9	5	2	3	2	1		1
$ \begin{array}{ccc} \textbf{Males.} & \textbf{26} \\ \textbf{Females.} & \textbf{51} \\ \textbf{Diagnosis reasonably certain.} \\ \textbf{M.} & \textbf{19} \\ \textbf{F.} & \textbf{40} \\ \end{array} $	1	1 8 1 7	5	1 8 8	5 4 5 3	6 6 3 5	1 7 1 4	4 5 3 5	3 2 3 2	2	1 2 1 1	2 	<u>1</u>		i
White 56	2	6	2	6	4	10	7	7	4	2	2	2	1		1
Males	1	6	2	6	2 2 2 2	6 4 3 3	1 6 1 3	3 4 2 4	3 1 3 1	2 1	1 1 1	2	<u>1</u>	• • • • • • • • • • • • • • • • • • • •	1 1
Colored21	<u> </u>	3	3	3	5	2	1	2	1		1				
$ \begin{array}{ccc} \textbf{Males}. & & \textbf{6} \\ \textbf{Females}. & & \textbf{15} \\ \textbf{Diagnosis reasonably certain.} & & \textbf{M} \\ \textbf{F}. & & \textbf{12} \\ \end{array} $		1 2 1 1	3	1 2 2	3 2 3 1	2	1 1	1 1 1 1	1 1		1				
Mobile 52	3	5	5	2	6	5	2	4	9	3	7	1			
	3	2 3 2 2	2 3 2 3	1 1 1	3 3 2 2	3 2 3 2	1 1 1	3 1 3 1		1 2 1 2	2 5 1 4	1 		•••••	
White 41	-	4	3	2	5	4	2	3	8	1	7	1			•••••
Males	1	2 2 2 2	1 2 1 2	1 1 1	3 2 2 2	3 1 3 1	1 1 1	3	3 5 3 4	1	2 5 1 4	1 		•••••	
Colored	2	1	1 1 1		1	1		1	1	2					

 $^{{\}tt 1}\ Nonregistration\ state;\ cities\ shown\ below\ only\ those\ with\ effective\ local\ ordinances.$

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

		li				of this te			LL FORM	S) AT AG	E OF-					j,
ARRA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 84 years.	\$5 to \$9 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	120
BEGISTRATION CITIES—Contd.																
ALABAMA 1—continued.					İ		I									
Montgomery 2	30	1	2	1	3	5	3	5	2	2	1	3	1	1		
Males Females	6 24	<u>ı</u>	2	i	3	5	1 2	2 3	2	<u>2</u>	1	3	i	1		
Diagnosis reasonably certain. ${M \choose F}$	18	i	1	·····i	2	1	2	2 2	·····i	2	1	i	<u>i</u> .	1		
White	18	ĺ	1	1	2	. 1	1	3	2	2	1	3		1		
Males	.4		1	;	2	1	<u>ı</u>	2	2	2	1			1		
Females Diagnosis reasonably certain. ${M \choose F}$	14 3 10			1		¦	i	2	<u>.</u>	2	1	3		i	· · · · · ·	
Colored	12	1	1	l	1	4	2	2	·	ļ .	•		1			
Males	2	l	1				1						<u> </u>			
Females Diagnosis reasonably certain. ${M \choose F}$	10	1	····i		1	4	1	2					1			
CALIFORNIA.	8	1		· 	1	3	1	1			••••		1			·····
Registration cities	1,754	18	69	81	119	179	232	220	227	222	193	121	52	15	6	
MalesFemales	782 972	8 10	31 38	24 57	46 73	65 114	97 135	95 125	125 102	108 114	87 106	58	29	7 8	2 4	
Diagnosis reasonably certain. ${M \choose F}$	464 684	3 9	25 33	19 43	30 59	41	61 104	58 96	75 68	62 69	41 56	63 30 35	23 15 10	3 6	1 2	
White	1,720	17	66	77	115	178	222	219	219	220	193	121	52	15	6	
Males	761	7	31	23 54	43 72	65	91	94	118	106	87	58	29	7	2	
FemalesDiagnosis reasonably certain. ${M \choose F}$.	959 456	10 3	35 25	18	28	113 41	131 61	125 58	101 70	114 62	106 41	63 30	23 15	8	1	
ζ- · ·	674	9	31	41	58	93	101	96	67	69	56	35	10	6	2	j
Colored	34	1	3	1	3	1	10	1	8 7	2						
Females	13		3	3	1 2	i	4		1 5							
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right.$	10		2	2	ĩ	1	3		ĭ							
Los Angeles	443	4	21	20	33	38	69	61	48	65	51	21	7	4	1	
Males	172 271	3 1	10 11	16	10 23	11 27	25 44	26 35	22 26	26 39	18 33	9 12	5 2	2 2	1	
Diagnosis reasonably certain. ${M \choose F}$	109 180	·····i	8 8	3 10	7 19	23	19 33	16 25	10 13	18 23	11 19	6	3	i		
White	436	3	20	20	32	38	67	61	46	65	51	21	7	4	1	.
Males	167 269	2	10 10	4 16	9 23	11 27	24 43	26 35	20 26	26 39	18	9 12	5 2	2 2	1	
Diagnosis reasonably certain. ${M \choose F}$	106 178		8 7	3	6 19	8 23	19 32	16 25	8	18 23	33 11 19	6	3 1			
Colored	7	1	1		1		2		2			l		·		
Males	5 2	1			1				2							
Females Diagnosis reasonably certain. ${M \choose F}$	3		1		·····i		1		2					·		
Oakland	170	2	1 4	8	11	15	1 19	21	21	17	23	18	9		• • • • • • • • • • • • • • • • • • • •	····•
Males.	61	1	2			3	3	10	7	10	9	8	4	1		!
L 01119762	109 39	i	2	6 2	9	12 1	10 2	11 8	14	7 8	14 5	10	5	1	1	
Diagnosis reasonably certain. $\{F_{ij}^{M}$	75		2	6	6	9	10	8	11	6	7	6	3	ļ .	1	
Pasadena.	53	1		1	3	2	4	7	5	9	8	5	4	2	2	
Males	17 36	····i		1	3	1	4	7	1 4	3 6	5	3 2	3	·	1	
Diagnosis reasonably certain. $\{F : C \in \mathbb{R}^{M} :$	10 24	i		1	2	1	2	6	3	2 4	3		·····i	2 	1	
Secramento	65	<u></u>	5		3	7	6	8	13	6	6	7	4			
Males Females	32 33		2 3		2 1	1 6	4 2	4 4	6 7	5	2	4 3	2 2			
Diagnosis reasonably certain. ${M \choose F}$	20 23		1 3		î 1	ž 5	2 1	4	4	3	2	3 2	ĩ		 	
San Diego	85		3	1	5	6	11	8	13	15	9	6	8			
Males	39				3	1	3	3	10	6	7	2	4			
Females. Diagnosis reasonably certain. $\binom{M}{F}$	46 17		3		3	5 1	8	5	3 6	9 2	2 2	1	2	;		
\frac{\frac{1}{1}F	35		3	1	2	5	7	4	3	7	[••····	1	2	·		

registration state; cities shown below only those with effective local ordinances. 2 The only other registration unit; shown in order to complete the state.

MORTALITY FROM CANCER.

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

			I	See note	at head	of this ta	ble, p. 4	4.]								
					D	EATHS F	BOM CAN	NCER (AL	L FORMS	B) AT AG	e op					ġ,
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years:	25 to 84 years.	\$5 to \$9 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at
REGISTRATION CITIES—Contd.																
CALIFORNIA—continued. San Francisco	. 576	8	24	38	53	78	79	59	77	56	54	35	. 9	4	2	ļ
$ \begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix} \right. \\ \end{array} $	292 284 186	4 4 2	11 13 11	16 22 14	24 29 16	37 41 22 31	38 41 26	29 30 19	51 26 37	33 23 16	26 28 18	17 18 7	5 4 3	3	2	
White	. 208	8	23	17 34	23 52	77	34 76	25 59	16 74	13 56	15 54	13 35	9	8 4	2	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	286 277 183 203	4 4 2 4	11 12 11 11	15 19 13 15	24 28 16 22	37 40 22 30	36 40 26 33	29 30 19 25	48 26 35 16	33 23 16 13	26 28 13 15	17 18 7 13	5 4 3 2	1 3 3	2 1	::
Colored	6 7		1	1	1	1	3 2		3							
Females	3 3		1	3 1 2	i	1	i		2						•••••	
ther cities	169	3	6	. 13	-5	33 11	24	23 33 11	28	25	20	15	8	2		<u> </u>
Females	193 83 139	3	6 4 6	11 8	6 2 6	22 7 20	20 12 17	33 11 24	28 22 14 18	29 13 15	22 7 10	14 7 9	3 5 1	2 1 2	•••••	::
legistration cities	293	5	15	13	28	25	43	38	38	36	25	11	11	8	2	<u> </u>
Males Females Diagnosis reasonably certain. M.F.	123 170 76 121	2 3. 2 1	1 14 1 8	6 7 6 7	10 18 9 15	9 16 6 12	15 28 6 20	16 22 12 17	22 16 8 10	18 18 10 11	10 15 6 13	5 6 5 5	7 4 3 1	1 2 1 1	1 1 1	
White	281	5	15	12	26	23 9	14	37 16	35 21	35 18	25 10	10	11	3	2	-
Females	160 76 117	2 3 2 1	14 1 8	6 6 6	16 9 14	14 6 11	28 6 20	21 12 16	14 8 10	17 10 11	15 6 13	5 5 5	4 8 1	1 2 1 1	i i	
Colored	12			1	2	2	1	1	3	1		1				Ŀ
Females. Diagnosis reasonably certain. ${f M}_{f F}$.	10			1 1	2 1	2 1		1 1	2	1		1				::
enver	222	4	8	9	22	17	37	29	28	29	19	. 7	9	8	1	Ē
Males	128 55 92	2 2 2	8	. 5 4 5 4	15 6 12	7 10 5 8	13 24 5 17	11 18 8 14	18 10 7 6	11 18 5 11	8 11 4 10	3 4 8 4	7 2 8 . 1	1 2 1 1	1	::
ther cities	71 29	1	7	1	8	2	6 2	9	10	7	2	2	2		1	Ŀ
Females	21 21 29	<u>1</u>	6 1 4	3 1 3	3 3 8	6 1 4	1 3	4 4 3	6 1 4	5	4 2 8	2 2 1	2		1	::
egistration cities	. 717	12	25	20	43	74	83	103	105	78	76	58	24	14	2	Ŀ
$\begin{array}{c} \text{Males}. \\ \text{Females}. \\ \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} \text{M}. \\ \text{F}. \end{matrix} \right. \end{array}$. 271 446 136 290	5 7 2 6	8 17 4 12	9 11 5 11	11 32 7 25	32 42 18 33	23 60 16 45	40 63 19 41	43 62 20 36	34 44 20 25	32 44 12 22	16 42 10 23	12 12 2 3	6 8 1 6	2 2	
White	. 699	11 5	24 8	19	10	72 32	80 23	102	102	78	76 32	56 16	12	13	2	••
Females Diagnosis reasonably certain. $\left\{ \begin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$. 432	6 2 5	16 4 11	11 5 11	30 7 23	40 18 31	57 16 42	62 19 40	61 19 35	44 20 25	12 22	40 10 22	12 2 3	7 1 6	2 2	
Colored	. 18	1	1	1	3	2	3	1	3	ļ		2		1		
Males. Females. Diagnosis reasonably certain. $\left\{egin{matrix}\mathbf{M} \\ \mathbf{F} \end{array}\right\}$	14 14 1 12	1 1	i 1	1	1 2 2	2	3	i 1	1 1 1			2		1		
Bridgeport		3	6	5	6	11	11	13	19	11	6	4		1	1	
Males	. 57	1 2 1	2 2	3 2 3 2	2 2	5 6 1 3	2 9 1 6	5 8 3 3	5 14 3 6	6 5 3 2	1 2 1	3 2		1	i	

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

							ROM CAN		L PORMS) AT AG	E OF-					ġ.
ARRA AND BASES OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	25 to 29 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	79 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at known age.
REGISTRATION CITIES—Contd.																
commercious—continued.											Ì					
Hartford	132			4	11	15	21	18	17	12	11	12	4	1		
Males	56 76 37	2	3	3	5 6	8 7	14	8 10	10	5 7	7	5 7	3 1	1		
Diagnosis reasonably certain. ${M \choose F}$	57 57	1	3	1 3	5 5	6 5	5 10	5 6	7	2 6	3 5	3 6	1			
New Haven	164	2	4	4	11	22	15	24	23	17	23	10	4	5		
MalesFemales	57 107	1	2 2	1 3	1 10	7 15	3 12	18	13 10	9 8	8 15	8	2 2	2 3		
Diagnosis reasonably certain. $\left\{egin{smallmatrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{matrix}\right\}$	30 73	1	1 2	3	9	13	3 10	12	8	6 5	5	3	1	1 2		
Waterbury	57	1	3	3	2	6	7	12	8	3	2	4	5	1		
MalesFemales	22 35	1	1 2	2	2	1 5	1 6	7 5	5 3	3	2		1	1		
Diagnosis reasonably certain. ${M \choose F}$	8 21		2	1	2	1 4	1 5	3	2	i	1		ļ			
Other cities	267	3	9	4	13	20	29	36	38	35	34	28	11	6	1	
Males	96 171	3	1 8	2 2	1 12	11	10	14 22	13 25	14 21	14 20	8 20	6 5	2 4	;	
FemalesDiagnosis reasonably certain. ${M \choose F}$.	42 112	3	1 5	2	9	6 8	19 6 14	6 17	3 14	9 11	5 5 12	6 11	2	3	<u>1</u>	
DELAWARE.1	***	"	١	-		ľ	"	ļ <u>"</u>			-		[١	•	
Wilmington	81		<u> </u>	4	3	9	13	10	12	7	12	9		2		<u> </u>
MalesFemales	33 48			2 2	2	5	9	3 7	10	3 4	8	5		1	· · · · · ·	
Diagnosis reasonably certain. ${M \choose F}$	8 38			i	i	2 5	8	1 4	8	4	3	1 4		1		ļ
White	75			4	2	8	11	10	11	7	11	9		2		
MalesFernales	31 44			2 2	1	3 5	4 7	3 7	2 9	3 4	8 3	4 5		1 1		
Diagnosis reasonably certain. ${M \choose F}$	7 36			<u>i</u> .	i	1 5	1 7	1 4	8	4	2 2	1 4		1		
Colored	6		 	 	1	1	2	.	1	 	1			ļ		
Males	2				1	1										
Females Diagnosis reasonably certain. ${M \choose F}$	1 2					i	2 i		1		1					
DESTRICT OF COLUMBIA.	•						•				-					
Washington	355	7	19	15	29	31	42	38	33	55	37	34	14	1	•••••	<u> </u>
MalesFemales	144 211	3	5 14	9	20	23 23	14 28	14 24	16 17	30 25 14	19 18	13 21	5 9	11	•••••	:
Diagnosis reasonably certain. ${M \choose F}$	73 137	3 2	3 9	8	5 16	14	7 18	7 15	8 10	17	11	12	5		•••••	
White	271	7	12	7	19	22	25	25	27	46	35	31	14	1		
MalesFemales	112 159	4 8	8	2 5	8 11	6 16	7 18	8 17	11 16	26 20	18 17	12 19	5 9	1		
Diagnosis reasonably certain. ${M \choose F}$	61 104	3 2	. 3	5	10	· 10	12	11	10	13 13	10	11	5			:
Colored	84		7	8	10	9	17	13	6	9	2	_ 3				
MalesFernales	32 52		1 6	4	1 9	2 7	7 10	6 7	5	4 5	1	1 2				
Diagnosis reasonably certain. ${M \choose F}$	12 33			2 3	i	i	4 6	i	i	Ĭ 4	l i	i				
FLORIDA. ²				_	_						_					
Registration cities	72	2	1	5	7	15	9	8	8	4	8	3	2			
Males	26 46 16	2	1	2 3 1	2 5 1	11	1 8 1	5 3 2	4 4 3	1 3	6 2	1 2	1 1		•••••	
Diagnosis reasonably certain. ${\mathbf{F} \cdot \mathbf{F}	38		i	3	5	ıi	6	2	4	2	3	. .	1			
White	58	<u> </u>	1	8	4	14	8	8	6	4	5	3	2			
MalesFemales	23 35		····i	2 1	1 3	10 10	1 7	5	4 2	1 3	3	1	1			· · · · ·
Diagnosis reasonably certain. ${M \choose F}$	16 2 9		····i	1	1 8	10	1 5	2 2	3 2	2	2 2	2	i			
Colored	14	2		2	3	1	1		2		3					
MalesFormales	3 11	2		2	2	i	·····i		2		3					
Diagnosis reasonably certain. ${M \choose F}$				2	2				2							

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					1	DEATHS I	ROM CA	NCER (AI	LL FORM	S) AT AG	E OF-					t the
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	84	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	. E
REGISTRATION CITIES—Contd.								-								
Registration cities	. 186	6	15	15	13	21	23	25	17	25	13	8	4		1	
MalesFemales	66 120	2	6 9	1 14	13	6 15	8 15	13 12	7 10	12 13	6 7	3 5	2 2		i	
Diagnosis reasonably certain. ${M \choose F}$	41 85	1 4	3 8	13	9	5 10	6	. 8	3 8	8 7	3	3 3	1			
White	. 139	3	7	8	9	14	15	19	16	25	12	7	4		ļ	ļ
Males	52 87	2	2 5	8	9	5	6	9 10	7 9	12 13	5 7	2	2 2			
Females	31 58	i	5		6	9 4 7	5 3	10 4 7	3 7	13 8 7	3 4	5 2 3				
Colored	47	3	8	7	4	7	8	6	1	l	1	1	l		1	
Males	14		4	1	<u>-</u>	1	2	4	-		1	1				
Females Diagnosis reasonably certain. ${M \choose F}$	33 10	3	4 3	6	4	- 6 - 1	6 1	2 4	1			i		 	1	::::
.	27	3	3	6	3	3	6	2	1							
Atlanta	106	4	11	9	7	11	12	15	10	- 12	9	3	$\frac{3}{1}$			
Males	36 70 22	2 2 1	5 6 3	8	7	3 8 2	5 7 4	6 9 4	2 8 1	6 6 3	5 4	1 2 1	2	:::::::	 	
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	54	2	6	8	5	4	5	7	7	4	8 8	2	i			
White	. 82	2	5	6	5	7	7	13	10	12	9	3	3			
ValesFemales	29 53	2	1 4	6	5	3 4	3 4	5 8	2 8	6	5	1 2	1 2			
Diagnosis reasonably certain. $\binom{M}{F}$	17	1	4	5	4	2 2	3 2	3 6	1 7	3 4	8 3	1 2	<u>.</u>			
Colored	24	2	6	3	2	4	5	2			ļ <u>.</u>	l				
Males	7		4				2	1								-
Females Diagnosis reasonably certain. $\left\{ \frac{M}{F} \right\}$	17 5	2	2 3	3	2	4	3	1								ļ
\-	. 14	2	2	3	1	2	3	1	•••••					· · · · · · ·		
Other cities 2	80	2	4	6	6	10	11	10	7	13	4	5	<u> </u>		1	
Males	30 50 19	2	1 3	1 5	6	3 7	3 8	7	5 2	6 7	3	3	1	······	····i	
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	31	2	2	5	4	3 6	2 4	2	2	5 3	i	2 1	1			
White	. 57	1	2	2	4	7	8	6	6	13	3	4	1			
MalesFemales	23 34	i	1 1	2		2 5	3 5	4 2	5 1	6 7	3	1 3	1			
Diagnosis reasonably certain. ${M \choose F}$	14 18	·····i	_i .	<u>2</u>	2	2 5	2	1	2	5 3	i	1	1			
Colored	23	1	2	4	2	3	3	4	1		1	1			1	
Males	7			1		1		3			1	1				
Females	16 5 13	1	2	3	2	2 1	3	3	1			i	•••••		1	
ILLINOIS. ¹	18	1	1	3	2	1	3	1	1	•••••			•••••	•••••		••••
Registration cities	2,338	42	90	101	182	270	334	327	322	257	207	127	49	23	6	١,
Males		25	31	28	69	97	147	155	159	138	103	50	15	10	5	
Females	1,305 497	17 16	59 21	73 14	113 38	173 54	187 87	172 69	163 68	119 62	104 38	77 19	34 4	13 4	1 2	
•	1	7	45	59	84	125	138	114	90	61	42	36	18	7		
White	2,278	41	89	98	174	260	320	317	317	250	207	127	49	22	6	
MalesFemales	1,009 1,269 479	25 16	31 58 21	28 70	65 109	93 167	141 179	150 167	156 161	136 114	103 104	50 77	15 34	10 12	5 1	<u>}</u>
Diagnosis reasonably certain, $\{F_{\cdot}^{M}$.	799	16 7	44	14 57	34 81	50 120	81 133	68 110	67 88	60 57	38 42	19 36	18	6	2	
Colored	60	1	1	3	8	10	14	10	5	7				1		
MalesFemales	24 36	i	····i	3	' 4 4	4	6 8	5 5	3 2	2 5				i		
Diagnosis reasonably certain. ${M \choose F}$	18 27		i	2	4 3	4 5	6	i 4	1 2	2				i		
Chicago	2, 107	41	82	90	167	250	305	292	292	231	178	107	47	19	6	
Males	948	24	27	26	66	93	135	142	147	127	91	43	15	7	5	
Females	1, 159 452	17 15	55 19	64 12	101 36	157 51	170 80	150 64	145 60	104 56 53	87 34	64 16	32 4	12 3	1 2	
- (F	724	7 1	42	50	76	114	124	95	79	53	33	29	16	6		i

is reasonably certain. $\left\{ \begin{array}{ccc|c} M & 15 & 19 & 12 & 36 & 51 & 80 & 64 \\ \hline F & 724 & 7 & 42 & 50 & 76 & 114 & 124 & 95 \end{array} \right\}$ 1 Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BARRS OF BIAGROOMS. Allegen		1		l	500 HOVE	at head				T. BORY							ġ.
REGISTRATION CITIES—Consid.	AREA AND BASIS OF DIAGNOSIS.	Allages.	25	84	89	40 to	45 to 49	50 to	55 to 59	60 to	65 to	70 to 74	79	84	89	years and	Se
Major Pennish Pennis	ILLINOIS 1—continued.																-
Penales																	
Moles	Females	1, 133 435 704	16 15	54 19	61 12	99 32 74	151 47	165 74 122	146 63	144 59	101 55	87 34	64 16	32 4	12 3	i	
Dispression reasonably certain.		ļ			3												
Males	Diagnosis reasonably certain. $\left\{egin{aligned} \mathbf{M} \\ \mathbf{F} \end{aligned}\right.$	17	1			2 4	6	5 6	4	1	3				•••••		
Francisca Fran						2	5					4		1			
Males 104 3	Females. Diagnosis reasonably certain. ${M \choose F}$.	42 10 26		2 1 1	3 1 3	i	4	2 1	7 1 6	8 2 6	5	2	3				
Females 100 101 10														1			
Registration cities 765 13 28 39 40 74 102 101 66 104 66 60 29 11 1 1 1	Permales Diagnosis reasonably certain. ${M \choose F}$	104		2 1	6 1	10	11 3	15	15	10 6	10 3	13 4	10 3		1		i
Diagnosis reasonably certain. \$\begin{array}{c c c c c c c c c c c c c c c c c c c	Registration cities	765	13	28	39	40	74	102	101	96	104	66	60	29	11	1	1
White	Females	522 130	11	21 5	30 7	28 7	54 15	70 16	19	58	70 14	40 11	45 7	16 6	9	1	i
Diagnosis reasonably certain. M	White	739	13			40	72		96		100		1	28	11	1	1
Males 25	Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	501 128	11 1	20 5	27 7	28 7	52 15	66 16	65 18	57 2 1	14	38 11	44	16 5	9	1	1 1
Formales	Colored	26	<u></u>	1	3		2	5	5	2	4	2	1	1			
Males	Fameles	21 2		1 				4	3 1	1	¦ 			1 1			
Females			3		2						 -		2		2		<u> </u>
Males. State Sta	Females .	44 16				5 1	5 1	3 1	6 4		5	4 2	2				
Females	Indianapolis														3	1	
Males. Si 1 2 3 6 9 9 8 19 7 9 4 4 4	Females. Diagnosis reasonably certain. ${M \choose F}$	181 53	2	1	14 3	9	15 7	31 6	23 7	17 12	30 2	8 5	16 3	5 3		1	
Diagnosis reasonably certain. M															3		
Males. 3 12 1 1 3 1 3 2 1 1	Females Diagnosis reasonably certain ${M \choose F}$	169 51	2	1	13 3	9	14 7	28 6	22 6	17 12	27 2	6 5	15 3	5 2		i	
Females					1		1	3			3	2	1				
Males. 14 38 1 1 1 4 5 6 5 7 3 1 4 .	Females	12 2 6		•••••	1			·····i	1 1		2	1	1				
Females	Males		1		1												
Males	Females. Diagnosis reasonably certain. $inom{M}{F}$.	38 5 25	i	1 1 1		1 1 4	5 2 5	6	5	7 1 4	3	1 1	1	•••••			
Diagnosis reasonably certain. [Males	120 259	1 5 1	1 13 1	6 13 4	4 10 1	8 29 5	17 30 9	15 34 8	16 27 8	20 32 7	13 27 4	10 23 4	8 11 3	1 4 1		

¹ Nonregistration state; cities shown below only those with effective local ordinances. ² Includes Aurora, Belleville, Decatur, Evanston, Jacksonville, and Quincy.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

							PROM CA		LL FORM	8) AT AG	E OF-					ġ,
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	86 to 84 years.	85 to 89 years.	years and over.	128
REGISTRATION CITIES—Contd.																
Karas.								} -						ļ		İ
Registration cities	282	4	15	8	22	24	23	43	40	39	23	19	15	4	3	<u> </u>
MalesFemales	111 171	2 2	11	2 6	18	17	19	20 23 11	12 28	20 19	14 9	13 6	5 10	2 2	2	
Diagnosis reasonably certain. $\binom{M}{F}$	62 116	2 2	6	6	3 15	14	14	11 15	20	13 10	5 4	7 3	3 4	1 2	1	
White	263	4	13	7	20	22	23	39	37	38	21	18	14	4	3	
MalesFemales	108 155	2 2	4 9	2 5	3 17	6 16	19	20 19	12 25	20 18	13 8	13 5	5 9	2 2	2	
Diagnosis reasonably certain. $\binom{M}{F}$.	61	2 2	5	2 5	14	5 14	2 14	11 13	18	13	5 4	7 2	3 4	1 2	2	
Colored	19		2	1	2	2		4	3	1	2	1	1	ļ	ļ	
Males	3				1	1					1					
Females Diagnosis reasonably certain. ${f M}$.	16		2 1	<u>1</u>	1 1	1		4	3	<u>1</u>	1	<u>i</u>	1			
Kansas City	61	1	4	1	5	3	9	14	7	6	1	5	3	1	1	
Males	28	1		<u> </u>	1	2	2	8	3	3	1	3		1	1	
Females	. 17	i	4	1	4	1	7	6 5	1	1 4		2 3	3		····i	
\	21		2	1	4	1	4	5	8			1	ļ	·····	····;	
White	55	$-\frac{1}{1}$	3	1	1	1	. 9	13	7	5		3	3	1	1	
Females	29 17		3	1	3	1 1	7 1	5 5	4	1 1		1 3	3	ļ <u>.</u> .	<u>i</u> -	
Diagnosis reasonably certain. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	17	 .	i	1	3	i	4	4	3	······				1	ļ <u>.</u> .	
Colored	6	<u> </u>	1		1	1	<u></u>	1	<u> </u>		1	1				
MalesFemales	2		·····i		·····i	1		·····i			1	·····i				
Diagnosis reasonably certain. $\binom{M}{F}$	4				1			i				i				
Topeka	. 52	1	3	2	1	9	4	4	7	7	4	5	4		1	
MalesFemales	21 31	1	2	2	i	3 6	1 3	2 2	1 6	4 3	3	2 3	2 2		i	
Diagnosis reasonably certain. $\binom{M}{F}$.	12 24	1	·····i	2	ļ	2 6	2		6	3 2	2	2			i	
White	49	1	3	1	1	9	4	3	7	7	4	5	3		1	
Males	21	1	2			3	1	2	1	4	3	2	2			
Females	28 12 23	i		1	1	6 2 6	3	1 1	6	3 3 2	1 2 1	3 2 1	1 1		i	
Colored	3		1	1		•	*	1	•	*	1	•	1		•	
Males													<u> </u>			-
Females. Diagnosis reasonably certain. ${M \choose F}$.	3			1				1					1			
• •	1			1						ļ			ļ			
Wichita	50	1	3	1	6	3	2	7	7	9	6	2		2	1	
Fomales	25 25 16	i	2	1 1	1 5 1	3	1 1	3 1	3 4 2	6 3 4	5 1 2	2		2	···· ; ·	
Diagnosis reasonably certain $\left\{ egin{aligned} \mathbf{F} \\ \mathbf{F} \end{aligned} \right\}$	21	1	î	·····	3	3	i	3	1	2	ī	- -		2	····-	
Other cities	119	1	5	4	10	9	8	18	19	17	12	7	8	1		<u> </u>
MalesFemales	37 82	····i	1 4	1 3	8	7	8	6 12	5 14	5 12	5 7	6 1	3 5	1		
Diagnosis reasonably certain $\left\{ egin{aligned} \mathbb{H} & \mathbb{H} \\ \mathbb{F} & \mathbb{H} \end{aligned} \right\}$	17 50	i	1 2	3	8	2 4	7	6	7	6	1 2	1	3	1	 	
KENTUCKY.													}			
Registration cities	328	2	13	27	32	35	40	40	42	36	24	25	10	1		1
MalesFemales	109 219	<u>.</u>	3 10	7 20	7 25	9 26	18 22	16 24	17 25	15 21	7	7 18	1 9	1		1
Diagnosis reasonably certain $\left\{ {\stackrel{\mathbf{M}}{\mathbf{F}}} \right\}$	39 152	2	7	3 14	2 19	5 23	9 16	10 20	4 15	1 12	1 7	1 12	5	1		
White	291	2	13	16	28	27	37	35	39	34	24	24	10	1		1
MalesFemales	96 195	2	3 10	12	7	7	16	14	14	14	7	7	1	1		1
Diagnosis reasonably certain $\binom{M}{F}$	36 133		2	3 7	21 2 17	20 3 18	21 9 15	21 9 17	25 4 15	20 1 11	17 1 7	17 1 12	9	i		

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

		<u> </u>					BOM CAL		L FORM	B) AT AG	E OF-					ġ,
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	84	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at u known age.
REGISTRATION CITIES—Contd.																
ERNTUCKY—continued.							Ì				ì					
Registration cities—Continued.	37		ļ	11	4	8	3	5	3	2		1				
Males	13			3		2	2	2	3	1						
Females Diagnosis reasonably certain ${M \choose F}$	24 3 19			8	4	6 2 5	1	3				1				
Louisville	187	2	5	18	19	23	26	23	24	20	11	12	4			===
Males	64			6	5	5	13	9	10	10	2	4				
FemalesDiagnosis reasonably certain. ${M \choose F}$	123 19	2	5	12	14	18	13 6	14	14	10	9	8	4			
•	83	2	4	7	11	16	9	11	8	6	2	5	2	· · · · · ·		
White	168	2	5	12	16	18	26	21	. 22	20	11	11	4			
Males	59 109	2	5	8	11	14	13 13	12	8 14	10 10	9	7	4			::::
Diagnosis reasonably certain ${\mathbb{K} \choose {\mathbb{F}}}$.	18 73	2	4	3 4	9	13	9	9	8	6	3	5	2			
Colored	19			6	3	6		2	2			1				
Males Females	5 14			2 4	8	-1		2	2			i				
Diagnosis reasonably certain ${M \choose F}$	1 10			3	2	1 8		2								
Other cities	141		8	9	13	12	14	17	18	16	13	13	6	1		
Males	45		8	1	2	4	5	7	7	5	5	3	1	1		<u> </u>
Females. Diagnosis reasonably certain ${M \choose F}$	· 96		5 2	8	11	8	9	10 5	11 2	11	8	10 1	5	····i	<u>-</u>	
,	69	 	3	7	8	7	7	9	7	6	5	7	8			••••
White	123	<u></u>	8		12	9	11	14	17	14	13	13	6			
MalesFemales	86 18		3 5 2	4	10	8 6 2	3 8 3	5 9	11 2	10	5 8	3 10	1 5	<u>1</u>		
Diagnosis reasonably certain $\left\{ egin{aligned} rac{M}{F} & \end{aligned} ight.$	60	 ::::::	8	3	8	5	6	8	7	1 5	5	7	3	. .		
Colored	18			. 5	1	8	3	3	1	2						
MalesFemales	8			1 4	i	1 2	2	2	1	1 1						
Diagnosis reasonably certain $\binom{M}{F}$.	9			4		1 2	·····i			i						
LOURIANA. 1																
New Orleans	358	4	22	25	31	32	63	59	41	36	25	15	4	1		
MalesFemales	154 204	2 2	7 15	9 16	10 21	11 21	31 32	27 32	21 20	16 20	12 13	5 10	3	_i -		
Diagnosis reasonably certain. $\binom{M}{F}$.	88 145	1	13	5 12	18	6 14	15 28	20 21	20 12 15	8 10	6 7	7	2	i		
White	257	4	14	15	19	21	46	41	31	29	20	13	3	1		
MalesFemales	114 143	2 2	10	6 9	4 15	8 13	23 23 12	22 19	17 14	12 17	10 10	4 9	2			
Diagnosis reasonably certain $\binom{M}{F}$	67 96	1	10	.9 3 6	3 14	4 7	12 17	18 11	10 10	6 8	5 5	2 6	i	·····i		
Colored.	101	 	8	10	12	11	17	18	10	7	5	2	1			
MalesFemales	40 61		3 5	3 7	6	3 8	8 9	5 13	4 6	4 3	2 3	1 1	1		·····	
Diagnosis reasonably certain $\binom{M}{F}$	21 49		2 3	2 6	4	2 7	3 9	10	2 5	2 2	1 2	i	i			
MAINE.	-			•	-			.~	ľ	-	_	•				
Registration cities	212	3	6	11	16	20	27	30	25	27	19	16	5	5	1	
MalesFemales	65 147	2	1 5	1 10	3 13	9 11	9 18	8 22	9 16	6 21	7 12	7 9	1 4	1	i	
Diagnosis reasonably certain $\binom{M}{F}$	26 96	2	1 4	7	1 9	11	3 16	2 16	6 10	3 10	1 4	1 3		i	ļ	1
White	212	3	6	11	16	20	27	30	25	27	19	16	5	5	1	
MalesFemales	65	2	1	110	3	,9	,9	8	.9	6	7	7	1	1		
Diagnosis reasonably certain $\binom{M}{F}$.	147 26 96	1 2	5	10	13 1 9	11 4	18	22	16 6	21 3	12	1		1	1	.
· · · · · · · · · · · · · · · · · · ·	240	1	4	7		11	16	16	10	10	4	3	4	1		

¹ Nonregistration state; cities shown below only those with effective local ordinances.

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at heed of this table, p. 44.]

	1	<u> </u>			at head		FBOM CA		LL FORM	(S) AT AC	E OF-					.
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	84	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at u known age.
REGISTRATION CITIES-Contd.																
MAINE—continued.				١.				_	_		_	_		_		
Portland Males	22	1	1		8	- 6	9	3	7	10	7	5		1		
Females	43	i	1	3	7	3	6	2	4 2	7 2	5	3	i	1		
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right.$	32		1	2	5	3	6	2	3	4	2	3	1			
Other cities	147	1	5	7	8	14	18	25 5	18	17	12 5	11 5	1	- 4		1
Females	104	i	1 4 1	7	6	8 3	12 2	20 1	12	14	7	6	3	1 3 1	i	<u>i</u>
Diagnosis reasonably certain. ${\mathbb{F}}$	64	i	ŝ	5	4	8	10	14	7	6	2		3	i	•••••	
MARYLAND.										_		ا	ا ا			
Registration cities	653	8	25 12	33	17	77	87 27	36	111	77	19	35 9	16	9	2	
Females	412 138	5 3	13	25 7	29 10	25 52 17	60 12	48	52 59 29 37	25 52 9	24 11	26 5	13	4 5	i	
Diagnosis reasonably certain. $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	271	3	13	19	24	43	38	23 35		24	13	13	5	2 8	i	
White	567	7	21	26	33	64	72	75	99	72	41	33	13	9	- 3	
MalesFemales	219 348 127	3 4 3	12 9 9	18	13 20 9	23 41	22 50 10	32 43	48 51 27	24 48 9	17 24 9	9 24 5	10	5	1 1	•••••
Diagnosis reasonably certain, ${M \choose F}$	224	2	9	12	17	16 34	32	20 30	33	22	13	12	4	3	i	
Colored	.86	1	4	7	13	13	15	9	12	5	2	2	3			
MalesFemales	22 64	i	4	¦	9	11	5 10	4 5	4 8	1 4	2	2	3			
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right.$	11 47	i	4	7	7	9	2 6	3 5	2 4	2	2	i	1			
Baltimore	589	7	24	29	38	72	78	71	103	73	38	30	16	9	1	
MalesFemales	220 369	2 5	12 12	8 21	15 23	25 47	24 54	32 39	47 56	24 49	15 23	8 22	3 13	4 5	1	
Diagnosis reasonably certain. ${M \choose F}$	126 245	2 3	12	7 16	21	17 39	11 35	20 28	26 35	9 24	13	11	5	2 8	i	
White	510	6	20	22	26	59	64	64	93	68	37	28	13	9	1	
MalesFemales	201	2	12	.8	11	23 36	19	29 35	44	23 45	14 23	8 20	3 10	4	1	
Diagnosis reasonably certain. ${M \choose F}$	309 118 200	4 2 2	9 8	14 7 9	15 8 14	16 30	45 9 29	18 24	25 32	9 22	8 13	10	4	5 2 3	i	
Colored	79	1	4	7		13	14	7	10	5	1	2	3			
Males	19				4	2	5	3	3	1	1					
Females	60 8 45	;.	4	7	8 1 7	11 1 9	9 2 6	4 2 4	7 1 3	4	i	2	3	• • • • • • • • • • • • • • • • • • • •	•••••	·····
Other cities.	64	1	1	7	8	5	9	13	8	4	5	5		•••••	1	
Males	21	1			2		3	4	5	1		1				
Females	43 12	i	1	4	6	5	6	9	3	3	1 2	1			1	·····
White	26 57	1	1	3 4	3 7	5	8	7	6	4	4	5		••••••	1	••••
Males	18	1	<u> </u>		2		3	3	4	1	3	1				
Females	39	i	1	4	5	5	5	8 2	2 2	3	ı i	1			1	
•	24	ļ	1	8	8	4	8	6.	1			2		• • • • • •	1	
Colored	7				1		1	2	2		1					
MalesFemales	3 4 3				1		1	1 1	1 1 1		1 1			•••••		
Diagnosis reasonably certain. $\{F_{i}^{M}: i \in F_{i}^{M}\}$	2							i	i		ļ . .					ļ
MASSACHUSETTS,																
Registration cities	2,781	45	79	103	171	255	321	354	394	367	316	209	110	43	14	
MalesFemales	1,006 1,775 535	25 20 19	26 53 18	20 83 14	117 34	72 183 45	106 215 60	137 217 82	152 242 79	143 224 63	136 190 70	75 134 22	68 19	12 31 4	6 8 6	
Diagnosis reasonably certain. $\{F_{i}^{M}: i \in \mathbb{R}^{n}\}$	1,144	16	45	60	91	145	160	142	150	120	106	22 57	26	20	6	
White	2,749	45	78	99	170	250	318	349	390	363	314	209	109	41	14	
MalesFemales	994 1,755	25 20	26 52	19 80	53 117	181	105 213	136 213	151 239	140 223	136 178	75 134	42 67	11 30	8	
Diagnosis reasonably certain. $\binom{M}{F}$	531 1,128	19 16	18 44	14 57	34 91	144	159	138	79 147	62 119	70 105	22 57	19 26	19	6	

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					1	DEATHS 1	FROM CA	NCER (A	LL FORM	S) AT AG	E OF-					ġ,
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	years and over.	125
REGISTRATION CITIES—Contd.																
MASSACHUSETTS—continued.																-
Registration cities—Continued.	32		1	4	1	5	3	5	4	4	2	 	1	2		
Males	12			1	1	3	1	1	1	3			<u> </u>	1		
Females Diagnosis reasonably certain. ${M \choose F}$.	20		1	3		2 2	2	1	3	1 1	2		1	1		
Boston	871	16	28	31	54	84	113	122	128	104	90		21	9	8	.===
Males	347	9	13	6	19	27	42	55	56	36	42		9	1	4	
Females Diagnosis reasonably certain. ${M \choose F}$	524 196	7 5	15 9	25 4	35 15	57 19	71 28	67 32	72 31	68 15	48 21	28 32 10	15 3	8	4	
•	377	6	15	18	28	49	61	46	53	40	33	13	7	5	3	
White	854 340	16	27 13	28	19	79	41	120	127 56	103	90	28	9	7	8	
Females. Diagnosis reasonably certain. ${M \choose F}$	514 193	7 5	14	22	35 15	55 17	70 28	66 31	71	68 15	48 21	32 10	15	7	1	
•	368	6	11	15	28	48	60	45	52	40	33	13	7	4	3	
Colored	17	<u> </u>	1	3		5	2	2	1	1			<u> </u>	2	<u></u>	
MalesFemales	7 10		.•	3		3 2 2	1	1	1 i	1				1		
Diagnosis reasonably certain. $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right\}$	3 9		1	3		1	····i	1	1					i		
Brockton	55	2	2	1	1	2	5	4	10	8	8	4	5	3		<u> </u>
MalesFemales	15 40	1	1	i	i	1 1	2 3	1 3	3 7	2 6	1 7	4	2 3	1 2		
Diagnosis reasonably certain. $\{F_{+}^{M}\}$	9 19	1	1	i		1	2 2	1	1	2	1 6	i	1	2		
Cambridge	111	 	1	7	9	9	16	8	16	18	11	5	8	3	ļ	ļ
MalesFemales	39		1	2 5	5 4	1	7 9	5 3	5 11	6 12	3 8	5	3 5	1 2		
Diagnosis reasonably certain. ${\mathbf{F} \atop \mathbf{F}}$	72 27 46			1	1	8 1 7	5 7	5 2	2	4 8	3 6	2	1	i		
Fall River	70	1	6	2	3	8	11	11	5	11	5	4	2			
Males	19	1	1			3	1	4	1	4	3		1			
Females	51 11	i	5 1	<u>2</u>	3	5 2 3	10 1 7	7 3	4	7	2 2 2	4				
Lawrence	36 60		3 2	6	3	8	7	5 6	10	3 7	8	3	1	1	•••••	i
Males.	17				1	1		2	2	3	4	2				
Females	43		2	6	2	7	5 1	4 2	8	4 2	4	1				
Lowell	24		2	2	1 7	6	4	2	6	•••••	1					
Males	98	1	1	5	7	6	17	8 2	18	7	10	6	5			;
Females	64 11	i	3	5	5	4	10 2	6	9	3 3	8	5	5			
Diagnosis reasonably certain. ${\mathbf F} : {\mathbf F}$	34	1	3	8	2	8	4	3	4	¦·····	6	1	4			
Lynn	91	2	1	3	7	7	11	9	16	12	14	8				<u> </u>
MalesFemales	28 63	<mark>2</mark>	1	3	*2 5 1	3 4	9	3 6	1 11	10	10	4 4 2		i		
Diagnosis reasonably certain $\binom{M}{F}$.	13 4 0	11	1	i	5	2 4	7	6	3	1 4	7	3		•••••		
New Bedford	93	1	1	4	13	13	9	9	13	11	7	6	4		<u></u>	·
Males Females	26 67	1	1	4	11	11	3 6	3 6	7	4 7	1 6	6	1 3	1	ļ	ļ
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{aligned} \right\}$	15 40	1	1	3	8	1 9	2 2	1 2	5 2	5	1 4	····· <u>2</u> ·	<u>2</u>	1 1	ļ	٠
Somerville	71	ļ. 	1	5	1	3	4	7	9	9	14	10	. 6	2	: , 	
MalesFemales	21 50		i	2 3	1	1 2	1 3	1 6	2 7	3 6	5 9	3 7	1 5	1		
Diagnosis reasonably certain $\left\{ \frac{M}{F} \right\}$	8 27	' 	i	2 2	1	1 2	<u>3</u>	1 5	6	1	2 3		······································			
Springfield	92			3	6	6	10	13	16	_	15	7	7	l <u></u>	ļ	!
Males.	39				3	4	5	6	5	5	6	3	2			
Females. Diagnosis reasonably certain. ${M \choose F}$.	53 24		•••••	3	3	3	5 2 3	7	11 3 2	: 4	9 5	4 2	. 5 1	· · · · · · · ·	····	

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					I	BATHS I	BOM CA	NCER (AI	L FORM	B) AT AG	E OF-					ġ.
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un known age.
REGISTRATION CITIES—Contd.																
MASSACHUSETTS—continued.					١											
Worcester	176	3	6	8	14	13	19	24	24	19	21	18	4	2	1	
MalesFemales	59 117	3	3	6	6 8	11	15	15	18	13	13	3 15	3	1	1	
Diagnosis reasonably certain. ${f M}$	30 76	3	1 2	2 5	3 7	7	10	10	12	6	8	8	1 1	····i	1	
Other cities	993	18	27	28	53	96	99	133	129	149	113	78	45	20	5	ļ
Males	362	10	4	8	13	25 71	30	46	51	65	52	31	20	6	1	
Females. Diagnosis reasonably certain ${\mathbf{M} \choose \mathbf{F}}$	631 184 401	8 9 5	23 3 18	20 5 16	40 6 31	14 52	69 15 51	87 26 57	78 26 53	84 32 47	61 26 30	47 7 21	20 25 12 8	14 2 .9	1 3	
MICHIGAN.								}								
Registration cities	997	15	39	47	69	102	131	129	132	131	109	54	25	8	6	
Males	413	10	15	15	23	29 73	51	53 76	65	·61	50	22	11	4	4	
Females	584 211	·5	24 10	32 12	46 13	18	80 29	27	67 30	70 24	59 22	32 7	14 8	4 2	2 2	
Diagnosis reasonably certain. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	366	4	19	22	36	48	55	49	42	35	34	11	7	3	1	
White	988	14	38	45	68	100	130	129	132	130	109	54	25	8	6	
Males Females	411 577	9 5	15 23 10	15 30	23 45	29 71	51 79	53 76	65 67	60 70	50 59	22 32	11 14	4	4 2	
Diagnosis reasonably certain. $\begin{cases} M \\ F \end{cases}$	209 364	6	10 18	30 12 22	13 36	18 47	29 55	27 49	30 42	23 35	22 34	7 11	8 7	2 3	2	
Colored	9	1	1	2	. 1	2	1			1						
Males		1								1						-
remaies	2 7 2	i	1	2	1	1	1			i					• • • • •	
Diagnosis reasonably certain. ${M \choose F}$	2		1			1										
Detroit	424	11	23	25	36	44	58	60	56	52	33	14	8	8	1	
Males Females	178 246	8 3	9 14	8 17	12 24	11 33	20 38	27 33	31 25	25 27	16 17	6 8	3 5	1 2	1	
Diagnosis reasonably certain. $\left\{ \frac{M}{F} \right\}$	91 148	6 2	5 11	7 12	5 18	8 24	11 24	14	25 12 14	9 12	9	2 2	2	2	1	
Grand Rapids	. 120	3	2	5	4	13	22	14	14	15	13	11	2	1	1	
Males	43	<u> </u>		1			8	4	2		6	3		1		
Females	77 19	2	i	4	2 2 1	5 8 3	14	10	12	8 7 5	7 3	8	2	····i	1	
Diagnosis reasonably certain. $\left\{ \stackrel{\mathbf{M}}{\mathbf{F}} \right\}$	46	2		3	1	4	11	7	7	2	4	3	1	•••••	1	
Sagina w	50		5		2	3	8	10	8	6	4	4			•••••	
Males Females	27 23 14		1 4		2.	1 2	7	4 6	1 4	4 2	2 2	2 2				
Diagnosis reasonably certain. ${M \choose F}$	14 17		1 3		1	2	3	3 6	3 3	2 1	1 1	i				
Other cities	403	1	9	17	27	42	43	45	54	58	59	25	15	4	4	
Males	165	1	3	6 11	7	12	16	18	28	24 34	26	11	8 7	2	-	
Females	165 238 87	····i	6	11 5 7	20	30	27 11	27 10	28 26 15	8	26 33 9	14	6	2 2 1	1	
'	155		5	7	17	18	19	19	18	21	20.	5	5	• 1	•••••	••••
MINNESOTA.						•									_	
Registration cities	605	14	22	25	36	53	88	73	100	69	58	41	20	_4	2	
Males Females	262 343	9 5	8 14	8 17	7 29	21 32	33 55	35 38 18	49 51	35 34	19 39	23 18 10 5	11 9	3	2	
Diagnosis reasonably certain ${M \choose F}$	150 232	4	8 12	7 14	25	13 27	55 20 43	18 26	31 33	19 25	8 14	. 10	8.	1	1	
White	604	14	22	25	36	53	88	73	99	69	58	41	20	4		
Males	262 342	9 5	. 8	8 17	7	21	33	35 38	49	35 34	19	23	11	2	2	
Females	342 150 232	5 4	14 8	7	29 4	32 13	33 55 20 43	18	50 31	19	39 8 14	23 18 10	9	2 2 1	····i	••••
ζ	1 1	4	12	14	, 25	27	43	26	33	25	14	5	8	ī	•••••	
Colored	1	<u></u>							1			 '			•••••	
MalesFemales	·····i		· · · · · · · ·						1							
Diagnosis reasonably certain. $\left\{ \begin{array}{l} M \\ F \end{array} \right\}$::::::									 .	::::::: <u> </u>					
Duluth	68		3	5	5	6	12	7	12	7	7	3			1	
<u>Males</u>	31			2	2	2	7	5	5	4 3	2 5	1			1	
Females Diagnosis reasonably certain $\binom{M}{F}$	37 18		<u>.</u> .	2 3 2 2	2 3 1 2	4	7 5 5 3	- 2 2	7 3 5	3 2 1	<u>5</u>	2 1			····i	• • • • •
F.	1 24		3	2	2	2	3	ا 2 ا	5	1	3 1	1 !		استنب		

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

### AREA AND SALES OF READYONS. Company Part						E HOAC		BOM CAN		L FORMS	B) AT AG	E OF-					ġ.
Minnespols	AREA AND BASIS OF DIAGNOSIS.	All ages.	25	84	89	44	49	54	59	64	69	74 .	79	84	89	years and	Deaths at known age.
Minospotis	REGISTRATION CITIES—Contd.																
Maint						İ											
Permiss Perm	•					 											
B. Paul	Females	175	3	8	8	17	11	25	20	, 29	17	22	9	4			
Mains	Diagnosis reasonably certain. $\{\frac{m}{F}\}$		2				10	22							i		
Females			<u> </u>			<u> </u>							ļ				
Cher cities	Females	97		3	5	6	12	21	12	13	9	11	4	1			
Males Section Penales Penale	(- · ·		····•				10							ļ			
Females																	
Males	Females	34				3	5	4	4	2	5		3			· · · · · ·	
Registration elities	Diagnosis reasonably certain. ${\binom{M}{F}}$		2		1	2	5						<u>.</u> .	2			
Males																l	
Diagnosts reasonably certain.																	2
White	Females	682	9	34	35		76	95	88	82	68	61	37	21	4	1	2
Maise	Diagnosis reasonably certain. $\{F : F : F : F : F : F : F : F : F : F :$				30	59	65			55	49						3
Diagnosis reasonably certain \$\begin{array}{c c c c c c c c c c c c c c c c c c c		<u> </u>															2
Colored. 50 3 8 6 2 7 0 5 5 8 1 3 1 1 1 1 2 2	Females	649	8	28	30		39 72	91	85	78	67	59	29 36	21	4	1	2
Malee 13	Diagnosis reasonably certain. ${M \choose F}$		7				61					23 23					2
Females Fema	Colored	50	3	8	6	2		6	5	8	1	3	1				
Diagnosis reasonably certain. Males 24 2 4 3 1 3 1 1 1 1 1 1 1	Females	33	1	6	5	2			3	4	i	2	i				
Males	Diagnosis reasonably certain. ${M \choose F}$		2			2	4	3			i		i				
Females	Kansas City	254	4	8	14	12	32	37	31	37	-2 5	24	13	5	1	1	
Diagnosis reasonably certain. \$\begin{array}{c c c c c c c c c c c c c c c c c c c	MalesFemales		1 3					23		20					1	1	
Males															1	1	
Females 135 2 3 8 5 16 27 16 17 16 7 3 3 1 1 1 1 1 1 1 1	White	240	3	6	14	10	27	37	29	35	35	24	13	5	1	1	
Diagnosis reasonably certain.	Fernales	105 135						14 23	13 16						1	1	
Males St. Joseph St. Jose	Diagnosis reasonably certain. $\binom{M}{F}$. 77	1	3	4	3	10	11	10	12	9	6	4	2	1	1	
Permales Permales	Colored	14	1	2	ļ	2	5		2	2			 	 			
Diagnosis reasonably certain. Males St. Joseph St		5				2	3 2		2								
Males		1				l				i							
Diagnosis reasonably certain. \begin{array}{c c c c c c c c c c c c c c c c c c c	St. Joseph	. 97	2	3	5	11	10	9	15	11	12	12	3	3			1
Diagnosis reasonably certain. \begin{array}{c c c c c c c c c c c c c c c c c c c		37	2	2		3	2			4 7							
St. Louis 701 11 35 28 56 69 97 106 90 81 51 43 24 7 2 1 Males 302 6 8 8 13 26 42 57 43 41 21 20 13 3 1 Females 399 5 27 20 43 43 55 49 47 40 30 23 11 4 1 1 Diagnosis reasonably certain.{M. 179 6 6 7 8 22 24 34 24 20 7 13 6 1 1 White 671 9 30 23 56 67 92 104 85 80 49 42 24 7 2 1 Males 29 10 85 80 49 42 24 7 2 1 Males 380 5 23 16 <td>Diagnosis reasonably certain $\left\{ \frac{M}{F} \right\}$</td> <td>21</td> <td>2</td> <td></td> <td> .</td> <td>2</td> <td>1</td> <td>2</td> <td>3</td> <td>2</td> <td>6</td> <td>1</td> <td> </td> <td></td> <td></td> <td></td> <td>ļ</td>	Diagnosis reasonably certain $\left\{ \frac{M}{F} \right\}$	21	2		 .	2	1	2	3	2	6	1					ļ
White	St. Louis	1	11	35		1					1	1	ł	24	7	2	•
White		302		8	8	13	26	42		43	41		20				
White		179	6	6	7	8	22	24	34	24	20	7	13	6	1	1	
Males	(- · ·		_	1	1	1						1			1		
Diagnosis reasonably certain. \begin{pmatrix} M \cdot \cdo	Males	291	4	7	7	13	26		55	. 41	41	20		13	3	1	
Colored		380 171 241		5	6	8	22	24	49 33	22	20	6	13	6	i	1	l
- Males 11 2 1 1 2 2 2 2 1	ζ- · ·	1	2	1	l	30	1	ł I				1					1
Fernales	- Males	11		1	1	 		2				1				<u> </u>	
Diagnosis reasonably certain. $\left\{ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Pernales Diagnosis reasonably certain. ${M \choose F}$	19	2	1	1		l		i	2		1	,		 		

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					1	DEATHS I	ROM CA	NCER (AI	L FORM	S) AT AG	E 0F	-				ġ,
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	\$5 to \$9 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at known age
REGISTRATION CITIES—Contd.																
missouri—continued.																
Other cities	119	3	4	4	15	7	18	12	14	17	8	7	9	1		
MalesFemales	40 79	2	2 2	1 3	4 11	7	7 11	12	6 8	9 8	3 5	2 5	3 6	1		
Diagnosis reasonably certain $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	17 57	1	2	3	9	7	3	8	3 3	4 6	2 2	2	Ž 5			
MONTANA.									-		_	_				
Registration cities	82	4	2	5	7	10	11	12	10	7	7	3	2	2	• • • • • •	
MalesFemales	39 43	2 2 2	1	2 3	1 6	3 7	3 8	8	5 5	5 2	4 3	3	1 1	1	•••••	
Diagnosis reasonably certain. $\binom{M}{F}$	22 26	2	i	2 3	3		3 7	5	1	3	1	2	i	i	• • • • • • • • • • • • • • • • • • •	
White	81	4	2	5	7	10	10	12	10	7	7	3	2	2		
Males	39	2	1	2	1	3	3	8	5	5	4	3	1	1		
Females Diagnosis reasonably certain. ${M \choose F}$	42 22 25	2 2	1	3 2	6	7	7 3	5	5 1	3	3	2	1 1	1 1	 	
•	i I	1	1	3	3	7	6	1	1	· · · · · · · · ·	1			1	• • • • • •	·····
Colored	1			•••••		<u></u>	1									
MalesFemales	1		• • • • • • • • • • • • • • • • • • •				i								• • • • • •	
Diagnosis reasonably certain ${M \choose F}$.	····i		· · · · · · · ·				ı								• • • • • • •	
NEBRASKA. ¹																
Registration cities	187	4	5	13	14	16	25	27	29	20	17	13	1	2	1	
MalesFemales	81 106	2 2	3 2 2 2	3 10	5 9	12	10 15	12 15 10	11 18	9 11	11 6	9 4	1	1	i	
Diagnosis reasonably certain. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	51 75	2 2	2 2	9	5 9	11	5 11	10 13	6 7	9 5	4 2	3	1	1	i	
White	185	3	5	13	14	16	24	27	29	20	17	13	1	2	1	
<u>Males</u>	80	2	3	.3	5	.4	9	12	11	9	11	9	1	1 1		
Females Diagnosis reasonably certain. ${M \atop F}$	105 51	1 2	2	10 1	9 5	12	15 5	15 10	18 6	11 9	6	3	····i	1	1	
\	74	1	2	9	9	11	11	13	7	5	2	3	•••••		1	
Colored							1									
MalesFemales	î	1	· · · · · ·													
Diagnosis reasonably certain. $\left\{egin{matrix} \mathbf{M} \dots \\ \mathbf{F} \dots \end{matrix}\right.$	1	1														
Omaha	140	4	4	8	11	15	22	19	21	12	10	12	1	1		
Males Females	62 78	2 2	2 2 1	2 6 1	4 7	4 11	9 13	8 11	8 13	7 5	6	8 4	1	1		
Diagnosis reasonably certain. $\left\{ \frac{M}{F} \right\}$.	38 60	2 2	1 2	1 6	4 7	2 10	5 11	6 10	4 5	7 2	2 2	2 3	1	1		
Lincoln 2	47		1	5	3	1	3	8	8	8	7	1		1	1	
Males	19		1	1	· 1		1	4	3	2	5	1				
FemalesDiagnosis reasonably certain. $\{ \frac{M}{F} $	28 13		····i	4	2	1	2	4	5 2	6 2	2 2	i		1	1	
\-	15		•••••	3	2	1	• • • • • • • • • • • • • • • • • • • •	3	2	3	•••••	•••••	•••••		1	•••••
NEW HAMPSHIRE.				_												١.
Registration cities	173		2		10	18	24	17		23	19		6	8	1	
MalesFemales	54 119	2	2	1 4	5 5	5 13	5 19	10 7	8 12	5 18	7 12 2	5 17	2 4	8	···i	
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{aligned} \right\}$	27 82	2	2	4	1 4	3 10	3 14	7 6	3 8	5 12	8	6	3	2	i	1
White	172	2	2	5	10	18	24	17	20	23	19	22	6	3	1	
MalesFemales	53 119	2	2	1 4	5 5	5 13	5 19	10 7	8 12	5 18	7 12	5 17	2 4	3	····i	
Diagnosis reasonably certain. $\left\{ \frac{M}{F} \right\}$	26 82	2	2	4	Ĭ 4	3 10	3 14	7 6	3	5 12	2 8	2	3	2		
Colored	1															1
Males	1															1
Females Diagnosis reasonably certain. ${M \cdot \atop F}$.	·····i															····i
Diagnosis reasonanty Certain.																•••••

 $^{{\}bf 1}$ Nonregistration state; cities shown below only those with effective local ordinances.

² The only other registration unit; shown in order to complete the state.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

	1						able, p. 4									l à
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	84	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	years and over.	Deaths at un-
REGISTRATION CITIES—Contd.																_
NEW HAMPSHIRE—continued.												1		İ		
Manchester	. 56	1	2	 	2	11	11	7	4	5	5	8	ļ		 .	ļ
Males	13 43	i	2		2	3 8	3	3	1 3		1 4	2 6				
Females	30	i	2		2	1 6	8 3 5	1 3	1 3	5	2	1 2				
Other cities	117	1	1	5	8	7	13	10	16	18	14	14	6	3	1	
Males		-	-	1	5	2	2	7	7	5	6	3	2			-
Females	. 1 76	1		4	3 1	5 2	11	3 6	9 2	13 5	8 2	11	4	3	1	
Diagnosis reasonably certain. $\left\{ F \right\}$	20 52	1		4	2	4	9	. 3	5	8	6	4	3	2	1	
NEW JERSEY.	1					}	i				1		1		ł	İ
Registration cities	1,426	26	40	64	108	149	192	191	203	179	141	71	43	13	6	
MalesFemales	545 881	15 11	11 29	16 48	81 77	41 108	67 125	82 109	82 121	84 95	57 84	30 41	20 23	5 8	4 2	
Diagnosis reasonably certain. $\binom{M}{F}$		9 5	5 24	10 36	14 55	23 83	32 82	39 66	35 55	30 48	24 40	11 20	8	5 8 2 5		
White		26	37	60	106	139	185	186	199	173	140	71	43	13	6	
Males		15	11	16	30	40	65	80	82	82	57	30	20		4	
FemalesDiagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right.$. 847	11	26 5 21	44 10	76 14	99 22	120 32	106 38	117 35	91 30	83 24	41 11	23 8	5 8 2	2	
Diagnosis reasonably certain. (F.	. 502	5	21	32	54	75	78	63	53	46	40	20	9	5	Ī	
Colored	42		3	4	2	10	7	5	4	6	1					<u> </u>
MalesFemales	8 34		3	4	1	1 9	2 5	2 3	4	2 4	i				 	
Diagnosis reasonably certain. ${M \choose F}$:	2 27		3	4	i	1 8	4	1 3	2	2						
Camden	74	2		2	6	8	6	8	13	17	1	6	2	2	1	-
Males	. 27	2			1	4	1	3		4	1	3	1	1	1	-
Females	47	2		2	5	4 2	5	5 2	5 8 3	13	i	3 2	1 1	1	 	
(-			2	4	3	4	4	3	8	·····	1		1	ļ	
Elizabeth	76	4	1	3	2	8	13	13	10	7	8	4	2		1	<u> </u>
MalesFemales	36 40	3	i	3	1	5 3	5 8	7 6	6 4	4 3	4	3	2		····i	
Diagnosis reasonably certain. ${M \choose F}$	12	1 2	····i	i	1	3	1 3	3	2	2	i	1 1	2		i	
Jersey City	. 217	3	11	10	15	19	24	29	40	24	21	10	9	2	 	
Males	. 82	. 2	2	3	.4	.4	6	12 17	20	16	5	2	5	1		
Females Diagnosis reasonably certain. ${M \choose F}$	135	1 2	9	3 7 3 6	11	15	18 4	5	20 9 9	8 4 3	16	8	4	1		
••	1	1	1	l	4	10	8	9			8	5	1	1 .		
Newark	340	9	11	13	26	32	52	44	46	46	35	6	- 6	- -	- 2	
MalesFemales	. 208	5	8	5 8	21	13 19	22 30	19 25	14 32	21 25 10	15 20 6	11	3	i		
Diagnosis reasonably certain $\left\{ F \right\}$	129	1	7	7	17	6 14	9 22	8 17	12	13	12	6	i		1 	
Paterson	124	1	2	4	7	16	21	19	18	16	9	7	4			ļ
MalesFemales	50 74	1	1	2 2	2 5	2 14	20 11	9 10	7	8 8	3 6	3	2 2			
Diagnosis reasonably certain. $\left\{\frac{M}{F}\right\}$			i	2 2	1 3	i	5 8	4 6	6	1 3	1 3	1 2	ī			
Trenton	98	2	1	4	10	9	14	20	10	12	5	3	1	4		
Males		1	1	ļ <u>.</u>		4	7	8	5	5	4	2		2		
Females	. 56	1	3	4	3 7 2	5	7	12	5 3	7 2	1 2	1 1	1	2		
Diagnosis reasonably certain. $\left\{ {rac{{M}}{F}} \right\}$. 34	 	2	3	4	5	5	5	3	3	·····-	ī	1	2		
Other cities	497	5	11	28	42	57	62	58	66	57	62	24	19	4	2	<u> </u>
MaleeFemales	321	1	4 7	6 22	15 27	9 48	16 46	24 34 12	25 41	26 31	25 37	11 13	9 10	1 3	1	
Diagnosis reasonably certain. ${M \choose F}$:	79 200	2	6	1 15	22	5 37	9 32	12 22	12 22	8 18	12 16	5	2	····i		۱ ا
NEW YORK.						1										
Registration cities	6, 621	141	252	332	498	738	884	938	859	790	601	346	174	55	13	
Males	2,685	82	99	90	151	250	371	415	379	348	264	150	62	20	4	الـ
Females	3,936 1,425 2,489	59 59	153 66	242 56	347 103 268	488 143	513 220	523 210	480 193	442 164	337 104	196 71	112 21	35 11	9	1::::
F.	. 2,489	41	130	202	268	354	346	320	256	227	171		63	22	1 7	i

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					I	EATHS P	ROM CAR	NCER (AL	L FORMS) AT AG	e of—					ġ,
area and basis of diagnosis.	Allages.	Under 25 years.	84	85 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years	80 to 84 years.	85 to 89 years.	years and over.	128
REGISTRATION CITIES—Contd.																
NEW YORK—continued.																
Registration cities—Continued. White	6, 528	139	241	317	491	729	870	929	852	781	599	340	172	55	13	ļ
<u>Males</u>	2,663	82	97	89	150	246	369	409	377	346	264	148	62	20	4	
FemalesDiagnosis reasonably certain. $\{\stackrel{\mathbf{M}}{\mathbf{F}}$	3, 965 1, 417 2, 435	57 59 40	144 65 122	228 55 190	341 103 262	483 142 350	501 220 336	520 207 317	475 193 254	435 162 224	335 104 169	192 71 80	110 21 62	35 11 22	9 4 7	
Colored	93	2	11	15	7	9	14	9	7	9	2	6	2			
MalesFemales	22 71	<u>2</u>	2 9	1 14	1 6	4 5	2 12	6 3	2 5	2 7	₂	2	2			
Diagnosis reasonably certain. ${M \choose F}$	8 54	·····i	1 8	1 12	6	1 4	10	8	2	2 3	2	2	····i			
Albany	151	2	1	4	7	12	18	31	18	23	17	11	6	1		
<u>Males</u>	48	2				3	.3	7	.5	.8	10	8	1	1		
Females	103 23 64	1	1 i	4	7	9 1 6	15 2 13	24 3 13	13 1 7	15 6 10	7 4	3 3 2	5 1 2	····i		
Buffalo	435	10	18	21	36	48	61	66	50	42	35	29	14	5		
Males	192	7	6	9	10	16	28	28 38	. 26 24	23 19	19	11	6	3		
Females	243 94	3 6	12	12	26	32 7	33 19	11	7	11	16 12	18	8 2	2		
(-	153	3	8	9	20	24	21	20	11	11	8	12	4	2		····
New York	1,908	106	187 78	230	350 118	530 194	270	636	584	508	379 169	207	93	29	- 6	
Males Females Diagnosis researchly cer. (M	2,544	45 42	109 54	164 43	232 82	336 110	337 152	309 327 162	282 302 150	226 282 99	210 58	121 36	37 56 11	11 18	5 1	::::
Diagnosis reasonably cer-{M. tain.	1,558	30	93	139	173	234	228	191	145	144	99	41	28	11	4	
White	4,369	104	177	217	343	522	595	627	5 78	501	377	202	91	29	6	
Males Females	. 2,480	61 43	76 101	65 152	117 226	191 331	269 326	303 324	280 298	224 277	169 208	85 117	37 54	11 18	1 5	···
Diagnosis reasonably cer-{M. tain.	996 1,508	42 29	53 86	129	82 167	109 230	152 216	159 188	150 148	97 142	58 97	36 39	11 27	11	1 4	
Colored	. 83	2	10	13	7	8	12	9	6	7	2	5	.2		ļ	ļ
Males	19	2	2 8	1 12	1 6	3 5	11	6	2	2 5	2	1 4	2			
Females Diagnosis reasonably cer-{M tain. {F		<u>î</u> .	1 7	10	6	1 4	10	3 3	2	2 2	2	2				
Bronx Borough		11	34	20	37	58	66	85	78	50	48	15	10	4		-
Males	209	6	14	5	11	20	32	34	39	17	19	7	5			-
Females Diagnosis reasonably certain. ${M \choose F}$	307	5 2	20 11	15 2	26	38 12	34 20	51 15	39 19	33	29	8	5	4	ļ .	:
\-	193		17	12	21	26	24	29	16	21	15	2	3	3	-	····
White	511	11	34	20 5	36	58	65	84	77	17	48	15	10	4	•••••	
Females	207 304 110	5 2	20 11	15 2	25	20 38 12	31 34 20	33 51 15	39 38 19	32 9	19 29 6	8 4	5	4		
Diagnosis reasonably certain. $\left\{ \stackrel{\mathbf{M}}{\mathbf{F}} \right\}$	190	4	17	12	20	26	24	29	15	20	15	2	3	8		
Colored	. 5			<u></u>	1		1	1	1	1			ļ		ļ	<u> </u>
MalesFemales	2 3				i		1	1	i	·····i						
Diagnosis reasonably certain. $\left\{ egin{aligned} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	3				i				i	1			i			
Brooklyn Borough	1,439	31	52	74	107	155	186	214	186	161	140	83	40	8	2	
MalesFemales.	583 856	16 15	18 34	17 57	35 72	57 98	71 115	101 113	87 99	72 89	63 77	29 54	13 27	8 5	1,	
Diagnosis reasonably certain. $\binom{M}{F}$	304 530	15 15 9	12 28	12 50	23 54	32 77	42 80	54 62	40 56	31 40	25 37	12 20	4 14	1 2	i	
White	1,410	30	49	73	103	153	179	211	182	160	140	81	39	8	2	
Males	578	16	18	17		56	71	99	85	72		29 52	13		1	1
Females Diagnosis reasonably certain. ${M \choose F}$	832 302	14 15	31 12	56 12	35 68 23 50	97 32 77	108 42	112 52	97 40	88 31	63 77 25 37	12	26 4	3 5 1		
,	514	9	26	49	I	ľ	74	61	55	40	37	19	14	2	1	
Colored	29	1	3	1	4	2	7	3	4	1		2	1			
MalesFemales	5 24	·····i	3	1	4	1	7	2	2 2	· · · · i	· · · · · · · · ·	2	i		i	

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPINITIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Administration.

						of this t		~·								~ ~
					1	CATES F	BANK CAN	11, EF	T LASK		 - 146-					1
AREA AND RASES OF MAGNOSIS.	All ages.	Under 25 years	34	See to	40 to 44 7005	45 to 49 700FX	14012 70 10	20012 20 27 20	144012° 01 00 to	24002.0 69 to	10 to 14 years.) 4401.2 1.0 1.7 U	:94	100 1700 1700 1700 1700 1700 1700 1700	**************************************	3
REGISTRATION CITIES—Contd.	!					i			,	: • •		··			•	
NEW YORK—continued.		.:.		,,,			307	ļ	363	۱					!	•
Manhattan Borough	2,134	- 33	42	37	183	361	131	ME		1117	1.4	. 41		13	•	٠.,
Females. Diagnosis reasonably certain. ${M \choose F}$.	1, 169 506 722	20 20 15	32 27 46	38 22 86	113 46 86	1.49 3.6 105	1.46 54 1.46	142	72.1 49 42.	141	**	43 18 13	1 11	· ×	i .	:
White	2,079	54	87	106	181	256	.702	200	361	233	133	12	2.2	. 13	•	٠,
Males	944 1,135 500	33 21 20	40 47 26	36 70 21	67	100 136 35	151 159 84	149 140 82	131	113 138 30	P29 F2 F2	41	13 20 3			• • • •
Diagnosis reasonably certain. ${M \choose F}$	693 45	14	1	57 11	85 2	102	102	. 3 2	20	73	7,5	13	10	,	*	
Colored	11	<u> </u>	- 3	11	1	3	•	3	<u> </u>			- '-	'		į	
Pemales Diagnosis reasonably certain. ${M \choose F}$	34 6 29	1	5 1 5	10 1 9	i i	3 1 3	4	1 3	1	3	3	· · · · · · · · · · · · · · · · · · ·				•
Queens Borough	277	7	5	15	19	44	37	32	43	26	29	13			١.	; •
MalesFemales	115 162	4 3	•	6	3	12	14	14	31	13	14	į	3	1		١
Diagnosis reasonably certain. ${M \choose F}$.	60 89	3 2		6	3	22	12	10	16	13	3	3 5	i			
White	276	7	5	15	19	44	37	33	43	28	20	. 19	6	1	ļ	<u>.</u>
MalesPemales	115 161	3	4	6	3	12	14 23	14 18	21 22	12	14	7 3	3	1		١.,
Diagnosis reasonably certain. $\left\{egin{matrix}M\dots\\ F\dots\end{array}\right.$	60 88	3 2	4	6 9	10	22	12	10	16	8	3 8	1		i i		
Colored	1	<u></u>							· · · · · · · · · · · · · · · · · · ·			١. ١				÷
Males	1										. .	,				
Diagnosis reasonably certain. ${M \cdot \choose F \cdot}$	i											·····i			' ::	
Richmond Borough	96	2	2	4	4	12	11	11	15	14		10	1	2	· <u>··</u>	.' .:
MalesFemales	46 50 24 24	2	2	1 3 1	1 8 1	8 9 3	9	3 2	11 4 6	6 8	8 3 1	2 8	1	i		
White	93	2	2 2	3	4	1 11	11	2 11	3	14	2	9	1		٠	· · ·
Wales	45	2		1	<u>-</u>	3	- 11	8	11	- H		· "	:	3		· ··
Females. Diagnosis reasonably certain. ${M \choose F}$	48 24 23	2	2	1 1 2	3 1 2	8 8	9	3 2 2	6 3	6 8 1	3 1 2					· · · · · · · · · · · · · · · · · · ·
Colored	3	 	 	1	ļ	1						1				١.
MalesFemales	1 2			i								1			٠.	
Diagnosis reasonably certain. ${f M}$	i					i-				· · · · · · · · · · · · · · · · · · ·					 .:	1 :
Rochester	261	7	5	8	15	34	31	29	33	40	32	15	7	a	2	ľ
Males	95	5	2	3	4		11	5	12	28	13	- 1	2	l		1
Pemales	166 70 118	2 4 1	3 2 3	5 3 4	11 3 10	26 5 21	20 8 16	24 4 18	21 10 16	15 16 6	19 9 12	10 5 5	3	3	1	
Syracuse	126	1	2	9	6	9	20	14	10	21	12	ø	3	1		
MalesFemales	38 88	1	2	1 8	6	4 5	5 15	7 7	4	, N	4 8	2 7	l	1.		
Diagnosis reasonably certain. ${M \choose F}$	20 64	i	1	1 8	6	3 5	10 2 10	4	15 1 12	13 4 5	3 5	, ,	3 3		·	!
Troy	136	 	5	7	8	13	20	17	19	20	16	,	7		1	'
Males	52		1	1	1	6			4	10	н	2	2	1.		
Females	84 25 59		4	5	7 1 5	7 3 7	12 # 7	1 2 7	15 1 10	10 6 6	7 2 6	1 1	1 2	1		
Utica	82	2	4	4	4		12	14	12	9		3	n	3		
MalesFemales	25 57	1 1	2 2		1	2	3	2	1	5	- 1	2 1	1 1		1	1

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					1	DEATHS 1	PROM CA	NCER (A	LL PORM	8) AT AC	3E OF					ġ g
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 84 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	필드
REGISTRATION CITIES—Contd. NEW YORK—continued.																
Yonkers	65	1	5	2	7	6	11	9	4	6	6	4	4	ļ	ļ	
Males Females Diagnosis reaso ably certain ${M \choose F}$	29 36 9	i	1 4	2	2 5 1	3 3 2	7 2	5 2	1 3	4 2	5 1 1	2 2 1	3 1			
Other cities	20 913	1 12	25	47	5 65	3 81	104	122	120	121	100	64	35	12	5	
Males	298	5	7	10	15	14	39	44	41	39		32	10	4	3	-
Females Diagnosis reasonably certain. {M F	615 169 416	7 4 5	18 5 17	3.7 5 30	50 9 42	67 10 51	65 26 45	78 21 58	79 22 49	82 21 45	35 65 15 34	32 20 16	25 4 17	8 4 5	3 2	
NORTH CAROUNA.		١.	.		١.,	٠.,				٠.				_		
Registration cities	124	3	8	8	14	19	17	2	17	16	2	3	3	1		
Females. Diagnosis reasonably certain. ${f M}$.	90 16 69	<u>2</u>	3 5 2 4	7 1 7	12 1 11	17 11	13 2 10	7 1 6	9 3 6	10 1 7	2	3 3 1	1 1	1 1 1		
White	76	2	3	2	9	6	7	6	16	13	2	5	3	2		<u> </u>
Males	26 50 10 36	1 1 1	2 1 1	<u>2</u>	1 8 7	1 5 2	2 5 1 3	2 4 1 3	7 9 2 6	6 7 1 6	2	2 3 2 1	1 2 1 1	1 1 1 1		
Colored	48	1	5	6	5	13	10	3	1	3		1	ļ <u>.</u>			
Males	8		1	1 5	1	1	2		1			1				
Females Diagnosis reasonably certain. ${\bf M}$	40 6 33	<u>i</u>	1 3	5 1 5	1 4	12 9	8 1 7	33	1	3 1		1 1				
OHIO.	0.104	200	7.0	100	105	200	075	204	007	050	010	١.,,				
Registration cities	2,104 789	39	73	102	165	67	275 105	102	267 126	258 110	90	114	22	29 11	2	
Females	1, 315 393 882	17 13 12	53 10 42	76 17 61	121 24 98	135 31 109	170 63 126	192 56 136	141 63 87	148 50 80	123 33 66	72 17 31	46 10 23	18 6 9	3 i	
White	2, 041	38	70	93	156	190	268	291	260	251	210	113	68	28	5	
MalesFemales	772 1, 269 389 849	22 16 13 13	20 50 10 39	23 70 17 57	42 114 24 92	65 125 29 102	105 163 63 119	102 189 56 133	123 137 63 86	106 145 49 79	88 122 33 65	41 72 16 31	22 46 10 23	11 17 6 9	2 3 1	
Colored	63	1	3	9	9	12	7	3	7	7	3	1		1	ļ	
Males Females	17 46 4	i	3	3 6	2 7	2 10 2 7	7	3	3 4	4 3 1	2 1	1 i		1		
(* • •	33		3	4	6			3	1	1	1					<u> </u>
Akron	20	$-\frac{1}{1}$	1	1	3	10	10	12	9	5	7	2 2				
Females	42		i	i	3	6	6 2	8	5	5	7	<u>.</u>				
•	28		1		3	4	3	6	5	2	4					
Cincinnati	419		18	21	32	34	52	61	51	55	44	25 7	13	4	- 3	<u> </u>
Males	153 266 76 169	5 1 5	5 13 2 9	6 15 4 13	10 22 7 15	9 25 2 22	24 28 14 22	17 44 9 33	20 31 11 15	26 29 10 15	16 28 6 14	18 3 8	5 8 1 2	2 2 2	1 2 1	
White	400	5	17	18	29 .	29	50	61	49	53	44	25	13	4	3	
MalesFemales	150 250 76 159	5	5 12 2 8	5 13 4 11	9 20 7 14	9 20 2 19	24 26 14 20	17 44 9 33	20 29 11 14	25 28 10 15	16 28 6 14	7 18 3 8	5 8 1 2	2 2 2	1 2 1	
Colored	19	1	1	3	3	5	20		2	2			ļ <u>.</u>			
Males	3	1		1	1					1						
Females Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	16	1	1	2	2	5	2 2		2	1						
Cleveland	10 483	12	19	21	38	3 63	57	73	1 60	62	38	17	17	6		
Males	214	6	6	8	16	24	28	26	36	28	19	7	8	2		
Feinales	269 105	6	13	13	22 10	39 13	29 12 20	47 13	24 19	34 13	19	10 2 4	9	4		

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

					1	DEATHS :	PROM CA	NCER (A	LL FORM	(S) AT AC	E OF-					ġ,
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	\$5 to \$9 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at u known age.
REGISTRATION CITIES—Contd.																
Columbus	220	1	4	17	22	17	36	30	36	21	20	7	7	2		
Males Females Diagnosis reasonably certain. { M F	78 142 44 110	1 1	2 2 1 2	3 14 2 13	3 19 2 16	6 11 5 11	15 21 11 20	10 20 6 14	18 18 9 12	9 12 4 6	7 13 3 10	2 5 3	1 6 2	2 1		
White	208	1	4	15	21	14	35	29	35	20	18	7	7	2		
$\begin{array}{c} \textbf{Males.} \\ \textbf{Females.} \\ \textbf{Diagnosis reasonably certain.} \\ \\ \begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix}. \\ \end{array}$	74 134 43 103	1 1	2 2 1 2	2 13 2 12	3 18 2 15	5 9 4 9	15 20 11 19	10 19 6 13	17 18 9 12	9 11 4 6	6 12 3 9	2 5 3	1 6	2 1		
Colored	12			2	1	3	1	1	1	1	2					
Males Females Diagnosis reasonably certain. $\left\{ \stackrel{M}{F} \right\}$	4 8 1 7			1	i 1	1 2 1 2	i i	1 1	1	1	1 1					
Dayton	133		5	5	12	9	15	16	16	19	16	9	9	1	1	
$ \begin{array}{c} \text{Males.} \\ \text{Females} \\ \text{Diagnosis reasonably certain.} \\ \left\{\begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix}\right. \\ \end{array} $	43 90 17 62		1 4 1 4	1 4 2	3 9 1 8	1 8 8	3 12 2 7	6 10 5 8	5 11 3 6	8 11 3 9	9 7 1 4	3 6 1 4	2 7 2	i	1	
Toledo	184	3	2	7	12	21	33	19	20	23	19	18	7			
$egin{array}{c} ext{Males} & $	77 107 40 67	1 2 2	2	7 6	8	10 11 4 10	13 20 9 14	8 11 4 6	10 10 6 6	9 14 7 5	10 3 6	11 7 5 1	2 5 2 3		•••••	
Youngstown	66	3	2	6	5	4	10	10	4	8	8	2	1	3		
Males Females Diagnosis reasonably certain.	24 42 10 27	1 1 1	2 1	2 4 1 3	2 3 1 3	1 3 1 1	2 8 2 4	3 7 1 4	3 1 2 1	4 4 2	3 5 3	2	1 1	2 1 1 1	•••••	
Other cities.	537	13	21	24	41	44	62	73	71	65	61	34	14	13	1	
Males Females	180 357 94 236	7 6 3 4	16 2 13	6 18 4 13	35 3 30	12 32 5 21	16 46 11 36	28 45 17 31	30 41 12 25	26 39 13 22	27 34 14 17	10 24 5 9	10 3 9	10 2 6	1 	
Portland	229	10	13	12	14	20	32	28	27	26	19	14	8	5		1
Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right.$	107 122 63 87	5 5 4 3	6 7 5 3	3 9 2 7	4 10 2 10	8 12 7 10	18 14 12 12	10 18 3 17	8 19 6 12	16 10 6 4	13 6 8 1	9 5 4 3	6 2 3 1	1 4 1 3		1 i
White	222	. 10	13	11	14	19	30	26	27	26	18	14	8	5		1
$\begin{array}{c} \textbf{Males}. \\ \textbf{Females} \\ \textbf{Diagnosis reasonably certain.} \left\{ \begin{matrix} \textbf{M}. \\ \textbf{F}. \end{matrix} \right. \end{array}$	101 121 58 86	5 5 4 3	6 7 5 3	2 9 1 7	10 2 10	7 12 6 10	17 13 11 11	8 18 2 17	8 19 6 12	16 10 6 4	12 6 7 1	9 5 4 3	6 2 3 1	1 4 1 3		i i
Colored 2	7			1		1	2	2			1					
Males Females Diagnosis reasonably certain. ${M \choose F}$	6 1 5 1			1 1		1	1 1 1 1	2 1			1 1				• • • • • • • • • • • • • • • • • • •	
PENNSYLVANIA. Registration cities	2 045	64	127	167	252	٠,,	412	439	389	377	310	218	89	45	10	2
Males	3,245 1,204	33	30	42	70	341 113	154	162	163	176	140	77	28	13		
Females	2,041 610 1,343	31 25 22	97 20 79	125 25 105	182 43 142	228 64 160	258 76 188	277 84 184	226 81 144	201 80 111	170 60 94	141 29 61	61 15 22	32 6 23	10 2 7	2 1
White	3, 104 1, 158	56 31	123	158 39	237 63	104	392	154	383 162	366 174	135	75	85 27	13	$\frac{12}{3}$	2
FemalesDiagnosis reasonably certain. ${f M \cdots \atop F}$	1,138 1,946 592 1,278	25 24 17	94 20 77	119 22 101	174 40 136	204 60 143	243 76 177	270 81 179	221 81 141	192 79 105	167 58 92	138 29 60	58 14 22	30 6 21	9 2 6	2
Colored	141	8	4	9	15	33	20	15	6	11	8	5	4		1	
Males. Females. Diagnosis reasonably certain. $\binom{M}{F}$.	46 95 18 65	2 6 1 5	1 3 2	3 6 3 4	7 8 3 6	9 24 4 17	15 11	8 7 3 5	1 5 3	2 9 1 6	5 3 2 2	3 1	1 3 1	2 2	1 1	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Colored population less than 10 per cent of the total in 1910.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					I	EATHS P	BOM CAR	NCER (AL	L PORMS	B) AT AG	e of—					ġ,
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	85 to 89 years.	40 to . 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at unknown age.
REGISTRATION CITIES—Contd.																
PENNSYLVANIA—continued.									}							
Allentown	59		1	7	1	5	12	5	5	3	5	6	5	3	1	
MalesFemales	13 46		_i -	2 5	i	1 4	8	5	1 4	1 2	3 2	6	1 4	3	i	
Diagnosis reasonably certain. $\left\{egin{matrix} M \\ F \end{array}\right\}$	8 32		ļ	1 4	i	1 4	3 6	4	4	1 2		3	1	2	····i	
Erie	55	 	1	3	5	4	6	11	6	6	5	4	2	1	1	
MalesFemales	22 33		_i	1 2	5	3 1	2	5 6	1 5	1 5	4 1	3	1	i	1	
Diagnosis reasonably certain. ${M \choose F}$	11 21		i	2	4	2	1 3	2 2	1 3	1 2	1 1	3	ļ <u>.</u> .	<u>i</u>		
Harrisburg	57	1	1	6	3	4	6	9	7	6	7	4	1	2		
Males	16	1		2			1	<u>-</u>	2	3	4	1		2		
Females	41 7	i	1 	1	3	4	5	9	5	3 1 2	3 2 2	3		2		
Lancaster	32 55	3	١.	4	3 2	3 6	6	8	9	5	. 4	8	1 1	1	•••••	
Males	23	ļ				1	4	4	3	4	3	3				
Females	32 10	1 2 1		4	2	5	2 2	2	6 3	1 1	1	5	i	1		
(. 20	2		4	2	3	2	1	4		1		1			
Philadelphia	1,541	28	62	74	128	176	204	208	182	177	146	96	36	19	5	
Males Females	591 950 323	16 12 13	15 47 11	19 55 13	42 86 29	59 117 42	75 129 37	84 124	78 104 35	93 84 46	62 84 27	34 62 12	27	15	1 4	
Diagnosis reasonably certain. $\{F_{i}^{M}\}$	631	17	39	42	68	81	91	50 86	63	. 51	52	26	11	11	3	
White	1,455	24	59	67	119	158	191	198	176	170	144	94	33	18	4	
MalesFemales	564 891	15 9	14 45	17 50	36 83 27	54 104	73 118	78 120	77 99	92 78	61 83	34 60 12	8 25	14	3	
Diagnosis reasonably certain. ${M \choose F}$	311 591	13 4	11 37	11 39	27 65	40 71	37 84	47 83	35 60	45 47	26 52	12 26	11	10	1 2	
Colored	. 86	4	3	7	9	18	13	10	6	7	2	2	3	1	1	
Males Females	27	1 3	1 2	2 5	6 3	5 13	2	6 4	1 5	1 6	1	<u>2</u>	1 2	i	i	
Diagnosis reasonably certain. ${M \choose F}$	59 12 40	3	2	2 3	2 3	10		3 3	3	ı i	i	.	ī	i	i	
Pittsburgh	481	12	25	25	37	51	59	79	61	50	43	18	13	5	3	
Males	177	7	10	7	11	10	27	27	27	21	19	5	2	3	1 2	
Females	304 95 194	5 7 4	15 6 13	18 3 15	26 7 23	41 5 29	32 14 24	52 14 32	34 16 20	29 9 15	24 9 9	13 2 2	11 2 5	2	1 1	
White	460	9	5	24	35	44	58	76	61	48	43	18	12	4	3	
Males	173	6	10	7	10	10	27	26	27	20	19	5	2	3	1	
Females	287 93	3 6	15 6	17	25 6	34 5	31 14	50 14	34 16	28 9	24 9	13 2	10 2	1	2 1	
Ç	183	3	13	14	22	25	23	31	20	14	9	2	5	1	1	
Colored	21	$\frac{3}{1}$		1	1	7	1	3		1			1			
Females	17	2		i	i	7	i	2		i			i	1		
Diagnosis reasonably certain. F :	. 11	i		1	1	4	i	i		i				1		
Reading	. 86	1	2	5	9	6	5	12	12	15	6	8	4	1		
Males Females	36	i	2	5	2 7	3 3	3	8	9	9	2	7		·····i		
Diagnosis reasonably certain. $\left\{ {\stackrel{\mathbf{M}}{\mathbf{F}}} \right\}$	33	i	ı	5	5	2	1	6	1	3	3	6	1	i	· · · · · ·	
Scranton	85	2	5	3	6	10	15	10	10	8	8	4	4	<u></u>		!
Males Females	35 50	2	5	2	2 4	5 5	8 7	5 5	4 6	1 7	5 3	2 2	1 3		•••••	
Diagnosis reasonably certain. $\left\{egin{smallmatrix}M \\ F\end{array}\right.$	15	2		i	3	1 4	5 6	2 2	2	3	2 3	1 1	i i			
Williamsport	50	1	1	3	4	6	2	1	3	5	7	6	3			
Males				1		2 4		3		3 2	4	3	. 2			
Females	31	11	1	1 1	4	l	2	. 1	2 1		3	3 2	1			
,	.1 19	' · · · · · · ·	j 1	2	. 2	3	2	6	1	' 1	1	•••••		' .	· • • • • •	• • • • •

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914.—Continued.

		1			at head				L FORM	S) AT AG	E OF-					ġ.
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 24 years.	85 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	69 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	# E
REGISTRATION CITIES—Contd. PENNSYLVANIA—continued.																
Other cities	776	16	29	37	57	73	97	90	94	102	79	64	20	13	3	.2
MalesFemalesDiagnosis reasonably certain. $\left\{ egin{matrix} M & \dots \\ F & \dots \\ \end{array} \right.$ RHODE ISLAND,	272 504 123 327	8 8 3 6	5 24 3 19	8 29 5 26	13 44 6 31	29 44 12 30	31 66 13 51	30 60 14 37	37 57 20 40	40 62 19 32	32 47 14 24	25 39 8 20	10 10 4 2	4 9 2 6	3	
Registration cities	426	9	9	16	25	45	53	60	59	51	41	40	12	5	1	
$\begin{array}{c} \textbf{Males} \\ \textbf{Females}. \\ \textbf{Diagnosis reasonably certain.} \\ \begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix}$	155 271 86 175	2 7 1 6	2 7 2 5	2 14 2 13	9 16 6 15	18 27 11 19	21 32 10 22	23 87 16 27	21 38 7 20	25 26 16 13	16 25 9 15	11 29 4 10	3 9 1 7	1 4 1 3	1	
White	419	8	8	16	24 8	43	52	59	59	51	41	40	12	5	1	<u> </u>
Males Females Diagnosis reasonably certain. \ \ F	153 266 85 173	7 6	2 6 2 5	14 2 13	16. 6 15	18 25 11 18	21 31 10 21	23 36 16 27	21 38 7 20	25 26 16 13	16 25 9 15	11 29 4 10	3 9 1 7	1 4 1 3	1	
Colored	7	1	1		1	2	1	1					<u>'</u>			
Females	5 1 2	1	1			1	1 1	1								
Providence	227 82	7	2	6	14	21	17 5	10	39	28 16	26 11	3	6	2	1	
Females. Diagnosis reasonably certain. ${M \choose F}$.	145 46 94	6 1 5	6 2 4	5 1 5	8 5 8	12 5 8	12 2 9	22 8 18	26 4 12	12 9 6	15 7 8	14 2 2 7	5 3	2 1		
Other cities	199	2	1	10	11	21	36	28	20	23	15	23	6	3		
Males	73 126 40 81	1 1 1	1 1	1 9 1 8	3 8 1 7	6 15 6 11	16 20 8 13	13 15 8 9	8 12 3 8	9 14 7 7	5 10 2 7	15 2 3	1 1	1 2 1 2		
SOUTH CAROLINA. ¹ Charleston ²	35	2	3	2	3	7	6	2	4	1	3	2	l			ļ
Males Females Diagnosis reasonably certain. { M F	10 25 7 19	1 1 1 1	2 1 1 1	2	1 2 2	1 6 1 5	1 5 1 4	1	4	1 1	3	2				
White	23	1	2	1		4	5	2	3	1	2	2	l			<u></u>
$ \begin{array}{c} \textbf{Males}. \\ \textbf{Females}. \\ \textbf{Diagnosis reasonably certain.} \\ \begin{array}{c} \textbf{M}. \\ \textbf{F}. \end{array} $	7 16 6 10	1	1 1 1 1	1 1		4	1 4 1 3	1 1	3	1	2	2				
Colored	12	1	1	1	3	3	1		1		1		<u> </u>	<u>'</u>		<u> </u>
$ \begin{array}{c} \textbf{Males}. \\ \textbf{Females}. \\ \textbf{Diagnosis reasonably certain.} \\ \textbf{F}. \end{array} $	3 9 1 9	1 1	1	1 1	1 2 2	1 2 1 2	i i		1 1		i i		' 			
TENNESSEE.1 Registration cities	289	5	22	26	26	35	38	41	33	24	14	12	8	1	1	3
$\begin{array}{c} \textbf{Males} \\ \textbf{Females}. \\ \textbf{Diagnosis reasonably certain}. \left\{ \begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix} \right. \end{array}$	85 204 37 160	2 3 2 2	6 16 2 15	1 25 20	3 23 22	5 30 1 25	11 27 8 23	17 24 6 15	15 18 5 11	12 12 4 8	4 10 3 7	4 8 2 6	3 5 2 4	1	i	1
White	209	5	9	14	16	20	21	37	30	24	12	11	7	1	<u></u>	
$\begin{array}{ccc} \textbf{Males} \\ \textbf{Females} \\ \textbf{Diagnosis reasonably certain.} {\overset{\textbf{M}}{\textbf{F}}} \end{array}$	72 137 32 102	2 3 2 2	3 6 1 6	14	13 13	3 17 1 12	6 15 5 11	15 22 5 13	15 15 5 10	12 12 4 8	8 3 5	4 7 2 5	3 4 2 3	1		1
Colored	80		13	12	10	15	17	4	3		2	1	1	<u>'</u>	1	
Males	13 67 5 58		3 10 1 9	1 11 9	'	13 13	5 12 3 9	2 2 1 2	3		` 				i 	

 $^{{}^1}$ Nonregistration state; cities shown below only those with effective local ordinances.

 $[\]ensuremath{^2}$ The only registration unit in the state.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

			•			OI this to		NCER (AL	L FORMS	B) AT AG	E OF-		-,,,,,, ,,,			j s
AREA AND BARIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 84 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	years and over.	# E
REGISTRATION CITIES—Contd.																_
TENNESSEE 1—continued.																1
Memphis	114	1	10	7	13	12	13	18	16	7	1	8	5	1		2
MalesFemales	37 77	i	1 9	7	3 10	111	4 9	8 10	8 8	4 3	1	4 4	2 3	1		
Diagnosis reasonably certain $\{ f : C \in \mathbb{R} \}$	10 60		9	4	10	9	3 8	2 5	1 7	2		2 3	1 2	1		····i
White	86	1	2	4	9	6	9	17	16	7	1	8	4	1		1
MalesFemales	34 52	<u>ı</u>		4	3 6	1 5	3 6	7 10	8 8	4 3	1	4 4	2 2	1		
Diagnosis reasonably certain ${M \choose F}$	9 37	1	2	2	6	3	3 6	1 5	1 7	2		2 3		i		
Colored	28		8	3	4	6.	4	1	ļ	ļ <u>-</u>			1			1
Males	3		1 7				1	1								
Females	25 1			3	4	6	3	i					1			1
Nashville	23 98	4	7	7	9	15	12	12	10	12	7	2	3		1	1
Males	30	2	3	1		1	4	4	5	6	3		1		 -	
Females Diagnosis reasonably certain. ${M \choose F}$	68 18	2 2	1 1	6	9	14	8	8 2	5 3	6 3	4 3	2	2		i	
V	、 55	2	1	5	8	12	8	7	2	3	3	1	2		1	
White	68	4	2	2	4	8	4	10	10	12	7	2	3			
Males	22 46 14	2 2 2	1	2	4	8	4	6 2	5 5	6	3 4	2	1 2 1			
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathtt{M} & \ldots \\ \mathtt{F} & \ldots \end{array} \right.$	34	2	i	1	4	6	4	5	3 2	3	3	i	2			
Colored	30		2	5	5	7	8	2							1	
MalesFemales	8 22		2	1 4	5	1 6	4	2				ļ			_i .	
Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	21		1	4	4	6	3 4	2	<u> </u>						····i	
Other cities 2	77	 	8	12	4	8	13	11	7	5	6	2			 .	1
Males. Females.	18		2		4	3	3	5	2	2						1
Diagnosis reasonably certain. ${M \choose F}$.	59 9 45		6 1 5	12		5 1 4	10 2 7	6 2 3	5 1 2	3 1 3	64	2				i
White	55		5	8	3	6	8	10	4	5	1	1				1
Males	16		2			2	3	4	2	2		-				1
Females Diagnosis reasonably certain. ${M \choose F}$.	39 9		3	8	3	1	5 2	6 2	2	3	4	1				····i
•	31]	3	8	3	3	4	3	1	3	2	1		•••••		
Colored	22		3	4	1	1	5	1	3		2	1				·····
Females	20		3	4	1	i	5	ļ	3		2	ı				
Diagnosis reasonably certain. $\left\{ egin{matrix} {\tt M} \\ {\tt F} \end{array} \right.$	14		2	8	1	1	3		i		2	1				
TEXAS. ¹				1												Ì
Registration cities	181	8	13	18	17	24	21	22	19	14	11	7	5	2	·	
MalesFemales	74 107 46	5 3 3	10 1	9 9 5	13 1	10 14 6	7 14 5	13 8	11 8 8 4	7 7 3		6	3 1	1		
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	74	2	8	7	11	11	8	9	4	4	1	4	i	i		
White	170	6	12	17	13	23	20	22	18	14	11	7	5	2		<u> </u>
MalesFemales	70 100	4 2	10	8 9	9	10 13	13	13	10 8	7 7	5 6	1 6	2 3	1		
Diagnosis reasonably certain. ${M \choose F}$	68	2	8	5 7	7	10	5 8	8 9	7	3 4	4	4	1	1		
Colored	11	2	1	1	4	1	1	<u> </u>	1	<u></u>	<u></u>				ļ. <u></u>	ļ
MalesFemales	4 7	1	1	1	4	i	····i		1							
Diagnosis reasonably certain. ${M \choose F}$	2	i			4	i			1							
Galveston	52	5	4	4	4	7	4	5	5	6	4	2	1	1		
Males	28	4	3	2		5	1	2	4	3	3			1		
Females Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	24 17	1 3	1 1	2	4	2 2	3	3 2	1 4	3	1 2	2		i		
F.	17	. 1	1	1	1 3	J 2	3	2	1	. 2	1	1	١	١	١	

 $^{^{\}rm t}$ Nonregistration state; cities shown below only those with effective local ordinances.

² Includes Chattanooga, Jackson, and Knoxville.

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

					I	PEATHS P	ROM CAI	NCER (AI	L FORM	S) AT AG	E OF-					ġ,
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	1 2 6
REGISTRATION CITIES—Contd.																
TEXAS 1—continued.													1		ĺ	İ
Galveston—Continued. White	45	3	3	3	2	7	4	5	4	6	4	2	1	1		.
Males	24	3	2	1		5	1	2	3	3	3			1		
Females	21 15	2	1 1	2	2	2 2	3	3 2	1 3	3	1 2	2	1	i		: ::::
(14	2	1 1	1	1	2	3	2		2	1	1		•••••		
Colored	4	1	1	1	2				1 1							-
MalesFemales	3 2	i	- -	ļ . .	2				<u>.</u>					•••••		
Diagnosis reasonably certain. $\left\{egin{matrix} ext{M} \\ ext{F} \end{array}\right.$	3	i			2				·····••					• • • • • • •		
an Antonio	81	2	4	7	8	11	12	12	11	4	4	2	4			
MalesFemales	29 52	1	4	3	3 5	3 8	4 8	5 7	5 6	2 2	1 3	<u>2</u>	2 2			
Diagnosis reasonably certain. $\binom{M}{F}$	19 36	<u>i</u>	3	2	1 5	3 6	2 4	4	3	2	ı i	2	1			
White	77	2	4	7	6	10	11	12	11	4	4	2	4			
Males		1		3	3	3	4	5	5		1		2			-
Females	48 19	1	4	4 2	3	7 3	7 2	7	6	2 2 2	3	2	2 1			
Diagnosis reasonably certain. {F	33	1	3	4	3	5	4	4	3	1	2	2	1	• • • • • • •		····
Colored	4	ļ <u></u>			2	1	1									<u> </u>
MalesFemales	4				2	i	i						• • • • • • • • • • • • • • • • • • •			
Diagnosis reasonably certain. $\{ {f M} \dots {f G} \}$	3				2	i							•••••			
El Paso 2	48	1	5	7	5	6	5	5	3	4	3	3		1		
Males	17			4	1	2	2	2	2	2	1	1				
Females	31 10	1	5	3	4	1	3 2	3 2	1	2	2 1	2		1		
UTAH.	21		1	2	3	3	1	3	1	1	1	1	••••	1		
Registration cities	93	3	1	5	8	13	13	13	12	8	10	3	4			ļ
MalesFemales	45 48	3	····i	1 4	2 6	6 7	5 8	6	7 5	6 2	6	1 2	2 2		ļ	
Diagnosis reasonably certain. $\begin{Bmatrix} \mathbf{M} \\ \mathbf{F} \end{Bmatrix}$	29 32	3	i	1 3	2 4	3	4 5	4 5	3	4	4 3	i	1 2			
White	88	3	1	5	8	9	13	12	12	8	10	3	4			
Males	42	3		1	2	3	5	6		6	6	1	2			-
Females Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array} \right\}$	46 28	3	1	1	6 2	6 2	8	6	7 5 3	2 4	4	2	2 1		· · · · · ·	
Colored	32 5		1	3	4	4	5	5	3	1	3	1	2		¦	· · · ·
Males	3					3										
Females	2					1		1								
Diagnosis reasonably certain. $\left\{egin{matrix}\mathbf{M}\\\mathbf{F}\end{array}\right.$						<u>.</u>				<u></u>					<u> </u>	
Salt Lake City	71	2	1	4	6	11	11	11	7	6	9	1	2		·	<u>: </u>
MalesFemales	32 39	2	·····i	1 3	1 5	5 6	4 7	4 7	5 2	4 2	5 4	i	1		<u> </u>	
Diagnosis reasonably certain. ${M \choose F}$	21 27	2	<u>.</u>	1 2	1 4	3	3 5	3 5	2 2 1	2	4 3		i			
Ogden ^s	22	1		1	2	2	2	2	5	2	1	2	2			<u>. </u>
MalesFemales	13 9	1		····i	1	1 1	1 1	2	2 3	2	1	1 1	1			
Diagnosis reasonably certain. ${M \choose F}$	8 5	1		i	i	<u>.</u>	i	i	1 2	2		i	i			
VERMONT.				•			•••••		•			•	•			
Registration cities	73	3	3	3	5	2	6	12	8	7	10	9	3	2	<u> </u>	:
MalesFemales	29 44	2	1 2	3	2 3	1	3	9	1 7	2 5	4 6	3 6	1 2	2		.
Diagnosis reasonably certain. $\binom{M}{F}$	19 25	ı î	1 2	2	2 2	i	1 3	5 1	i 2	2	3 4	1	1	<u>i</u>		: ::::
White	72	3	3	3	5	2	6	12	8	7	9	9	3	2	!	· ····
Males	28 44	2	1 2	3	2 3	1	3 3	9 3	1 7	2 5	3 6	3 6	1 2	2	1	
Diagnosis reasonably certain. ${M \choose F}$		1	1 2	3	2	1 1	1 3	5 1	1 2	2	2 4	1 1	1			-
Nonregistration state; cities sho	, 20	••		, 2	. 4	, 1	, 3	, 4	, 2	, ,	, *				,	.,

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					1	DEATHS I	PROM CA	NCER (A	LL FORM	8) AT AC	E OF-					ege.
AREA AND BASIS OF DIAGNOSIS.	ll ages.	Under 25- years.	84	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	aths s
REGISTRATION CITIES—Contd. VERMONT—continued.			-													
Registration cities—Continued. Colored	1										1				<u></u>	
$ \begin{array}{c} \textbf{Males.} \\ \textbf{Females} \\ \textbf{Diagnosis reasonably certain.} \\ \begin{array}{c} \textbf{M} \\ \textbf{F} \\ \end{array} $	1 1										1					
VIRGINIA. Registration cities	304	5	12	17	33	31	51	42	44	24	27	6	5	6	1	
Males	101 203 62 143	3 2 3	2 10 2 7	6 11 3 8	8 25 7 21	5 26 3 16	17 34 14 27	15 27 7 21	16 28 10 17	6 18 3 13	15 12 5 9	1 5 2	2 3 1 1	5 1 4	1 1	
White	216	4	5	6	16	20	35	29	33	'24	26	6	5	6	1	ļ
$ \begin{array}{ccc} \text{Males} & & & \\ \text{Females} & & & \\ \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} \text{M} & \cdot \\ \text{F} & \cdot \end{matrix} \right. \end{array} $	86 130 53 90	2 2 2	2 3 2 2	2 4 1 3	8 8 7 6	5 15 3 9	14 21 11 17	11 18 6 14	14 19 9 13	6 18 3 13	14 12 4 9	1 5 2	3 1 1	5 1 4	1 1	
Colored	88	1	7	11	17	11	16	13	11	<u></u>	1					
Males	15 73 9 53	1	7 5	4 7 2 5	17 15	11 7	3 13 3 10	4 9 1 7	2 9 1 4		1					
Richmond	127		5	8	18	12	22	16	20	9	10	2	3	2 2		
Females Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right.$	48 79 31 55		5 3	4 4 1 3	6 12 5 11	3 9 2 3	9 13 6 12	6 10 5 6	8 12 5 8	2 7 1 5	7 3 3 3	2 1	1 2 1	2		
White	89 40		2	3 2	9	3		12	13 7	9	9	2	3	2		
Females	49 27 37		1	1 1 1	3 5 3	5 2 1	10 4 10	8 4 6	6 5 6	2 7 1 5	3 2 3	1	1 1	2		
Colored	38 8		3	5 2	9	4	<u>5</u>		7		1					
Females. Diagnosis reasonably certain. M	30 4 18	5	3 2	3 2 9	9 8 15	4 2 19	3 2 2 29	2 1 26	6 2 24	15	1		2	4	1	
MalesFemales	53 124	3	2	2 7	2	2	8	9	8	4	17	1	1	3		
Diagnosis reasonably certain. $\left\{ egin{align*}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	31 88 127	3	5 2 4	5	13 2 10	17 1 13	21 8 15	17 2 15	16 5 9	11 2 8	9 2 6	3 1 4	1 1 2	1 2 4	1 1 1	
MalesFemalesDlagnosis reasonably certain. {M	46 81 26	2 2 2	2 1 2	3	2 5 2	2 10 1 8	7 11 7	7 10 2	7 13 4 7	4 11 2 8	8 9 2	1 3	1 1	3 1 2	1	
Colored	53 50	1	4	6	3 8	8 7	7 11	9	4	8	6	1	1			
Males Females Diagnosis reasonably certain. {M	7 43 5 35	1 1	4	2 4 2 3	8	7	1 10 1 8	2 7	1 3 1 2							
WASHINGTON. Registration cities	499	9	17	27	, 						••			3		
MalesFemales	251 248 148	6 3 3	17 10 7	14 13 11	10 19 5	14 34 9	32 32 19	72 31 41 21	39 28 22	40 22 24	30 19 12	16 15 8	9 11 6	3	i	
Diagnosis reasonably certain. $\{F, \dots\}$	183	3 9	8	12 27	16 28	28	26	31 72	23 67	14	12 12 49	6	4	3	;	
White	249 248 147	6 3 3	7 10 7	14 13 11	9 19 5	14 34 9	32 32 39 19	31 41 21	39 28 22 23	40 22 24	30 19 12	16 15 8	8 11 5	3 1	1 i	
Colored	147	3	8	12	16	28	26	31		14	12	6	1		 .	
MalesFemales	2				1								1			

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

	1 1															
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	years and over.	Deaths at
REGISTRATION CITIES—Continued.																_
WASHINGTON—continued.						١ ،										
Seattle	221	6	4	13	11	18	27	39	31	26	21	11	10	3	1	
MalesFemales	115 106	3 3	4	8 5	4 7	6 12	14 13	18 21	19 12	16 10	15 6	4 7	5 5	3	i	:::
Diagnosis reasonably certain. ${M \choose F}$	74 78	3	2	6 5	3 6	6 11	9 11	11 18	13 10	10 ∙5	7 3	2 2	4 2	1		:::
Spokane	102	2	3	4	5	8	21	13	15	12	6	9	4			
Males Females	43 59	2	3	1 3	2 3	2 6	6 15	7 6	7 8	9	2	4 5	1 3			
Diagnosis reasonably certain. $\{^{M}_{\mathbf{F}}$	24 49		3	1 3	1 3	1 6	4 13	6 5	3 7	5 3	1 3	2 2	ii			
Pacoma	84	1	5	2	9	10	6	8	9	14	12	5	3			
MalesFemales	45	1	5	2	3 6	2 8	5	1 7	5	7 7	8 4	5	1 2			
Diagnosis reasonably certain. ${M \choose F}$	39 23 23	i	5	2	1 4	5	1 2	4	3 2	4 5	. 2	3				
Other cities	92		5	8	4	12	10	12	12	10	10	6	3			
Males	48		2 3	3	1	4	7 3	5	8	8 2	5	3	2			
Females	44 27 33		2	5 2	3	8 2	5	7	3	5	5 2	3	1		:	
WEST VIRGINIA.1	33		3	4	3	6	1	•	4	1	5	2		••••••	ļ	
Wheeling *	46	1	2	2	5	4	7	5	6	7	4	3				ļ
Males	14	1			1	1	1	2	2	2	2	2				
Females	32 9 23	i	2 2	2 2	4 1 3	3 1 3	6 1 5	3 1 3	1 1	5 1 2	2 1 2	1				
White	45	1	2	2	5	4	6	5	6	7	4	3				
Males	14	1			1	1	1	2	2	2	2					
Females	31 9	i	2	2	1	3 1	5 1	3 1	4	5 1	2	1 1				
Colored ³	22		2	2	3	3	4	3	1	2	2					
Males	1						1									
Females. Diagnosis reasonably certain. ${M \choose F}$.	1						1									
	1						1									
WISCONSIN. Registration cities										105	40			10		
Males	712 315	14		13	32	58 21	81 29	116	91 50	105	32	53	13	16	3	
Females	397 151	6 5	15 2	14 9	23 5	37 13	52 15	66 25	41 25 21	59 17	36 14	25 13	15	6 5	2	
(* • •	244	6	13	ıĭ	21	33	35	39	21	29	16	10	2 7	2	ī	
White	710	14	20	26	32	58	81	116	91	105	68	53	27	16	3	
MalesFemales	315 395	8	5 15	13 13	9 23	21 37	29 52	50 66 25	50 41	46 59	32 36	28 25	13 14 2	10 6	1 2 1	
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathtt{M} & \ldots \\ \mathtt{F} & \ldots \end{array} \right.$	151 243	5 6	13	11	5 21	13 33	15 35	39	25 21	17 29	14 16	13 10	6	5 2	ì	
Colored	2			1					·····				1			
MalesFemales	2			i									_i -		ļ <u>.</u>	ļ
Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} & \dots \\ \mathbf{F} & \dots \end{array} \right\}$	i	·		l									····i			
Milwankee	291	7	6	13	14	25	30	46	42	36	35	20	9	7	1	
MalesFemales	133 158	4 3	1 5 1	7 6	4 10	9 16	13 17	21 25	21 21	18 18	14 21	12 8	5	4 3	····i	
Diagnosis reasonably certain. ${M \cdot r \choose F}$	55 96	4 3	1 5	5	3 9	3 13	3 11	25 9 13	8 11	6	5 9	6 3	3	2	····i·	
Other cities	421	i 7	14	14	18	33	51	70	49	69	33	33	19	Я	2	
Males		4	4	6	.5	12	16	29	29	28	18	16	.8	6	1	į
Females	239 96 148	3 1 3	10 1 8	8 4 7	13 2 12	21 10 20	35 12 24	41 16 26	20 17 10	41 11 18	15 9 7	17 7 7	11 2 4	3 3 2	1	١٠٠٠

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

				See note		EATHS J			L FORMS	B) AT AG	E 0 F —		:-			ġ.
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	84	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at uknown age.
RURAL PART OF REGISTRATION STATES.																
California.													'			
Total	947	12	23	36	61	59	87	111	134	123	133	87	51	22	7	1
Males	496 451 267 320	6 6 4 4	15 8 13 7	11 25 5 24	17 44 11 37	20 39 17 29	43 44 23 32	58 53 29 47	71 63 44 46	66 57 32 34	85 48 38 27	52 35 22 17	35 16 19 8	13 9 8 7	4 3 2 1	i
White	929	12	22	36	60	58	· 84	_10 9	131	120	130	· 87	51	22	6	1
Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \mathbf{F} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} & \mathbf{F} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} & \mathbf{K} & \mathbf{K}$	483 446 259 317	6 6 4 4	14 8 12 7	11 25 5 24	17 43 11 36	19 39 16 29	40 44 21 32	56 53 28 47	69 62 44 46	65 55 31 32	83 47 36 27	52 35 22 17	35 16 19 8	13 9 8 7	3 3 2 1	i
Colored	18		1		1	1	3	2	3	3	3	 			1	
Males. Females. Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \mathbf{F} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} & \mathbf{F} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} & \mathbf{K} \\ \mathbf{F} & $	13 5 8 3		1 1		i i	1	3	2 1	2 1	1 2 1 2	1 2				1	
Los Angeles County	161	1	3	1	19	4	14	20	16	21	26	22	9	4	1	
$ \begin{array}{c} \textbf{Males.} \\ \textbf{Females.} \\ \textbf{Diagnosis reasonably certain.} \\ \left\{\begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix}\right. \\ \end{array} $	69 92 32 60	i 1	3	i 1	17 2 15	1 3 1	10 2 6	8 12 4 11	10 6 5 5	7 14 2 6	14 12 6 7	11 11 4 6	7 2 4	2 2 2	1	
Santa Clara County	78		2	1	5	4	8	12	11	13	9	6	5	1	1	
$ \begin{array}{c} \textbf{Males.} \\ \textbf{Females.} \\ \textbf{Diagnosis reasonably certain.} \\ \left\{\begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix}\right. \\ \end{array} $	39 39 19 26		1 1 1	1	3 2 2 2	4	4 4 2 3	5 7 1 6	6 5 4 5	8 5 5 3	3 6	5 1 2	3 2 2 1	1 1	1 1	
Sonoma County	63	2	1	7	7	4	7	5	5	5	10	6	4	<u> </u>		<u> </u>
MalesFemalesDiagnosis reasonably certain.	29 34 12 24	2	i	1 6 1 6	2 5	2 2 2 2	3 4 1 2	33	1 4 2	1 1 1	6 4 3 2	2 4 1 2	1 1			
Other rural districts	645	9	17	27	30	47	59	74	102	84	88	53	33	17	5	1
$ \begin{array}{c} \textbf{Males} \\ \textbf{Females} \\ \textbf{Diagnosis reasonably certain.} \\ \begin{cases} \textbf{M} \\ \textbf{F} \\ \end{cases} \\ \\ \textbf{COLORADO.} \end{array} $	359 286 204 210	4 5 2 3	11 6 10 6	9 18 4 17	10 20 7 16	17 30 14 24	32 26 18 21	43 31 24 27	54 48 85 34	47 37 24 24	62 26 29 18	34 19 15 9	21 12 12 7	11 6 8 4	1 2	i.
Total	237	,	5	10	23	26	30	32	25	24	28	22	,	2		1
MalesFemalesDiagnosis reasonably certain. $\left\{egin{matrix}M.&F.\end{array}\right.$	100	1	3 2 1	2 8 2	10 13 3 10	7 19 6 15	10 20 6 14	16 16 11 10	18 7 5 4	12 12 7 7	18 10 10 4	7 15 2 4	6 3 2 1	1 1 1 1		
White	236	1	5	10	23	26	30	32	25	23	28	22	9	2	ļ	ļ
Males Females Diagnosis reasonably certain. $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	109 127 57- 77	1 1	2 3 2 1	2	10 13 3 10	7 19 6 15	10 20 6 14	16 16 11 10	18 7 5 4	12 11 7 6	18 10 10 4	7 15 2 4	6 3 2 1	1 1 1 1		
Colored	1	<u> </u>			ļ	<u> </u>	<u> </u>	<u></u>		1						<u> </u>
MalesFemales	i	ľ		·					ļ	····i						
Diagnosis reasonably certain. $\left\{egin{matrix}\mathbf{M}\\\mathbf{F}\end{array}\right.$	i ' ' ' ' ' i									i						
CONNECTICUT.	. 323	1	4	7	13	21	28	47	36	46	51	40	16	5	5	3
Males. Females. Diagnosis reasonably certain. { F.	200 63 122	1	4	3 4	3 10 2 7	7 14 5 10	13	15 32 8 21	13 23 5 14	19 27 9 12	9 10	14 26 8 20	7 9 1 7	1 3 1	1 1 2	3 1
White	323	1	-		13	21	28	47	36	46	51	40	16	5	5	- 3
Females Diagnosis reasonably certain. $\left\{ egin{align*}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	123 200 63 122	1	4	. 4 3 4	3 10 2 7	7 14 5 10	8 20 4 13	15 32 8 21	13 23 5 14	19 27 9 12	10	14 26 8 20	7 9 1 7	1 3 1	1 1 2	3
Hartford County	. 76		. 2	-!	5	·	4	'	8	8	-'	11	· <u></u>	:		:
$\begin{array}{c} \textbf{Males}\\ \textbf{Females}.\\ \textbf{Diagnosis reasonably certain.} \left\{\begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix}\right. \end{array}$. 49		2	. 2	5 8	2 1 1 1	3	3 10 3 8	1 2	1/7 1	. 8	3 8 2 7	. 3	1		

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

	<u> </u>		- 	рее поле			ble, p. 4									
				1	D	EATHS F	BOM CAN	TCER (AI	L PORM	AT AG	E OF—			,		at un-
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	years and over.	aths a
RURAL PART OF REGISTRATION STATES—Continued.																
CONNECTICUT—continued.			ļ											İ		
Other rural districts	247	1	2	5	8	18	24	34	28	38	37	29	11	4	5	<u> </u>
MalesFemales	96 151	1	2	3 2 3	3 5	5 13	5 19	12 22	9 19	18 20	18 19	11 18	5 6	3 1	1 4	
Diagnosis reasonably certain. ${M \choose F}$	47 91	1	2	3 2	2	9	13	13	12	11	7 6	13	4	2	2	····
Indiana. Total	1, 434	16	36	40	78	106	117	181	172	209	209	142	87	33	7	
<u>Males</u>	578	7	12	7		26	43	64	68	97	105	60	44	18	3	-
Females	856 303	9	24	33 5	23 55 13	80 15	74 24	117 35	104 31	112 50	104 43	82 34	43 27	15 11	4 3	
\- • •	517	9	22	29	47	63	51	83	63	44	37	39	19	7	4	
White	1,423	16	35	39	78	103	115	181	171	209	207	142	87	33	6	
MalesFemales	574 849 301	9 4	11 24	7 32 5	23 55 13	25 78 15	42 73 24	64 117 35	68 103 31	97 112 50	104 103 42	60 82 34	44 43 27	18 15 11	3	
Diagnosis reasonably certain. $\left\{ {\stackrel{\mathbf{M}}{\mathbf{F}}} \right\}$	511	9	22	28	47	61	50	83	62	44	37	39	19	17	3	ļ
Colored	. 11	<u> </u>	1	1		3	2		1		2				1	
MalesFemales	4 7		1	i		1 2	1 1		·····i		1		-		i	
Diagnosis reasonably certain. ${M \choose F}$	6		1	i		2	····i		·····i		1				····i	
Kansas.	010	١.,	١.,						,,,			l <u>.</u> .		٠.,	١.	
Total	813	18	12	9	30	19	78	38	121	131	123 78	74	50	13	3 2	-
MalesFemales	420 195	10 6	5 7 3	13	11 19 4	30	54 17	51 21	56 65 23 34	74 57 32	45 35	40 34 19	22 28 15	6 5	1 2	
Diagnosis reasonably certain. $\left\{egin{align*}{c} \mathbf{H} \\ \mathbf{F} \end{array}\right\}$	248	6	5	11	16	18	ai ai	34	34	25	17	21	16	8	i	
White	801	18	9	21	30	49	78	88	120	130	121	72	49	13	3	-
MalesFemales	388 413	10	5	8 13	11 19	19 30	24 54	87 51	56 64	73 57	77 44	40 32	22 27	7 6	1	ļ
Diagnosis reasonably certain. $\binom{M}{F}$	193 242	6	3 3	5 11	16	18	17 41	20 34	64 23 33	32 25	34 17	19 19	15 15	5 3	2	
Colored	. 12		. 3	1	ļ			1	1	1	2	2	1			
MalesFemales	5 7		1 2	1				1	i	1	1	2	i			
Diagnosis reasonably certain. $\left\{rac{M}{F} ight.$	2 6		2					1	<u>i</u> .		ī	2	<u>i</u> .			
RENTUCKY.	1											-				į
Total	753	24	30	32	47	50	65	78	104	110	83	54	44	13	3	
MalesFemales	. 279 . 474	10	26 3	28	11 36	12 38	20 45	24 54 10	38 66 10	51 59 23	39 22	23 31 8	22 22 12	9 4 5	1 2 1	10
Diagnosis reasonably certain. $\left\{ \stackrel{\mathbf{M}}{\mathbf{F}} \right\}$	123 294	6 5	17	19	26 26	5 28	27	40	35	34	21	14	17	3	2	
White	. 668	20	22	28	39	45	54	69	90	104	77	47	42	13	3	1.
MalesFemales	260 408	8 12	18	24	10 29	12 33	16 38	22 47	36 54 10	48 56	42 35	21 26	21 21 12	9	1 2	1 1
Diagnosis reasonably certain. $\left\{ egin{aligned} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	119 249	5	3 9	1 15	19	5 25	22	10 36	10 28	23 31	21 20	8 12	12 16	3	1 2	
Colored	. 85	4	8	4	8	5	11	. 9	14	6	6	7	2	 	ļ	
MalesFemales	19 66	2 2	8	4	1 7	5	4 7	2 7	2 12	3 3	2 4	2 5	1 1			
Diagnosis reasonably certain. $\binom{M}{F}$	4 45	ī	8	4	······ '	3	2 5	4	7	3	i	2	i			
MAINE.				•									-	l		
Total	609	6	6	20	23	43	46	57	78	98	86	74	45	20	6	
MalesFemales	228 381	2 4	6	16	20	36	10 36	18 39	34 44 15	40 58	38 48	37 37	23 22 10	11 9	5	1
Diagnosis reasonably certain. $\{ \stackrel{M}{F} : :$	96 212	2	5	12	18	21	25	22 22	15 28	16 28	12 21	13 11	10 11	9 5	3	
White	607	6	6	20	23	43	46	57	78	97	85	74	45	20	6	
Males	227	2	1	4	3	7	10	18	34	39	20	37	23	11	1	í
Females		4	6	16	20	36	36 6 25	39	44 15 28	58 16	38 47	37	23 22 10	9 9 5	5	

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					I	DEATHS I	BOM CAI	NCER (AI	LL FORMS	B) AT AG	E OF-					ġ
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	126
RURAL PART OF REGISTRATION STATES—Continued.																
MAINE—continued.						}										l
Total—Continued. Colored	. 2							 	 	1	1		ļ	ļ		.
Males	1									1	i					
Females Diagnosis reasonably certain. $\binom{M}{F}$.																
Cumberland County	60		1		2	3	3	5	12	12	8	10	3	1		-
Males							2	3	4	9	3	4				
Females	25 35 11		1		2	3	1	2	8	3 5	5	6 2	3	1		
Diagnosis reasonably certain. $\left\{ F \right\}$. 20		1		2	2	1	1	5		3	2	2	1		
Kennebec County 1	. 55		1	1	3	2	1	8	10	6	10	10	4	4	<u></u>	<u> </u>
MalesFemales	29 26 17		i	i	8	1	i	8	5 5	3 3	6	6	4	4		<u> </u>
Diagnosis reasonably certain. ${M \choose F}$	17		····i	i	3	1	i	····· <u>2</u>	3 3	1	2	5 1	1	4		<u> </u>
Penobscot County	. 54		2	2		2	8	4	6	9	7	7	8	3	1	ļ
Males	17						1	1	3	2	1	7		3		
Females	37		2	2		2	7	3	3	7 2	6		3	1 2	1	,
(. 23		1	1	······	1	6	1	2	4	4		2	1	·····	
Washington County	54	1		8	2	7	5	4	1	12	6	4	5			
MalesFemales	19 35	····i	-	3	2	3 4	2	2 2	i	8	2	2 2	3	2		
Diagnosis reasonably certain. ${M \choose F}$	23	····i		2	2	1 2	3	i	i	1 6	1 2	i	2	1	• • • • • •	
York County	60		 	2	3	4	6	7	6	10	11	8	3			. . .
Males	21 39			1		1	1	2	3	3	4	8	3			
Females	. 10			1	3	3	5	5 1	3 1	7	7 2	5	····i			
(22			1	3	1	3	4	2	3	4	1				
Other rural districts	326	- 5 2	2	12	13	25	23	34 10	19	19	44	85	27	8	- 5	-
MalesFemales	209	3	2	9	10	23	19 3	24	24 9	30 4	22 22 6	15 20 5	14 13	3 5 2	1 4	
Diagnosis reasonably certain. $\begin{Bmatrix} M \\ F \end{Bmatrix}$	110	····i	3	7	8	15	11	13	15	14	7	6	6 6	2	. 3	
MARYLAND. Total	439	9	5	18	23	28	50	54	56	62	60	39	24	5		
Males	160	3	1	4	5	5	11			26	27	19	6	4	3	├
Females	279	6 2	1	14	18	23	39	18 36 10	28 28 13	36 9	33 11	20	18 2	1 3	2 3	
Diagnosis reasonably certain. $\left\{ F \right\}$	186	1	3	10	16	15	30	29	12	25	21	10	9	ĭ	ĭ	
White	380	8	2	13	19	24	36	51	50	54	53	37	24	4	4	
MalcsFemales	146 234	3 5	<u>.</u>	4 9	5 14	5 19	10 26	16 35	25 25	22 32 7	25 28	18 19	6 18	4	3 1	
Diagnosis reasonably certain. $\left\{ \frac{M}{F} \right\}$	72 154	2	i	3 7	3 12	3 12	6 20	9 28	25 12 11	7 22	11 18	8	2 9	3	3	
Colored	. 59	1	3	5	4	4	14	3	6	8	7	2		1	1	
Males	. 14		1				1	2	3	4	2	1				
Females. Diagnosis reasonably certain. $\left\{ \frac{M}{F} \right\}$	45	1	2 1	5	4	4	13	1	3 1	4 2	5	1		1	1	
\-	32		2	3	4	3	10	1	1	3	3	I		1		
Baltimore County	111	2	1	6	7	8	11	20	16	15	10	9	5		1	
MalesFemales	38	2	·····i	5	6	7	3 8	8 12	9 7	11	5 5	5	1 4			
Diagnosis reasonably certain. ${M \choose F}$	22 53	2		1 4	6	1 2	7	6 11	6	9	3	3 3	2		1	
White	104	2	1	4	6	8	9	19	16	14	10	9	5		1	ļ
Males	37			1 2	1 5	1 7	3	7 12	9 7	4	5	4	1		1	
Females	67 22 47	2 2	i	3 1 2	5	1 2	6 1 5	6	7 6	10 1	5 1	3	4		i	
Colored	7	2		2 2	5	"	5 2	11	4	8	3	3	2		•••••	
Males		¦			ļ <u>-</u>		<u>z</u>	1		1						
$egin{array}{c} \mathbf{Males} & \\ \mathbf{Females} & \\ \mathbf{Diagnosis} \ \mathbf{reasonably} \ \mathbf{certain.} \left\{ egin{array}{c} \mathbf{M} & \\ \mathbf{F} & \\ \end{array} \right.$. 6	:		2	i		2	ļ <u>.</u> .		1						
Diamenta managable contain Man				2		1		ĺ		·····i	· · · · · · · ·	1				

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

		1	·	D00 D010	at nead	or this to	able, p. 4	4.]								
						DEATHS	FROM CA	NCER (A	LL FORM	S) AT AC	e op—					at un-
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	years and over.	I F
RURAL PART OF REGISTRATION STATES—Continued.																
MARYLAND—continued.							1			}		ŧ				
Other rural districts	328	7	4	12	16	20	39	34	40	47	50	30	19	5	4	
MalasFemales	122 206	3 4	1 3	3 9	4 12	4 16	8 31	10 24	19 21	22 25 8	22 28	15 15	5 14	4	2 2	····
Diagnosis reasonably certain. $\{M, F\}$	55 133	2 2	1 3	2 6	10	13	5 23	18	8	8 16	10 18	5 7	2 7	3	2 1	
White	276	6	1	9	13	16	27	32	34	40	43	28	19	4	3]:
Males Females	109 167	3 3	i	3 6	4 9	12	7 20	9 23	16 18	18 22 6	20 23	14 14	5 14	4	2	
Diagnosis reasonably certain. $\binom{M}{F}$	50 107	2 2	····i	2 5	7	2 10	5 15	3 17	6 7	6 14	10 15	5 6	7	3	2 1	
Colored	52	1	3	3	3	4	12	· 2	6	7	7	2		1	1	
MalesFemales	13 39	1	1 2	3	3	4	111	1	3 3	4 3	2 5	1		₁	i	
Diagnosis reasonably certain, ${M \choose F}$	5 26	····	1 2	i	3	3	8	î	Ĭ	2 2	3	·····i		i	<u>.</u>	
MASSACHUSETTS.	000	,	١.,	٠.												
Total	868	7	11 4	18	51	62	34	103 32	89 44	124	108	86 36	65 25	28 8	17 7	
Females	550 148	3 4	7	11 5	42	48 12	65 16	71 12	45 23	77	61 18	50 11	40 11	20 5	10	
Diagnosis reasonably certain. $\left\{ f H_{F} \right\}$	331	1	6	8	34	37	44	45	25	45	23	24	21	9	9	
White	864 316	7	10	18	50	62	99	101	89	124	108	86	65	28	17	
Females	548 147	4 3 4	3 7 3	7 11 5	8 42 2	14 48 12	34 65 16	32 69 12	44 45	47 77 25	47 61 18	36 50 11	25 40 11	8 20 5	7 10	
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	329	i	6	8	34	37	44	43	23 25	45	23	24	21	ğ	9	
Colored	4		1		1			2								
MalesFemales	2 2		1		1			2							• • • • • •	
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	1 2		1					·····2							· · · · · ·	
Bristol County	56		1	1	3	3	6	7	7	11	9	6		1	1	
MalesFemales	21 35		i	i	3	1 2	3	2 5	4 3	5 6	5 4	1 5		i	····i	
Diagnosis reasonably certain. $\binom{M}{F}$	11 20		····i	1	3	1 2	2 2	2	3 2	3 3	2	i		i	i	
Essex County	105	1		3	8	6	10	6	12	17	15	11	9	4	3	
MalesFemales	41 64	·····i		3	1 7	1 5	4 6	2	9	5 12	6	7 4	3 6	1 3	2 1	
Diagnosis reasonably certain, ${M \choose F}$	10 35			2	6	3	4	1 3	5 2	1 5	1	1	1 2	2	i	
Middlesex County	173	1	2	3	10	17	21	25	18	24	21	12	14	3	2	ļ
MalesFemales	68 105	1	2	1 2	3 7	4 13	10 11	11 14	10	10 14	6 15	3 9	6 8	1 2	2	
Diagnosis reasonably certain. ${M \choose F}$	32 68	1	2	2	2 5	10	4 9	3 9	3	6 9	3 8	1 4	2 6	1 1	<u>.</u>	
Norfolk County	99	1	2	2	4	15	11	10	9	14	14	7	9	1		
MalesFemales	35 64	i	2	1 1	1 3	3 12	4 7	1 9	6 3	5 9	10	2 5	2 7		••••	
Diagnosis reasonably certain. ${M \choose F}$	18 32	i	<u>2</u>	1 1	3	3 8	3 2	1 5	5	3 4	1 1 2	i I	3	1	• • • • • • • • • • • • • • • • • • • •	
Plymouth County	99	ļ <u>.</u>	1	3	8	3	9	10	9	12	11	14	11	3	5	
Males	44		1	3		2	3	5	4 5	8	4	6	5	1		
Females	55 20 37		1	2	8 7	1 2 1	6 1 6	5 1 3	5 3 3	4 3 4	7 2 2	8 1 4	6 4 3	2 i	3 3	
Worcester County	1	3	3	2	!		1		!	1	!		l .	6	2	
Males	53			1	3		3	4	7	8	12	9	1	1		
Females Diagnosis reasonably certain ${M \choose F}$	25	1 2		1		¦ 	1 1	2	3	6	6	4	'	5	• • • • • • • • • • • • • • • • • • •	
Other rural districts	1	1			1	ĺ]	_	· -	19	10	4	
Males	56			1		<u>'</u>			4				<u>'</u>	4	-	<u></u>
Females	142	i	1	3 1	9	11 2	20	22 4	. 13	18	16	9	11	6	3	
Diagnosis reasonably certain. $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$			2	3												

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					at nead			NCER (A	LL FORM	S) AT AC	BE OF-	•				ġ,
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 50 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at the known age.
RURAL PART OF REGISTRATION STATES—Continued.																
MICHIGAN. Total	1,398	19	38	25	68	94	140	172	198	203	199	136	74	20	9	3
MalesFemales	602 796 287	11 8 4	12 26 10	5 20 1	21 47 13	29 65 19	57 83 24	63 109	81 117 39	101 99 40	101 98 45	62 74 21	38 36 22 24	14 6 11	3 6 3	2
Diagnosis reasonably certain. $\{F : F : F : F : F : F : F : F : F : F :$	488	6	19	18 25	39	47	57	35 76	70	42	40	40	1	5	5	
White	1,391	18	12	5	67	93	140 57	63	197 81	201	199	136	74 38	20	3	3
Females	792 286 486	8 4 6	26 10 19	20 1 18	46 13 38	65 18 47	83 24 57	108 35 75	116 39 70	98 40 42	98 45 40	74 21 40	36 22 24	6 11 5	6 3 5	2
Colored	7	1			1	1		1	1	2					•••••	
MalesFemales	3 4	1			····i	1		1	1	1 1						
Diagnosis reasonably certain. $\left\{egin{smallmatrix} \mathrm{M} \ldots \\ \mathrm{F} \ldots \end{array} ight.$	1 2				1	1		i							•••••	
Berrien County	58	1			4	5	3	4	13	14	7	6	1		•••••	
MalesFernales	22 36 10	i			1 3	2 3 2	1 2 1	1 3	6 7 3	3 11 1	3 4 1	3 3 1	1		•••••	
Diagnosis reasonably certain. $\{ \mathbf{F} : \mathbf{F} : \mathbf{F} \}$	20	ļ			3	2 2	3	1	3	3	4	2		•	•••••	
Kent County	50 26	1	1	2	1			7	3	10 7	3	7	4	1		
Females Diagnosis reasonably certain. ${M \choose F}$	24 18 17	1	i	2	1	2	3 2	5 2 4	1 8 1	8 4 1	2 3 1	3 1 2	1 3	····i	•••••	••••
Wayne County		ļ .	3	2	6	7	8	10	10	7	8	2	4	1		
MalesFemales	25 38		1 2	1 1	2 4	2 5	, 2 1	4 6	8 7	8 4	4 4	1	1 3	1		
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right.$	11 25		1 2	····i	1 3	1 4	1	8 2	1 5	1 4	·····i	1	1 2	1	•••••	
Other rural districts	1,227	17	34	21	56	80	131	151	171	172	179	121	64	18	9	3
$ \begin{array}{c} \textbf{Males} \\ \textbf{Females} \\ \textbf{Diagnosis reasonably certain } \left\{ \begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix} \right. \\ \end{array} $	529 698 248 426	10 7 3 5	10 24 8 17	17 1 15	17 39 12 32	25 55 16 39	54 77 23 52	56 95 30 69	69 102 32 61	91 81 34 34	91 88 41 34	54 67 18 36	32 32 18 22	12 6 9 5	3 6 3 5	2
MINNESOTA. Total	1,096	21	30	34	60	80	114	114	126	153	141	121	70	24	8	
MalesFemales	567 529 256	10 11	9 21	9 25	25 35	48 32 27 22	55 59 30	60 54 26 38	60 66	84 69	81 60	77 44	33 37	11 13	5 3	
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{H} \\ \mathbf{F} \end{array} \right\}$	287	5 7	6 17	7 17	15 27		36	20 38	29 32	33 28	60 34 23	22 17	13 14	5 7	2	
White	1,092	20	30	33	60	80	114	60	125 59	153 84	141 81	120 77	70	24 11	- 8 - 5	
Females	526 256 287	10 5	9 21 6	24 7	25 35 15	48 32 27 22	55 59 30 36	54 26 38	66 29 32	69 33 28	60 34 23	43 22 17	33 37 13	13 5 7	8	
Colored	287	7	17	17	27	22	36	88	32	28	23	17	14	7	3	
MalesFemales	1 3								1							
Diagnosis reasonably certain. $\{{}^{M}_{\mathbf{F}}$.		1	ļ !									1			· · · · · · · · · · · · · · · · · · ·	•••••
Olmsted County	99	1	6	4	8	4	10	16	12	21	5	7	4	1		
MalesFemales	62 37	····i	1 5	3	8	4	6	12 4	7 5	13 8	3 2	4 3	2 2	1		
Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right.$	52 28	i	1 5	3	7	3	6 2	12 4	7 4	10	1	2 2	2 1	•••••	•••••	
Other rural districts	997 505	10	24 8	30	52 17	76	104	98	114 53	132 71	136 78	73	66	23	8	••••
Females. Diagnosis reasonably certain $\left\{ egin{align*}{c} \mathbf{M} \\ \mathbf{F} \end{array} ight.$	492 204 259	10 10 5 6	16 5 12	22 6 14	35 8 27	32 21 22	55 21 34	50 11 31	61 22 28	61 23 22	58 33 23	41 20 15	35 11 13	10 13 5 7	5 3 4 2	
MISSOURI. Total	1,155	30	35	31	59	62	121	126	144	157	175	116	73	15	10	1
Males Females	489 666	9 21	13 22	6 25	12 47	23 30	52 69	50 76	55 89	82 75	88 87	59 57	30 43	6	3 7	1
Diagnosis reasonably certain. $\left\{ egin{align*}{c} M \\ F \end{array} ight.$	489 9 13 6 12 23 52 50 55 668 21 22 25 47 30 69 76 89 [Mi 239 2 12 3 10 17 28 33 22		31 31	32 38	29 19	16 20	2 5	2								

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					1	EATHS I	BOM CA	NCER (AI	LL FORM	8) AT AG	E OF-					B
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un
RURAL PART OF REGISTRATION STATES—Continued.																
missouri—continued.															ĺ	
Cotal—Continued. White	1, 112	29	32	30	57	57	116	120	140	153	170	112	70	15	10	
MalesFemales	473 639	8 21	11 21	6 24	12 45	22 35	50 66	49 71	53 87	80 73	85 85	57 55	30 40	6 9	3 7	ļ
Diagnosis reasonably certain $\{F : G : G : G : G : G : G : G : G : G : $	232 360	1 12	11 13	3 18	10 33	35 17 27	28 50	32 38	21 55	30 33	31 37	55 28 18	16 17	2 5	2	
Colored	43	1	3	1	2	5	5	6	4	4	5	4	3	ļ .	· · · · · ·	
Males	16 27	1	2		4	1 3	2 5	1 2	2 2	2 2	3 2	2 2	3			
Females	7 19	i	i	i		3	3	1 3	1	1 1	î	í				
MONTANA.	10		•	-	_		_		•	•	-	-				
otal	141	2	7	8	9	, 15	15	15	27	9	18	12	7	1	1	
Males	68 73	1	3	3	4	7		8	14	6	6	5	3			
Females Diagnosis reasonably certain. $\binom{M}{F}$	45	1	4 3	5	5 2	8 5 7	3	7 5	13 9	3	7 5	5	3	1	1	
White	48 137		7	5 8	4	15	6	4	7 26	1	13	11	7	1	1	
Males	67		3	3	4	7	15 8	8	13	8	6	5	3			
Females	70 44	1 1	4 3	5 1	5	8 5	7 8	6	13	2 3	7 5	6 5	4 3	1	1	
Diagnosis reasonably certain $\{ \stackrel{M}{F} : :$	47	 	4	5	2 4	. 7	6	3	7	ĭ	4	2	2	1	1	
Colored		<u> </u>		<u> </u>				1	1	1		1				
MalesFemales	1 3							i	1	····i		1 · · · · · · · · · · · · · · · · · · ·				
Diagnosis reasonably certain. $\left\{ egin{smallmatrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	1					 		····i	1							
NEW HAMPSHIRE.					1		1				ļ					
otal	269	1	5	11	8	20	30	30	35	24	40	30	22	9	3	
MalesFemales	88 181	1	5	4 7	1 7	16	8	9 21	12 23	8 16	15 25	16 14	8 14	3 6	1 2	
Diagnosis reasonably certain. ${M \choose F}$	37 105	1	3	6	1 5	3 12	19	13	6 14	4 6	11	6 5	5	2 4	1	
White	268	1	5	11	8	20	30	30	35	24	40	30	21	9	3	
MalesFemales	88 180	1	5	4 7	1 7	4 16	6 24	9 21	12 23	.8	15 25	16 14	.8	3 6	1 2	
Diagnosis reasonably certain. $\binom{M}{F}$	37 106	i	3	i	1 5	3 12	2 19	21 2 13	6 14	16 4 6	4	6 5	13 4 5	2	1	1
Colored	1								• • •				1			
Males	<u> </u>															
Females	1												1			<u> </u>
•																·
Sockingham County	51			2	2	8	5	5	6	3	8	12	2	1	2	1
Males	10 41 4	 		2	2	8	5	5	1 5	3	4 4 2	5 7 2	2	i	2	
Diagnosis reasonably certain. $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	23			2	2	i	4	3	8	1	2	3	1		1	
ther rural districts	218	1	5	9	6	17	25	25	29	21	32	18	20	8	1	<u> </u>
MalesFemales	78 140	1	5		1 5	13	19	9 16	11 18	8 13	11 21	7	12	3 5		
Diagnosis reasonably certain. $\{ {f M} : {f r} \}$	33 82	1	. 8	. 1	1 3	3	15	. 10	6 11	4	2 9	4 2	4	2	1	.
NEW JERSEY.									ŀ							
otal	797	11	12	19	31	61	83	96	120	115	110	68	50	17	-4	
MalesFemales	314	8 3	3 9	4 15	10	16 45	27 58	84 62	58 62	51 64	48 62	29 39 8	19 81	6 11	1 3	
Diagnosis reasonably certain. $\begin{Bmatrix} M \\ F \end{Bmatrix}$	483 127 279	3 2) 2	1 13	21 7 13		56 15 39	13 36	28	14	20 81	8 22	6	4		
White	779	11		1	31	1	82	94	116		105	1	1	17		i i
Males	308	8	3		10	16	26	33 61	57	'	.'			6	1	-
Females	471 125 272	3 3	1 2	14	7	6	15	13	59 28 30	50 64 13 34	58 19 29	29 38 8 21	30	4	3	
35030°—16——6	. 272	11 2	1 7	12	18	34	39	· 86	' 30	34	29	21	1 9	5	1 1	١

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

						DEATHS	FROM C	ANCER (ALL FOR	MS) AT	AGE OF-	-				t un-
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	84	\$5 to \$9 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	" E
RURAL PART OF REGISTRATION STATES—Continued.																
NEW JERSEY—continued.	}								ĺ							
Total—Continued.	18			2		1	1	2	4	1	5	١,	,			
Males	ļ			1			1	1	1	1	1					
Females	12			1 1		1		ì	3	1	1 2	1	1 1			
Bergen County	101	2	2	2	1	12	13	14	14	13	16	8	-1	2	1	••••
MalesFemales	39 62	2	2	2	1	4 8	3 10	3 11	7 7	8 5	6 10	5 3	1	1 1	i	
Diagnosis reasonably certain. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	16	i	·····i	2		3 7	6	1 6	5 3	2 2	1 5	1 2		i	i	
Burlington County	. 60		2	5	4	. 4	4	2	7	7	11	8	4	2	ļ	
Males	23 37		1 1	1 4	1 8	2 2	3	1 1	4 3	1 6	5 6	2 6	2 2	<u>2</u>		
Diagnosis reasonably certain. ${\mathbb{F}}$			i	4	1 3	1	3		2 1		3 4	1 · · · · · · ·	î	2		•••••
Monmouth County			2	2	4	6	6	6	14	13	16	10	4	2	1	
Males	. 30				1	1	, 1 5	3 3	3	. 6	7	6	2			
Females	. 56 11 31		2	2 2	3	5		3 1 1	11 2 6	7 3 2	9 2 6	2	2 1 1	2 ;		
Morris County	1	1	•	1	.3	2	7	7	8	8	4	4	1	3	1	
Males	22	-		1	1		3	4	5	3		1		2	1	
Females	28		l		2	2	4 2	3 1	3 2	5	4	3	1	1 2		
ζ	1					1	3	2	1	1	2	2				ļ
Other rural districts	200	7		9	19	37	53	67	77 39	74	63	38 15	14	8	<u> </u>	
Females Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{F} \\ \mathbf{F} \end{array} \right\}$	300 81 177	1 8 1	2 4 2 3	2 7 1 5	13 5 9	28 2 21	36 8 26	23 44 10 27	38 17 21	33 41 9 24	33 14 14	23 5 16	26 4 8	3 5 1 2	i	
NEW YORK.						į										
Total	<u> </u>	<u>27</u>	47	53	82	135	206	249	311	318	345	276	149	- 58	25	5
Males	1 403	19	16 31 7	10 43 8	21 61 13	39 96	58 148 40	94 155 45	122 189	144 174 67	155 190 69	114 162 48	63 86 31	29 29 17	16 9	1 4
Diagnosis reasonably certain. ${M \choose F}$	870	11	26	32	50	25 83	112	103	53 114	96	95	71	45	17	12	3
White		27	46	53	81	135	203	244	310	314	342	272	149	58	25	4
MalesFemales	1,390	8 19	15 3 <u>1</u>	10 43	21 60	39 96 25	56 147	92 152	122 188	143 171	154 188	112 160	63 86	29 20 17	16	4
Diagnosis reasonably certain ${M \choose F}$.	436 863	6 11	7 26	8 32	13 49	25 83	40 112	44 102	53 118	66 94	69 93	48 71	31 45	17 17	12	3
Colored	. 23		1		1	ļ <u>.</u>	3	5	1	4	3	4				1
MalesFemales	. 10 13		1		·····i		2	2 3	·····i	1 3	1 2	2 2				1
Diagnosis reasonably certain. $\left\{ {{\mathbf{M}}\atop {\mathbf{F}}} \right\}$					····i			1 1	i	1 2	2	<u>-</u>				
Cattaraugus County	. 53	,	1	1		3	8	3	3	9	9	7	6	3	ļ	
MalesFemales						1	2	3		2 7	3		2	2		
Diagnosis reasonably certain ${M \choose F}$. 38 9 . 23		' 1 i	1		1 2	6 2 4	2	3 3	<u>'</u>	6 1 3	7	1 1 3	2		
Chautauqua County	1	1	. 1	2	1		4	6	12	10	9	7	4	İ	1	
Males					·		<u> </u>	2	3	3	5	2	2		1	
Females	. 40	1	1	2	1		4	4 2	9	7	4 2	5	2 1		i	
•	21		. 1				2	3	6	3	3	_				
Delaware County			3	1	1	6		7	9	6	12	6	3	$-\frac{1}{1}$		
Females	. 41		3	i	1	6	2 3 2	3 1	3 6 1	4	8 2	5	1 1	i		
Diagnosis reasonably certain. $\{\mathbf{F}_{\cdot}^{\mathbf{M}}\}$. 23		3	i	1	5	3	·····•	3	2	4		î	- -	ļ :	
Destabase Country	. 63	J	. 2	3	3	3	6	5	9	7	7	9	3	6		ļ
Dutchess County] 		. —	<u>'</u>	·			 -		. –	·		'		
Males	. 26 . 37		2	3	3	3	- 1 5	1 4	4 5 2	5 2 2	4 3 8	5 4 8	1 2	3 3		

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

		1			at head		FROM CA		LL FORM	S) AT AC	BE OF-					ġ.
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 60 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at uknown age.
RURAL PART OF REGISTRATION STATES—Continued.																
NEW YORK—continued.										i						
Erie County	71		1	3		3	5	11	15	9	9	4	- 6	4	1	·
MalesFemales	32 39 15 22		1	1 2 1 2		1 2	4 1 2	3 8 1 6	8 7 2 4	6 3 3 2	2 7 2 3	1 3	, 3 2 2	2 2 1	1	
Monroe County	50		1	3	4	1	4	5	6	8	6	5	4	2	1	••••
$\begin{array}{c} \textbf{Males} \\ \textbf{Females} \\ \textbf{Diagnosis reasonably certain.} \left\{ \begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix} \right. \end{array}$	14 36 7		i	1 2 1	4	i	4	3 2 3	1 5	3 5	1 5 1	2 3 1	1 3	2	i	
•	26		ļ	2	4	1	4	1	4	3	3	2	1		. 1	··· ··
Nassau County	78	2		3	3	7 5	4	10	13	13	10	10	1 	1	_ -	
$egin{array}{cccc} \mathbf{Males} & & & & & \\ \mathbf{Females} & & & & \\ \mathbf{Diagnosis\ reasonably\ certain.} iggl\{ \mathbf{M} & & & \\ \mathbf{F} & & & & \\ \end{array}$	39 39 15 20	1 1 1		1 2 1 2	3	2 3 1	1 3 1 2	5 5 2 3	7 1 4	10 3 3 2	6 1 3	3 7 1	1	1	i	
Oneida County	74	1	1	2	2	5	7	7	7	8	10	14	9		1	
MalesFemales	25 49 10 32	1	i 1	2	2	1 4 2	1 6 1 5	2 5 3	4 3 1 2	8 5 1 3	1 9 1 6	7 7 2 4	5 4 3 1		1 1	
Onondaga County	62	1	•	2	2		4	6	10	٥	11	8	8	1	••••	
Males	26	1			1			4	4	3	6	2	5			
Females	36 13 22	1		2	1 1 1		4 2	2 4 1	6 1 4	6 2	5 2 4	6 1 3	3 3 2	1	•••••	
Ontario County	56	1			5	3	3	4	9	8	14	1	5	1	2	
Males	29 27 13 16	1			3 2 3 1	1 2 2	2 1 1 1	1 3 3	3 6 2	6 2 3 1	10 4 6 2	1	2 3 2	1	2 2	
Orange County	55	5			6	5	5	7	5	2	7	9	2	1		. 1
Males	22	1			2	3	1	4	1	1	5	2	1			1
Females	33 9	1			1 1	2 2	4	3	4	1	3	7	1	1		•••••
Rockland County	51	1	1		3	5	6	5	5	12	4	3 4	5			
$ \begin{array}{ccc} \textbf{Males} & & & \\ \textbf{Females} & & & \\ \textbf{Diagnosis reasonably certain.} & & \\ \textbf{F} & & & \\ \end{array} $	28 23 19 16	1	1 1		2 1 2 1	2 3 2 3	2 4 2 3	1 4 1 3	4 1 3 1.	7 5 4 2	3 1 1 1	3 1 1	4 1 3 1			
St. Lawrence County	50		1		2	2	9	4	4	7	12	4	1	2	2	
$\begin{array}{c} \textbf{Males}\\ \textbf{Females}\\ \textbf{Diagnosis reasonably certain.} \left\{\begin{matrix} \mathbf{M}\\ \mathbf{F} \end{matrix}\right.$	21 29 11		1		1 1	1 1	2 7 1	3 1 3	2 2 1	2 5 1	7 5 3	1 3	1 1	1	<u>2</u>	
Steuben County	69		1	2	1	3	8	11	7	2 14	12	9	4	1	2 2	
MalesFemales M . Diagnosis reasonably certain. M .	36 33 20			2	i	3	1 2	8 3 5	2 5 2	9 5 7	6 6 1	6 3 3	2 2 1	1	1 1 1	
Suffolk County	20 92	1	4	' 2 1	6	6	11	3 10	16	3 10	11	2 9	2	2	1	1
Males		"		<u> </u>			1	·	4	·	6	4				<u> </u>
Females	26 66 8 42	1	$\begin{bmatrix} & & & & & & & & & & & & & & & & & & &$	i	4	6	10 1 8	3 7 1 2	12 3 6	3 7 2 5	<u>5</u>	5	3 1 1	2 1		i i
Wayne County	59		2	2	3	4	5	6	11	5	9	7	2	2	1	
Males Females Diagnosis reasonably certain. $\binom{M}{F}$.	13 46 8 27		2	2	3	4	5	3	5 6 4 3	1 4	3 6 3 1	2 5	2	2	i 1	
Westchester County	106	2	6	5	2	12	9	12	17	14	12	7	5	2	1	
MalesFemales	49 57 32	2	4 2	2 3	2	4 4 8 3	6 3 5	7 5 4	7 10	10 4 7	2	5 2	5	1 1 1	1	
Diagnosis reasonably certain $\left\{ egin{matrix} \mathbb{F} & \dots \\ \mathbb{F} & \dots \end{array} \right\}$	43	2	3 2	2	11	8	3	5	4 5	1 2	1 7	1 2	3	i	· · · · · ·	

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

						DEATHS 1	FROM CA	NCER (A	LL FORM	S) AT AC	e o f —			·		ġ,
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	84	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at known age.
RURAL PART OF REGISTRATION STATES—Continued.																
NEW YORK—continued. Other rural districts	1, 179	12	23	23	38	67	108	130	153	167	181	156	77	29	12	3
$\begin{array}{c} \textbf{Males.} \\ \textbf{Females.} \\ \textbf{Diagnosis reasonably certain.} \\ \begin{array}{c} \textbf{M.} \\ \textbf{F.} \end{array}$	445 734 221 460	5 7 4 3	7 16 3 13	5 18 3 11	10 28 5 24	20 47 13 40	32 76 22 59	38 92 15 63	61 92 27 61	68 99 33 58	83 98 36 47	67 89 33 43	30 37 14 23	15 14 9 9	4 8 4 4	3
Total	149	5	6	5	13	12	23	21	29	17	7	4	4	2	1	ļ <u>.</u>
$egin{array}{ccc} \mathbf{Males}. & & & & \\ \mathbf{Females}. & & & & \\ \mathbf{Diagnosis\ reasonably\ certain.} egin{array}{c} \mathbf{M}. & & & \\ \mathbf{F}. & & & & \\ \end{array}$	38 111 19 76	2 3 2 1	1 5 1 5	2 3 1 3	11 1 9	11 11 7	19 1 1 17	8 13 6 12	7 22 4 9	7 10 2 5	2 5 3	1 3 2	1 3 1 1	<u>2</u>	1 1	
White	114	4	6	3	7	9	15	17	24	15	5	3	3	2	1	
$\begin{array}{c} \textbf{Males}. \\ \textbf{Females}. \\ \textbf{Diagnosis reasonably certain.} \\ \begin{pmatrix} \textbf{M} & \cdot \\ \textbf{F} & \cdot \\ \end{pmatrix} \\ \textbf{Colored}. \end{array}$	27 87 15 54	2 2 1	1 5 1 5	1 2 1 2 2	6 1 4	1 8 4 3	1 14 12 8	6 11 5 10	20 2 8 5	6 9 2 4	2 3 1	1 2 1	1 2 1 1	1	1 1	
MalesFamales	11 24 4 22	1		1 1	1 5 5	3	3 5 1 5	2 2 1 2	3 2 2 1	1 1	2	1	1			
OHIO.	2,072	24	40	65	102	112	179	222	269	306	310	221	136	66	20	ļ
Males	871 1,201 420 721	18 6 12 2	17 23 9 17	14 51 7 38	30 72 15 55	34 78 22 63	59 120 31 84	92 130 46 88	110 159 49 92	151 155 69 80	152 158 62 75	94 127 43 59	62 74 32 44	31 35 20 16	7 13 3 8	
White	2,039	24	40	62	100	112	173	219	263	302	307	217	135	66	19	<u> </u>
Males. Females. Diagnosis reasonably certain $\left\{ egin{array}{l} \mathbf{M} & \mathbf{M} \\ \mathbf{F} & \mathbf{M} \end{array} \right.$	860 1,179 417 706	18 6 12 2	17 23 9 17	13 49 6 36	29 71 15 54	34 78 22 63	51 116 31 80	92 127 46 85	110 153 49 89	148 154 68 79	151 156 62 74	92 125 42 59	61 74 32 44	31 35 20 16	7 12 3 8	
*Colored	33			3	2		6 2	3	6	3	3	4	1		1	<u> </u>
Females	22 3 15			1 1 2	i 1		4	3	3	1 1 1	1	1			1	
Hamilton County	23	$-\frac{1}{1}$	3		2	3	5	8	1	1	10	4	2	2		
Females. Diagnosis reasonably certain $\binom{M}{F}$. Tuscarawas County.	23 31 13 18 56	1	1	1	2 1 2 6	1 1 1 4	5 5 7	4 4 3 5	3 1 1 3	3 2 11	3	3 1 5	3 2 2 2	2 1 1	1	
Males Females	26 30 10 16	1		1	2 4 1 4	3	4 3 2 2	3 1 1	1 2	5 6 3 1	4 5 1 2	3 2	2	1	i i	
Other rural districts/	1,962	22	36	64	92	105	167	209	262	291	291	212	129	63	19	
Females	822 1,140 397 687	16 6 11 2	14 22 8 17	14 50 7 37	26 66 13 49	31 74 21 59	55 112 29 77	86 123 41 84	108 154 48 90	145 146 66 77	142 149 58 73	90 122 43 58	58 71 30 42	30 33 19 15	7 12 3 7	
Total	2,752 1,100	47 25	67 20	99 28	147 32	205 76	271 109	321 129	397 172	404 176	346	107	129	53 16	18	3
Males. Females	1,652 521 982 2,703	25 22 16 17	47 14 35 66	71 15 49 93	115 17 90 143	129 42 92 197	162 49 111 265	192 72 124 316	225 76 125 388	228 70 114 400	202 56 88	138 37 65	54 75 36 46	37 12 22 53	8 8 3	1 1 1 3
White	1,083 1,620 516 955	25 22 16 17	20 46 14 34	27 66 15 46	32 111 17 86	72 125 41 90	107 158 47 108	128 188 71 120	167 221 75 121	174 226 70 112	143 200 56 86	107 136 37 63	54 75 36 46	16 37 12 22	9 8 8 8	2 1 1 1
Colored	49		1	6	4	8	6	5	9	4	3	2			1	<u></u>
$\begin{array}{c} \textbf{Males.} \\ \textbf{Females.} \\ \textbf{Diagnosis reasonably certain.} \\ \begin{array}{c} \textbf{M.} \\ \textbf{F.} \end{array}$	17 32 5 27		1 1	1 5 3	4	4 4 1 2	2 4 2 3	1 4 1 4	5 4 1 4	2 2	1 2	2			1	

 $^{^{1}}$ Includes only municipalities having a population of 1,000 or over, but less than 10,000 in 1910.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

							BOM CAN		L FORMS	B) AT AG	E OF-					ġ,
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un known age.
RURAL PART OF REGISTRATION STATES—Continued.																
PENNSYLVANIA—continued. Allegheny County	223		6	12	17	23	29	30	30	31	22	17	4	2		
MalesFemales	80 143 32 94		3 3 3	3 9 3 7	15 2 11	7 16 2 9	12 17 2 13	10 20 6 17	11 19 4 8	15 16 6 9	6 16 2 10	9 8 5	1 3 1 2	1 1 1		
Berks County	66	1	1	2	2	5	7	9	10	7	9	9	2	2		
$\begin{array}{c} \text{Males} \\ \text{Females} \\ \text{Diagnosis reasonably certain } {M \choose F}. \end{array}$	29 37 14 19	1	1	1 1	<u>2</u>	1 4 1 3	2 5 2	3 6 3 2	6 4 8 2	3 4 2	5 4 4 1	5 4 2 3	1 1 1	1		
Bradford County	68			3	8	5	4	10	8	13	9	5	2	4		
Females	39 19 30			2	3	1 4	4	6 3 4	5 2 3	7 4 6	5 2 3	1 1 1	2 2	4		
Bucks County	76 26 50	1	1	2	1	3	3	3	11 5	21 8	10	7	2		$-\frac{1}{1}$	
Females	10 29	1	3	2	3	1 2	1	1 1	6 2 4	13 4 6	5 2 1	5	1			
Chester County	65		1	3		5	3	2	10	3	9	10	3	3		
Females. Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	46 11 21		i	3	1	4	3 2	3 1 2	8 1 1	8 8	6 1 1	5 1 1	3	3 1		
Clearfield County	20			1	4	3	8	3	1	2 3	13	2		1		
Females	30 10 16			1 1	4 1	1 i	4 3 3	4 2 4	3 2	3 2 1	1 2	2 2		1 1		
Delaware County	74	4	4	1	3	4	6	3	11	15	7	9	6	1		
Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \mathbf{M} \\ \mathbf{F} & \mathbf{M} \end{array} \right.$	27 47 12 31	2 2 2 2	3	1	3	2 2 1 2	3 3	1 1 1	7 1 4	8 7 3 4	1 6 1 3	1 8 1 3	3 2 2	i i		
Erie County	67 24	1		1	3	2	3	9	8	8	11 6	10	2			
Females. Diagnosis reasonably certain. ${M \choose F}$.	43 16 30	1		1	3	2	11 2 10	5 4 1	3 3 1	3	5 3 2	7 3 6	i			
Fayette County	67 31	1	1	3	2	3 2	4	5	. 9	2	4	1	1	3		
Females. Diagnosis reasonably certain. $\{M, \dots, M\}$	36 10 18	3	1 1 2	3 2 1	3 1 1 2	3	1 1 8	9 2 5 3	3 3 3 7	6 1 7	8	3 2 5	1	3		
Jefferson County	30 21	3			1	2	7	2 1	5 2	2 5	3	3		2		
FemalesDiagnosis reasonably certain. ${M \choose F}$.	16 9	2	2		1 1	1	5	1	1 2	3	5 1 2	2 3 1		1 2		
Lancaster County	90			6	3	3	12	3	10	10	15	10	7	2	2	1 1
Females	53 17 29			1	2 1 2	2	7 2 3	6 3 3	3	5 1 3	10 3 5	5 2 3	5 1 3	1	2	i
Luzerne County Males	99	2 2	6	2	7	8	9	15 7	12 6	16	11 5	2	3	2		1
Females	45 54 16 29		2	2	3 2 3	4 3 4	6 2 3	8 2 6	6 4	8 4	6 2 1	2	1 1 1	2		
Montgomery County	95	2	¦	1	3	7	10	10	26 15	10	10	5	5	3	1	<u> </u>
$rac{ ext{Males}.}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{rac{M}{F} ight\}$	48 47 27 28	1		1	1 1	2 5 2 3	6 2	5 5 3	11 7 6	3 5 3	5 4 2	1	3	2		

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

						DEATHS	FROM CA	NCER (A	LL FORM	(8) AT A	GE OF-					-in e
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at u
RURAL PART OF REGISTRATION STATES—Continued.																
PENNSYLVANIA—continued.															,	
Northampton County	54	1	1	2	6	6	3	4	5	9	6	6	2	3		ļ <u>.</u>
MalesFemales	24 30	1	i	2	2	1 5	2 1	2 2	1 4	4 5	3 3	4 2	i	1 2		
Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	17		<u>.</u>		1 2	4		1 2	3	2	1	ī	i	i	 	
Schuylkill County	. 89	5	8	5	2	8	14	10	10	9	8	5	4	1		
Males	35	1	3	1	!	4	8	3	5	•	3		2			
Females	54 22 33	3	5 3 4	1 4	1 1	4 3 4	6 4 4	7 1 4	5 4 1	5 2 2	5 2 1	5 3	2 2 1	1		
Washington County		2	1	5	1	4	6	15	16	8	9	4	1	2	1	
Males				2		2			4	3	5	3			<u>-</u>	-
Females	41 17	1	1	3	1	2	2 2	8 7 5	12 3	5 1	4	1	i	2		
•	21		1	2	1	2	2	5	5	2			• • • • • • • • • • • • • • • • • • • •	1	• • • • • • •	
Westmoreland County	110		4	. 5	9	13	9	12	15	19	12	- 5	4	1		
MalesFemales	45 65	1	1 3	3	8	7 6	6	3 9	6	10 9	3 9	1 4	2 2	1	;	
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array} \right.$	28 37	1	. 8	1 2	8	5	2	2 6	5 3	5 2	1 6	1	1 1	•••••	1	
York County	64	4	1	1	2	8	8	7	7	9	10	6		1		
MalesFemales	22 42	2 2	i	i	2	2 6	2 6	4 3	2 5	2 7	5 5	2 4		1		••••
Diagnosis reasonably certain. ${M \choose F}$	12 29	2 2	i		2	5	1 5	2	1 4	2	3	2		1		
Other rural districts	1,269	19	27	41	68	91	110	143	190	192	161	118	77	19	12	,
Males	495 774	10	11	10	13 55	34 57	37 73	57	82	81 111	67 94	51 67	32 45	5 14	5 7	
Females Diagnosis reasonably certain. $\binom{M}{F}$	228 462	7 7	16 6 13	31 7 21	6 45	22 36	16 50	86 27 57	108 32 70	32 54	22 44	18 28	24 26	4 8	5 2	
RHODE ISLAND.	102	·		-	_					•		_			_	
Total	113	1	2	3	8	5	19	13	15		13	5	7	2		
MalesFemales	41 72	····i	2	1 2	6	2 3	7 12	5 8	6 9	6 14	7 6	1 4	1 6	1		
Diagnosis reasonably certain $\{{f M}$	16 45	····i		1 2	5	3	2 7	1 5	2 5	3 6	3	3	1 4	1		
White	111	1	2	3	8	5	19	13	14	19	13	5	7	2		ļ
MalesFemales	41 70	i	2	1 2	2 6	2 3	7 12	5 8	6 8	6 13	7 6	1 4	1 6	1		
Diagnosis reasonably certain. $\binom{M}{F}$.		i		1 2	2	3	2 7	1 5	2 5	3 6	2 3	1 3	1 4	i		
Colored	2								1	1						
Males																
Females	2								1	1						
					·				• • • • • • • • • • • • • • • • • • •			ļ		• • • • • •		
Total	97	4	3	4	3	7	14	16	14	13	8	8	3			
MalesFemales	49 48	2 2	1 2	2 2	1 2	2 5	8	6 10	11 3	3 10	7	4	2			
Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	12 29	2	1 2	2	2	1 3	4	1 7	1 2	3		·····i	2			
White	97	4	3	4	3	7	14	16	14	13	8	8	3			
Males	49	2	1	2	1	2	8	6	11	.3	7	4	2			
Females	12	2	2	2 2	2	5	6	10 1	3	10	1	4	1 2			
•	. 29	2	2	2	2	3	4	7	2	3		1	1			
Total	324	6	5	7	6	10	22	41	33	44	57	36	35	16	4	2
MalesFemales	130 194	2 4	5	3 4	1 5	2 8	3 19	15 26	14 19	22 22	27 30	15 21	16 19	7 9	2 2	1
Diagnosis reasonably certain $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$		2	2	1	5	1 6	1 14	5 18	5 14	14 12	17 12	6	11	3	2 2	į

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

	1					rble, p. 4		LL FORM	S) AT AG	E OF-					ġ,
All ages.	Under 25 years.	25 to 84 years.	\$5 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	10 E
324	- 6	5	7	6	10	22	41	33	44	57	36	35	16	4	:
130 194 69 120	2 4 2 4	5 2	3 4 1 4	5 5	2 8 1 6	3 19 1 14	15 26 5 18	14 19 5 14	22 22 14 12	27 30 17 12	15 21 6 14	16 19 11 10	7 9 3 8	2 2 2 2	
747	19	24	33	44	50	57	79	93	102	101	78	38	21	7	
	9	4	10	9	11	20	31	42	40	51		16	7	3	
127 297	4 7	3 16	20 20	7 28	27	10 26	6 28	18 36	16 37	17 21	20 20	9 17	7 10	2 4	
															-
313 112 196	4 3 3	8 2 7	12 4 11	22 3 17	22 2 14	21 8 15	32 6 19	35 16 24	46 14 28	39 17 13	36 20 17	21 8 16	11 7 8	4 2 4	
196	8	13	13	18	21	22	21	25	24	17	8	2	8	•••••	-
145 15 101	6 1 4	12 12 9	11 9	13 4 11	17 2 13	16 2 11	16 9	16 2 12	16 2 9	11 8	63	1 1 1	<u>3</u>		
372	9	8	9.	22	34	- 55	48	53	42	35	28	22	4		
195 177 94	6 3 5	8 5 2	3 6 2	8 14 4	12 22 5	25 30 15	28 20 14	33 20 17	26 16 7	12 23 5	16 12 7	18 4 8	3 1 1		
		1		_						i					
193 175 93 115	6 3 5	3 5 2 5	3 6 2 5	8 14 4 14	12 22 5 18	24 29 14 20	28 19 14	33 20 17	26 16 7	12 23 5 12	15 12 7	18 4 8	3 1 . 1		
4					 	2	1				1	ļ	ļ		
2 2 1 2						1 1 1	i				1				
1,273	21	17	25	54	72	128	147	156	196	191	134	89	33	9	
633 640 243	12 9 9	7 10 4	6 19 2	21 33 8	26 46 15	62 66 26	74 73 26	82 74 27	104 92 42	98 93 34	77 57 25	53 36 20	9 24 4	1 8 1	
1	21	17	25	54	72	128	146		194	191	133	89	ľ		1
632 634 243	12 9 9	7 10 4 7	6 19 2	21 33 8 22	26 46 15 37	62 66 26 48	74 72 26	81 73 27	104 90 42 36	98 93 34 36	77 56 25	53 36 20	9 23 4	1 8 1	
7	ļ	l		ļ			1	2	2				1		
1 6								1							
5								' <u>'</u> .	2			¦	<u>i</u> .		
59	1			4	5	7	9	2	11	7	6	5	2		
41 18 26 11	1			2 2 2 2	1 1 2 1	3 4 2 2	6 3 1 3	1	9 2 8 1	6 1 5	4 2 2		2		.,
1,214	20	17	25	50	67	121	;	154	185	184	128	84	31	9	
592 622	11 9 8	7 10 4	6 19 2	19 31 6	22 45 13	59 62 24	68 70 25	80 74 26	95 90 34	92 92 29	73 55 23	49 35 18	9 22 4	1 8	
	130 194 69 120 747 289 458 127 297 551 238 313 112 196 196 1145 101 372 197 94 117 94 117 94 117 93 115 4 2 2 1,273 633 640 243 352 1,266 632 632 634 634 634 634 634 634 634 634 635 636 637 637 638 638 638 639 639 639 639 639 639 639 639 639 639	324 6 130 2 194 69 120 4 747 19 289 9 458 10 297 7 551 11 238 7 313 4 112 3 196 3 196 8 51 2 145 6 177 3 117 3 368 9 197 6 177 3 368 9 197 7 107 3 117 3 117 3 117 3 118 3 119 3 119 4 119 4 110 4 117 3 110 4 117 3 110 4 117 3 110 6 117 3 110 6 117 3 110 6 117 3 110 6 117 3 110 6 117 3 110 6 117 3 110 6 117 3 110 6 117 3 110 6 117 3 110 6 117 3 110 6 110	All ages. Under 25 to 25 years. 324 6 5 130 2	All ages. Under 25 to 28 to 29 years. 324	All ages. Under 25 to 84 years. years.	Allages. Under 25 to 84 years. years.	Allages. Under 25 to 25 to 40 to 44 years. See 38 years. S	Allages. Under 25 to 25	All ages. Value	All ages. Under \$25 to \$26 to \$40 to \$45 to \$40 to	Allages. Under Set	Allages Under 25 to 84 87 years. September Septemb	All agen. The control of the cont	All ages. Trider Sto Sto West. Years Year	All ages. Tricker Sto

¹ Includes National Military Home.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision counties in registration states

=						DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR		nties in i		
	!	Agere-			Buccal	avity.				Stom	ach and	liver.			eum, int	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
İ	SUMMARY.							-								
1	The registration area	52,420	2,270	376	614	230	851	199	19,889	58	605	12,768	6, 458	6,745	485	4,055
2 3	MalesFemales	21, 282 31, 138	1,878 392	347 29	526 88	184 46	670 181	151 48	10, 122 9, 767	46 12	475 130	7, 015 5, 753	2,586 3,872	2,903 3,842	184 301	1.645 2,410
4	Diagnosis reasonably certain. $\{M \dots \}$	10,749 19,806	1,878	347 29	526 88		670 180	151 ! 48	2,524 1,763	19 5	164 35	1,795 913	546 810	1,787 2,090	96 132	638 851
5	Diagnosis uncertain ${\bf M}$.	6,966 7,438	 						5,212 5,485	15 3	214 71	3.598 3,375	1,385 2,036	709 1,109	55 104	639 993
6	Diagnosis unknown ${\mathbb{F}}$.	3,567 3,894	i		`		····i		2,386 2,519	12 4	97 24	1,622 1,465	655 1,026	407 643	33 65	368 566
7	White	50, 515	2,218	373	602	228	822	193	19, 288	54	589	12,367	6,278	6,584	478	3,964
9	MalesFemales	20,717 29,798	1,842 376	345 28		183 45	648 174	148 45	9,818 9,470	42 12	465 124	6,812 5,555	2,499 3,779	2,851 3,733	181 297	1,618 2,346
10	Diagnosis reasonably certain. $\{{f M}_{f F}$.	10,511 18,831	1,842 375	345 28	518 84	183 45	648 173	148 45	2,462 1,727	18 5	163 33	1,755 892	526 797	1,750 2,033	96 130	630 835
11	Diagnosis uncertain ${\bf M}$	6,774 7,235							5,068 5,331	14 3	207 68 95	3,498 8,271	1,349	1,078	54 103	835 626 965 362
12	Diagnosis unknown $\left\{ egin{matrix} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array} \right\}$	3,432 3,732	····i				·····i		2,288 2,412	10 4	95 23	1,559 1,392	624 993	397 622	31 64	362 546
13	Colored	1,905	52 .	3	12	.2	29	6	601	4	16	401	180	161	7	91
14 15	MalesFemales	565 1,340	36 16	2 1	8	1	22 7	3	304 297	4	10 6	203 198	87 93	52 109	3 4	27 64
16	Diagnosis reasonably certain. $\{{}^{M}_{F}$.	238 975	36 16	2	8	1	22 7	3 3	62 36	1	1	40 21	20	28 57		8 16
17	Diagnosis uncertain	192 203	10						144 154	i	7 7 3	100 104	18 86 47	14 31	1 1	13 28 6
18	Diagnosis unknown $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	135 162							98 107	2	2	63 73	31 33	10 21	2 1	6 20
19	Registration states 1	48, 259	2,090	355	548	216	787	184	18,370	50	536	11,781	6,003	6,261	451	3,782
20 21	MalesFemales	19,546 28,713	1,726 364	329 26	466 82	171 45	618 169	142 42	9,273 9,097	41 9	414 122	6, 425 5, 356	2,393 3,610	2,698 3,563	169 282	1,536 2,246
22	Diagnosis reasonably certain $\{ \frac{M}{F} $.	9,845	1,726	329	466	171	618	142	2,256	17	142	1,604	493	1.658	84	Ene
23	Diagnosis uncertain ${M \dots {K \choose F}}$	18, 155 6, 538 7, 038	363	26	82	45	168	42	1,620 4,904 5,192	13 2	34 194 65	838 3,384 3,200	744 1,313 1,925	1,920 667 1,068	121 54 100	783 603 958
24	Diagnosis unknown $\left\{ \begin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	3, 163 3, 52 0	····i				1		2,113 2,285	1 <u>1</u>	78 23	1,437 1,818	587 941	373 575	31 61	783 603 958 337 505
25	White		2,048	352	538	215	764	179	17,870	46	521	11,451	5,852	6, 133	445	3,707
26 27	MalesFemales	19,100 27,639	1,697 351	327 25	459 79	171 44	601	139	9,028 8,8+2	37 9	405 116	6,252 5,189	2,324 3,528	2,656 3,477	166 279	1,515 2,192
28	Diagnosis reasonably certain. ${M \cdot r \choose F}$		1,697	327	459	171	601	139	2,218	16	141	1,580	481	1,637	84	591
29	Diagnosis uncertain $\left\{ egin{array}{ll} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array} \right\}$	17,396 6,373 6,861	350	25	79	44	162	40	1,590 4,780 5,056	12	32 188 62	822 3,297 3,107 1,385	732 1,283 1,885 560	1,879 655 1,042	120 53	770 592
30	Diagnosis unknown $\left\{ egin{matrix} M \dots \\ F \dots \end{matrix} \right\}$	3,050 3,382	1				· · · · · i		2,030 2,196	12 2 9 3	188 62 76 22	1,385 1,260	560 911	364 556	53 99 29 60	592 935 332 487
31	Colored	1,520	42	3	10	1	23	5	500	4	15	330	151	128	6	• 75
32 33	MalesFemales	446 1,074	29 13	2	7 3	····i	17	3 2	245 255	4	9 6	163 167	69 82	42 86	8	21 54
34	Diagnosis reasonably certain $\{ f \}$.	168	29	2	7	ļ <u>.</u> .	17	3	38	1	1	24	12	21		5
35	Diagnosis uncertain $\left\{\begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix}\right\}$	759 165 177	13		3	1	6	2	30 124 136	1	6 3	16 87 93	12 30 40	41 12 26	1	13 11 23
36	Diagnosis unknown $\left\{ egin{array}{c} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array} \right\}$	113 138							83 89	2	2	52 58	27 30	19	1 2 1	11 23 5 18
37	Cities in registration states 1	26, 795	1,060	118	361	99	391	91	9, 739	40	395	6, 171	3,133	3,775	280	2,302
38 39	MalesFemales	10,505 16,290	894 166	110 8	317 44	82 17	312 79	73 18	4,879 4,860	35 5	316 79	3,276 2,895	1,252 1,881	1,579 2,196	101 179	921 1,381
40	Diagnosis reasonably certain $\binom{M}{F}$	5,566	894	110	317	82	312	73	1,410	15	122	976	297	1.024	54	424
41	Diagnosis uncertain $\begin{cases} \mathbf{F} \\ \mathbf{F} \end{cases}$	10,652 3,158 3,616	165	8	44	17	78	18	1,010 2,315 2,584	10	132 41	535 1,531 1,620	449 642 923	1,258 325 576	81 27 61 20 37	555 292 506
42	Diagnosis unknown $\left\{ \begin{matrix} M \dots \\ F \dots \end{matrix} \right\}$	1,781 2,022	i				1		1, 154 1, 266	10 3	62 14	769 740	313 509	230 362	20 37	205 320
43	White	25, 893	1,038	118	352	99	380	89	9, 441	36	381	5, 974	3,050	3,694	274	2, 258
44 45	MalesFemales	10, 247 15, 646	877 161	110	311 41	82 17	302 78	72	4,738	31 5	308 73	3, 185 2, 789	1, 214 1, 836	1,552 2,142	98 176	910 1,348

¹ Includes District of Columbia.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914.

formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. All cities and are shown in Table I, p. 21.]

	es, and —Con.		Leitime	genital or	gans.							Other o	rgans or	of organ	s not spe	ecified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.
2, 171	34	8, 152	451	7, 470	184	47	5, 423	1,957	7,984	341	371	686	538	784	1,014	141	497	121	3, 491
1,064 1,107	10 24	8, 152	451	7,470	184	47	88 5,335	1,242 715	5,049 2,935	270 62	209 162	368 318	281 257	784	718 296	76 6 5	259 238	121	1,954 1,537
1,052 1,098	1 9	7,988	310	7,460	184	34	88 5,332	1,242 715	3,230 1,527	279 61	83 38	216 132	145 118	311	352 107	34 25	109 94	121	1,580 952
7 7	8 5	72	56	8		8	1		1,045 771	1	86 71	97 122	83 88	314	197 108	25 18 21	94 79 77		171 283
5 2	1 10	92	85	2		5	2		774 637		40 53	55 64	53 51	159	169 81	24 19	71 67		203 302
2, 110	32	7, 544	438	6,887	173	46	5, 223	1,925	7, 733	330	365	660	521	764	993	136	479	121	3,364
1,042 1,068	10 22	7, 544	438	6,887	173	46	5, 136	1,229 696	4,890 2,843	272 58	206 159	352 308	270 251	764	700 293	71 65	247 232	121	1,887 1,477
1,032 1,060	1 8	7,385	301	6,877	173	34	87 5, 133	1,229 696	3, 132 1, 482	272 57	82 38	206 127	138 116	302	340 105	33 25 16	107 93 73	121	1,531 921
7 6 3	8 4 1	71	55	8		8	i		1,011 754 747	·····i	86 71 38	95 121 51	81 86 51	307 155	193 108 167	16 21 22	73 73 67		160 273 196
2	10	88	82	2		4	2		607		50	60	. 49	•••••	80	19	66		283
61	2	608	13	583	11	1	200	32 13	251 159	11 7	3	26	17	20	21 18	5	18		67
22 39	2	608	13	583	11	1	199	19	92	4	8	16 10	11	20	3	5	6		66
20 38	····i	603	9	583	····ii		1 199	13 19	98 45	· 4	1	10 5	7 2	9	12 2	1	2		49 31
1 2	i	1	1						34 17 27.		2	2 1 4	2 2 2	7	4 2	2	6 4		11 10 7
•••••		4	3			1			30		.8	4	2	•••••	1	•••••	1		19
2, 001 986	7	7,834	409	6,710	172	43	5,075	1,850	7,279	318 261	334 187	617 325	472 242	717	919 650	125	451 231	111	3, 215 1, 792
1,015	20	7, 334	409	6, 710	172	43	4,993	667	2,695	57	147	292	230		269	57	231 220	• • • • • •	1,423
977 1,008 5	1 8 5	7, 184	280	6,701	172	31	4,990	1,183 667	2,940 1,411 967	261 56	75 33 79	193 122 85	123 108 73	276	317 99 188	31 22 16	96 88 71	111	1,457 883 157
5	5	68	53	7		8	1		709 677	1	64 33	115 47	78 46	143	98 145	21 21	72 64		260 178
2 1,966	7 25	82 6,869	76 400	6, 263	163	43	4,913	1,827	575 7,079	308	50° 329	55 599	44 457	702	72 900	14	436	111	280 3,115
. 968	7						81	1,175	4,463	255 53	185	314	233	702	634	65	222	111	1,742
968 961	18	6,869	400	6, 26 ,3	163	43	4,832 81	652 1,175	2,616 2,869	53 255	144 75	285 186	224 117	271	266 307	31	214 94	111	1,373 1,422
982	7 5	6,722	274	6, 254	163	31	4,829	652	1,374 938	52	33 79 64	119 85	106 72 76	291	97 184	22	87 66 68		858
2 2	4 1 7	68 79	53 73	7 2		8 4	1 2		694 656 548	1	64 31 47	114 43 52	76 44 42	140	98 143 71	14 21 20 14	68 62 59		147 252 173 263
45	2	465	9	447	9		162	23	200	10	5	18	15	15	19	3	15		100
18 27	2	465	9	447	9		161	8 15	121 79	6	2 8	11 7	9	15	16	3	9		50 50
16						· · · · · · · · ·	1	8	71	6		7	6	5	10		2		I
26	1	462	6	447	9		161	15	37 29 15	4		3	1 2	7	2 4	2	5		10
2	1	3	3						21 27		2 3	1 4 3	2 2	3	2 1	1	2		
, 175	18	4, 428	290	4,026	94	18	2, 830	666	4, 297	226	231	403	297	415	597	80	269	61	1,718
552 623	5. 13	4, 428	290	4,026	94	18	46 2,784	401 265	2,706 1,591	193 33	125 106	207 196	150 147	415	419 178	41 39	133 136	61	962 756
- 1	,						46	401	1,791	193	I	132	88	183	220 70	18	56	61	ì
545 616 3 5	6 3 4	4,332	201 38	4,022	94	15 1	2,782	265	840 518 413	32	53 24 50 44	83 46 69	76 33 43	150	70 104 59	18 9 13	54 39 45		
4 2	1 3	54	51	1		2	<u>1</u>		397 338		22 38	29 44	29 28	82	95 49	14	38 37		88
l, 146	16	4, 143	283	8,755	87	18	2,739	654	4, 184	221	226	389	289	404	587	80	262	61	1,665

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

						DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMORS	5 OF—			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal	eavity.				Ston	ach and	liver.			eum, int	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
1 2	SUMMARY -Continued. Cities in registration states —Contd. White—Continued. Diagnosis reasonably certain. M. Diagnosis uncertain. F.	5,461 10,196 3,074 3,513	877 160	110 8	311 41	82 17	302 77	72 17	1, 385 989 2, 248 2, 504	14 2 9	122 22 126 38	961 524 1,487	288 441 626 907	1,010 1,230 319 561	54 80 26 60	421 544 287 494
3	Diagnosis unknown	1,712 1,937	1 22		9		1 11	2	1, 105 1, 210 298	8 3 4	60 13	1,559 737 706	300 488 83	223 351 81	18 36	202 310
5	MalesFemales	258 644	17 5		6 3		10	1	141 157	4	8 6	91 106	38 45	27 54	3 3	11 33
7	Diagnosis reasonably certain. $\left\{\begin{matrix}\mathbf{M} \\ \mathbf{F} \end{matrix}\right\}$	105 456 84	17 5		6 3		10 1	1 1	25 21 67	1	2 6	15 11 44	9 8 16	14 28 6	1 1	3 11 5
9	Diagnosis uncertain $\begin{cases} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \\ \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{cases}$	103 69 85							- 80 49 56	2	8 2 1	61 32 34	16 13 21	15 7 11	1 2 1	12 3 10
10	Rural part of registration states	21, 464	1,030	237	187	117	396	93	8,631	10	141	5,610	2, 870	2, 486	171	1,480
11 12	MalesFemales	9,041 12,423	832 198	219 18	149 38	89 28	306 90	69 24	4,394 4,237	6 4	98 43	8, 149 2, 461	1, 141 1, 729	1,119 1,367	68 103	615 865
13 14	Diagnosis reasonably certain. $egin{cases} M & \cdots & M \\ F & \cdots & \cdots & M \\ Diagnosis uncertain & \cdots & M \\ Diagnosis unknown & \cdots & M \\ \end{array}$	4,279 7,503 3,380 3,422 1,382	832 198	219 18	149 38	89 28	306 90	69 24	846 610 2,589 2,608 959	2 2 3 2 1	20 10 62 24 16	628 303 1,853 1,580 668	196 295 671 1,002 274	634 662 342 492 143	30 40 27 39 11	172 228 311 452 132
15 16	White	1,382 1,498 20,846	1,010	234	186	116	384	90	1,019 8,429	10	9 140	. 578 5,477	432 2, 802	213 2, 439	24 171	185 1,449
17	Males	8, 853	820 190	217	148 38	89 27	299 85	67	4, 290	6	97	3,077	1, 110	1,104	68 103	605 844
18. 19	FemalesDiagnosis reasonably certain. $\binom{M}{K}$.	11,993 4,216	820 190	217 17	148 38	89 27	299	23 67	4,139 833 601	2	43 19	2, 400 619	1,692	1,335 627	20	170
20	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7,200 3,299 3,348 1,338	190				85	23	2,532 2,552 925	2 2 3 2 1	10 62 24 16	298 1,810 1,548 648	291 657 978 260	649 336 481 141	40 27 39 11	226 305 441 130
21	Colored	1,445 618	20	3	1	1	12	3	986 202		9	554 133	423 68	205 47	24	177 31
22 23 24	Males	188	12	2	1		7	2	104		1	72	31	15		10
	Females	430 63	8 12	1 2	1	1	5 7	1 2	98 13		1	61	37	32		21
25 26	Diagnosis reasonably certain. $egin{cases} M & . & . & . & . \\ M & . & . & . & . \\ M & . & . & . & . \\ M & . & . & . & . \\ Diagnosis unknown & . & . & . \\ F & . & . & . \\ F & . & . & . \\ \end{array}$	303 81 74 44	8	ī		1	5	ī	9 57 56 34			5 43 32 20	4 14 24 14	13 6 11 2		6 11 2
27	Registration states, exclusive of	53 47, 986	2,086	354	547	216	785	101	33 18, 285		224	24	9	8	447	9 740
28 29	North Carolina. Males	19, 474	1,724	328	465	171	618	184	9,236	50 41	413	6,405	2,377	6, 234 2, 690	168	3, 768 1, 533
30 31	Females	28,512 9,810 18,010	362 1,724 361	26 328 26	82 465 82	45 171 45	167 618 166	42 142 42	9,049 2,246 1,608	9 17 4	121 142 34	5,328 1,597 833	3,591 490 737	3,544 1,652 1,912	279 83 120	2, 235 595 781
32	Diagnosis uncertain $\begin{cases} M \\ F \end{cases}$. Diagnosis unknown $\begin{cases} M \\ F \end{cases}$	6,517 7,006 3,147							4,887 5,169 2,103	13 2 11	193 64 78	3,376 3,185 1,432	1,305 1,918 582	666 1,061 372	54 99 31	602 952 336
33	White	3,496 46,549	2,045	352	537	215	1 762	179	2,272 17,806	3 46	23 519	1,310 11,417	936 5,824	571 6,108	60 441	502 8,693
35	MalesFemales	19,047 27,502	1,696 349	327 25	458 79	171 44	601 161	139	9,004	37	404 115	6, 249	2,314 3,510	2, 649 3, 459	165 276	1,512
36 37	Diagnosis reasonably certain. ${M \cdot \choose F}$	9,652 17,306	1,696	327 25	458 79	171 44	601 160	139 40	2, 212 1, 580	16	141 32	5, 168 1, 576 819	3,510 . 479 725	1,632 1,872	83 119	2, 181 590 788
3 8	Diagnosis uncertain $\left\{\begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix}\right\}$	6, 357 6, 834 3, 038							4,768 5,037	12 2 9	187 61	3, 292 3, 096	1,277 1,878	654 1,035	53 98	768 591 929 331
39 40	Diagnosis unknown	3, 362 1, 437	1 41	2	10	1	1 23	 5	2,024 2,185 479	3 4	76 22 15	1,381 1,253 316	558 907 144	363 552 126	29 50 6	331 484 75
41	Males	. 427	28		7		17	3	232	4	9	156	63	41	3	21
42 43	Females	1,010 158	13 28	1	3 7	1	6 17	3	247 34	1	6	160 21	81 11	85 20	3	54 5
44	Diagnosis uncertain $\begin{cases} F \\ M \end{cases}$	704 160 172	13	1	3	1	6	2	28 119 132	1	2 6 3	14 84 89	12 28 40	40 12 26	1 1 1	13 11 23
45	Diagnosis unknown $\left\{\begin{matrix} \mathbf{F} \\ \mathbf{F} \\ \mathbf{F} \end{matrix}\right\}$	109 134				!	. ⁱ	1	79 87	2	2 1	51 57	24 29	9 19	2 1	23 5 18

¹ Includes District of Columbia.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR. FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

						DEAT	HS FROM	CANCER	AND OTH	ER MALI	GNANT	TUMORS	o r —						
Periton ntestin rectum	es, and		Female	genital or	gans.							Other or	gans or o	of organs	not spec	ified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
534 601 3	1 5 3	4,049	196	3,751	87	15	45 2,692	397 257	1,747 819 507	190 30	53 24 50	126 81 46	85 75 33	178	215 68 103 59	18 18 9	55 53 36	61	766 470 83
4 2 2	3 1 3	42 52	38 49	3 1		1 2	1 1		405 384 322	1	53 24 50 44 20 35	68 26 42	42 28 26	79	59 94 48	13 14 8	45 37 36		133 86 127
29	· 2	285	7	271	7		91	12	113	. 5	5	14	8	11	10		7		53
13 16	2	285	7	271	7		90	8	68 45	3 2	3	5	4	11	3		5 2		27 26
11 15	1	283	5	271	7		90 90	8	44 21 11	3 2	· · · · · · · · · · · · · · · · · · ·	8 2	3 1	<u>5</u>	5 2 1		1 1 3		21 13 4
1 2	1	2	2						13 16		2 3	1 3 2	1 1 2	3	1 1		1		6 2 7
826	9	2,906	119	2, 684	78	25	2, 245	1, 184	2,982	92	103	214	175	302	322	45	182	50	1,497
434 392	2 7	2,906	119	2, 684	78	25	36 2, 209	782 402	1,878 1,104	· 68	62 41	118 96	92 83	302	231 91	27 18	98 84	50	830 667
432 392 2	2 2 2	2, 852	79	2,679	78	16	2, 208	782 402	1,149 571 449	68 24	22 9 29	61 39 39 46	35 32 40	93 148	97 29 84	13 4 7	40 34 32	50	670 400 70
• • • • • • •	1	26 28	15 25	· 4		7 2	i		296 280 237		29 20 11 12	46 18 11	85 17 16	61	39 50 23	8 7 6	27 26 23		121 90 146
810	9	2,726	117	2,508	76	25	2, 174	1,173	2,895	87	103	210	168	298	313	42	174	50	1,450
429 381	2 7	2,726	117	2,508	76	25	36 2, 138	778 395	1,825 1,070	65 22	62 41	116 94	87 81	298	222 91	24 18	94 80	50	807 643
427 381	2 2	2,673	78	2,503	76	16	36 2, 137	778 395	1,122 555	65 22	22 9	60 38	32 31	93	92 29 81	13 4	39 34	50	656 388
2	1	26	15	4		7			431 289 272		29 20 11	39 46 17	39 34 16	144	39 49	5 8 6	30 23 25		64 119 87
 16	4	27 180	24	176	2	2	1 71	11	226 87	5	12	10	16 7	4	23 9	6	23 8		136 47
- 5 11		180	2	176	2		71	4 7	53 34	3 2		2 2	5 2	4	9	3	4		23 24
5 11		179	1	176	2		71	4 7	27 16	8 2		1	3 1		5		1		14 12
									18 7				1	4	3	2	2 4		6 2
• • • • • • • • • • • • • • • • • • • •		1	ı						8 11			1 1	1		1	1	1		3 10
1,992	27	7, 247	406	6,629	170	42	5,052	1,838	7, 244	318	333	617	467	716	915	123	448	111	3, 196
982 1,010	7 20	7, 247	406	6,629	170	42	81 4,971	1,177 661	4,566 2,678	261 57	187 146	325 292	239 228	716	648 267	66 57	229 219	111	1,784 1,412
973 1,003 5	1 8 5	7,097	277	6,620	170	30	4,968	1,177 661	2,930 1,403 964	261 56	75 33 79	193 122 85	121 107 72	276 297	316 98 188	29 22 16	95 87 71	111	1,453 878 156
5 4	5	68	53	7		8	1		707 67 2	1	63	115 47	72 78 46	143	98 144	21 21	72 63		156 259 175 275
2 1,949	7 25	82 6,824	76 399	6, 220	163	42	4,897	1,816		308	50 328	55 599	43 452	701	71 897	14 120	60 433	111	275 3, 104
965 984	7 18	6,824	399	6, 220	163	42	81 4,816	1, 169 647	4,448 2,605	255 53	1%5 143	314 285	230 222	701	633 264	63 57	220 213	111	1,736 1,368
958 978	1 7	6,677	273	6, 211	163	30	81 4,813	1,169 647	2,862 1,369	255 52	75 33	186 119	115 105	271	307 96	29 22	93 86	111	1,420 856
5 4 2	1	68	53	7		8	i		693 651	i	79 63 31	114 43	71 76 44	290 140	184 98 142	14 21 20	66 68 61		146 252 170
2 43	7 2	79 423	73 7	2 409	7	4	2 155	22	543 191	10	47 5	52 18	41 15	15	70 18	14 3	59 15		260 92
17 26	2	423	7	409	7		155	8 14	118 73	6 4	2 3	11 7	9	15	15	3	9 6		48 44
15 25	i	420	4	409	;		155	8	68	6		7 3	6 2	5	9	ļ	2	l	33 22 10 7 5
1 2	i				'				29 14	ļ	2 3		1	7	4	2	5 4		10

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

1 Includes District of Columbia

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

				=		DEAT			AND OTH	ER MALIC			o r						
Peritor intestin rectum	es, and		Female	genital or	gans.				1			Other or	gans or o	of organs	not spec	ified.			
Reo- tum.	Others of this class.	Total.	Ovary and fallo- pian tube,	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
170	7	818	42	760	12	4	348	107	705	23	37	69	66	67	95	16	46	10	276
78 92	3 4	818	42	760	12	4	6 342	59 48	465 240	18	22 15	43 26	39 27	67	68 27	8 8	29 18	10	162 114
75	i	804	30	759	12	3	6 342	59 48	290 116	18 5	1	23 10	22 10	35	35 8 9	3 3	13	10	123 69
90 2 2 1	3	4	3	i					78 62 97		8 5 7 7	23 10 12 7 8	10	16 16	9 10 24	3 2 3	. 8 5 7		14 23 25 22
• • • • • • •	3	10 675	9 38	624	10	1	210		62	22	36	9 61	64	62	9	5	. 7	10	
74	3				10	3	310	98 54	427	17	21 15	38 23	37	62	93 66	6	25	10	115
80 71	4	675	38	624	10	3	304 6	44 54	227 263 108	5 17		20	27	31	27 33 8	8 2	18 13	10	104
71 78 2 2	3	663	27	623	10	3	304	44	73 60	5	7 5 7 7	8 10 7	10 9 10	16	10	3 2	6 7 5		109 63 13 21
1	3	9	9						91 59		3	8 8	7 7	15	24 9	2 5	5 7		21 23 20
16		143	4	136	2	1	38	9 5	51	1	1	8 5	2	5	2	2 2	3		27 17
12		143	4	136	2	1	38	4	. 38		1	3 3	ļ	4	2				10
12		141	3	136	2		38	5 4	27 8 5	1		2 2	1 1			1	i		14 6 1 2
		1 1	1			i			2 6 3			i		1		1	2		1 2 2 2
1,345	25	5, 246	332	4,786	106	22	3, 178	773	5,002	249	268	472	363	482	692	96	315	71	1, 994
630 715	8 17	5, 246	332	4, 786	106	22	3, 126	460 313	3, 171 1, 831	211 38	147 121	250 222	189 174	482	487 205	49 47	161 154	71	1, 124 870
620 706	1 7 6	5, 136	231	4, 781	106	18	52 3, 124	460 313	2, 081 956 596	211 37	61 29 57 51	155 93	110 86 43 53	218 166	255 78 113	21 21	69 60 47	71	910 552 101
5 7 5	1 1	46	41	4		1	ì		475 494	1	51 29 41	155 93 58 76 37 53	36	98	119	21 21 11 13 17	50 45		162 113
2 1,300	23	64 4,818	60 321	4,379	97	21	3,049	752	400 4,838	243	262	450	35 353	466	58 680	13 94	305	71	156 1,914
613 687	8 15	4,818	321	4,379	97	21	51 2,998	451 301	3, 065 1, 773	207 36	144 118	236 214	183 170	466	478 202	47	153 152	71	1,080 834
605 679	1 6	4,712	223	4,374	97	18	51 2,996	451 301	2,010 927	207 35	60 29	146 89	106 85	209	248 76	20 21	68 59	71	875 533
5 6 3	6 3	45	40	4		i	1		580 465 475 381	····i	57 51 27 38	56 75 84 50	42 52 35 33	163 94	112 69 118 57	11 13 16 13	43 50 42 43		96 154
2	6	61	58	1		2	1		11		ł	1			į.	I	1		
45 17	 	428	11	407	9	1	129	9	164	4 2	8	14	10	16	9	2 2	10		80 44 36
28 15	2	428	11	407	9	1	128	12 9	58 71	4	3	9	4	9	3 7	1	1		
27	1 1	424	8	407	9		128	12	29 16 10	2		2 1	1 1	3	1		1 4		35 19 5 8 4
2		8	2			1			19 19		2 3	3 3	1 2	4	1 1	1	3 1	ļ	9
127	1	366	22	333	7	4	299	100	418	19	23	40	25	45	44	15	17	11	179
58 69 58	i	366	22	333	7	<u> </u>	5 294	74 26 74	289 129	14	13 10	26 14	13 12	45	33 11	9 6	9 8	11	116 63 101 53
		358	15	333	7		5 294	26	209 97	14 5	8	20 14	10	21	17 5	3 4	6 3	11	
127	1	360	22	327	7		295	100	412	17	23	39 25	25 13	45	33	15	16	11	177
58 69 58	1	360 352	22 15	327 327	7		290 5	74 26 74 26	284 128 205 96	13 4 13 4	13 10 8 3	25 14 19 14	13 12 8 10	21	33 11 17 5	9 6 3 4	8 8 5 3	11	114 63 100 53

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

=							THS PRO		ER AND C	THER 1	(ALIGNA)	NT TUMOR	s o r —			
	·	Aggre-			Buccal	avity.				Stom	ach and	liver.		Periton	eum, int	estines, n.
	ARKA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes-
	REGISTRATION STATES—Con.															
1	California—Continued. Colored	52	3			ļ	1	2	29		2	16	11	4	2	2
2	MalesFemales	34 18	3				1	2	23 6		2	12	9 2	3	2	1
4	Diagnosis reasonably certain. ${M \choose F}$	16 13	3				1	2	9		1	3	5 1	i		i
5	COLORADO	530	22	3	5	2	12		245	2	4	164	75	58	4	29
6 7	MalesFemales	232 298 133	22 22	3	5 5	2 2	12		138 107 52	2	4 i	101 63 41	31 44 10	24 34 17	2 2	10
8	Diagnosis reasonably certain. $\{ \stackrel{M}{F} : :$	199		3	ļ	ļ	12		31	•••••		13	18	23	2	5 9
9	White	230	22	3	5	2 2	12		239	1	4	160	74	24	4	10
11 12	Females	287 133	22	3	5	2	12		102 52		i	59 41	43 10	34 17	2	19 5
13	Colored	194 13					•••••		31	1		13	18	23	2	9
14	Males	2							1	1						
15 16	Females	11 5							5			4	1			
17	CONNECTICUT	1,040	48	5	17	5	18	3	331		8	214	109	158	7	112
18 19	MalesFemales	394 646	40 8	3 2	14	5	15	3	164 167		5 3	118 96	41 68	64 94	3 4	43 69
20	Diagnosis reasonably certain. ${M \choose F}$	199 412	40 8	3 2	14 3	5	15 3	3	46 37		3	35 19	8 18	31 40	1 1	12 18
21	White	1,022	48	5	17	5	18	3	326		8	209	109	155	7	111
22 23	MalesFemales	390 632	40 8	3 2 3	14	5	15 3	3	160 166		5 3 3	114 95	. 68	64 91	3	43 68
24	Diagnosis reasonably certain. $\left\{egin{smallmatrix}M\dots\\F\dots\end{smallmatrix}\right.$	198 400	40 8	2	14	5	15 3	3	45 37			34 19	18	31 38	1	12 18
25	Colored	18							5			5		3		1
26 27 28	Females	14 1							1 1			4 1 1		3		1
29	Indiana	12 2, 199	98	. 22	16	15	40	5	864	2	11	513	338	226	15	138
30	Males	821	79	20	13	9	33	4	382	2	9	249	122	97	4	50
31 32	Females	1,378 433 847	19 79	20 20	13	6 9 6	7 33	1 4	482 80	····i	1	264 49	216 29	129 73	11	88 26
33	White	847 2, 162	97	22	15	15	40	5	82 854	2	11	507	39 334	222	14	138
34 35	Males	812 1,350	78 19	20 2	12	9	33	4	382 472	2	9 2	249 258	122 212	97 125	4	50 88
36	Diagnosis reasonably certain. ${M \choose F}$.	429 830	78 19	20 2	12	9	33 7	4 1	80 82	1	1	49 42	29 39	73 56	4	26 25
37	Colored	37	1		1				10			6	4	4	1	
38 39	MalesFemales	9 28	1	: 	1				10			6	4	4	1	
40	Diagnosis reasonably certain. ${M \cdot \choose F}$	17	1		1				••••••					3		
41	Kansas	1,095	59	26	7	1	19	6	442	<u></u>	5	275	162	117	10	82
42 43	MalesFemales	504 591 257	53 6 53	25 1 25	6 1 6	11	17 2 17	2 4	241 201 67		1 2	167 108 48	70 92 17	59 58 30	6 4 5	40 42 12
44	Diagnosis reasonably certain. ${\bf f}$	364	6	1	1		2	2	45	·····		18	27	29	4	13
45 46	White	1,064	58 52	26	7	1	18	6	236	· · · · · · · · · · · · · · · · · · ·	5	268 163	158	115	10	81 40
47 48	Females	568 254	6 52	1 25	1 6	i	2 16	2 4	195 66		1 2	105 47	89 17	56 30	4 5	41 12
49	Colored	349 31	6	1	1		1	2	11			17	27 4	28	4	13
50	Males	8	1				1		5			4	1			
-· ·	Females $\{M : \{M, \}\}$	23 3 15	1				1	<u> </u>	6 1 1			3 1 1	3	2		1

						DEA!	THS FROM	(CANCE	R AND OT	HER MALI	GNANT	TUMORS	O F —						
Perito intestir rectum	nes, and		Female	genital or	gans.							Other o	rgans or	of organ	s not spe	cified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
							 				ļ								
		6	<u></u>	6		<u></u>	4	<u></u>	5	1	<u> </u>	1	<u> </u>			·	1		2
		6		6			4		1	1 1		i	` ¦			· 	1		2 i
		6		6			4		1	1							•••••		
25		81	4	74	3	<u> </u> :	53	14	57	3	6	5	7	6	3	2	1		23
12 13 12		81	4	74	3		51 2	10 4 10	36 21 30	3	2 4 1	5 3	2 5 1	6 5	1 2 1	1 1 1	1	i	14 9 14
12		80	3	74	3		51	1 4	iŏ	ļ	i		2		i	i		- -	5
25		80	4	73	3		50	13	55	3	6	4	6	- 6	3	2	1	1	23
12 13 12		80	4	73	3		48 2	10 3 10	35 20 30	3	2 4 1	4	2 4	6	1 2 1	1 1	1	1	14 9
12		79	3	73	3		48	3	10	.	i		1 2	5	i	1		1	14 5
	<u> </u>	1		1		<u></u>	3	1	2	<u> </u>		1	1					<u></u>	
		i		1			3	i	1			1	i						
•••••		i		i			3	····i	 										
39		158	7	145	5	1	121	33	191	11	5	16	7	23	32	2	11	1	83
18 21		158	7	145	5	ı	1 120	19 14	106 85 62 38	8	1 4	5 11	4 3	23	21 11	2	3 8	1	40 43
18 21		155	5	145	5		1 120	19 14	62 38	8 3	1 2	5 4	1	5	9	<u>i</u>	1 2	1	31 23
37		152	7	139	5	1	118	32	191	11	5	16	7	23	32	2	11	1	83
18 19							, 1	19	106	8 3	1	.5	4	23	21		3	1	40 43
18 18		152	7 5	139	5	•	117 1 117	19 13 19 13	106 85 62 38	8 3	1 2	11 5 4	3 1	5	11 9 3	2 1	8 1 2	····i	43 31 23
2		6	,	6	ľ		3	1	. 36	,		,			` `	•			20
		·																	
<u>2</u>		6		6			3	1					<u> </u>						
2 72	1	6 355	15	331	6	3	229	1 138	289	8	7	39		20	41		14		· · · · · · · · i
43	<u> </u>	333		331			3	94	166	6	3	18	24 8	20	41	1	8	4	
. 29 . 43	i	355	15	331	6	3	226 3	44 94	123 104	ž	4 2	21	16	ii	25 16 7	i	6		73 57 58
29		i	11	331	6	2	226	44	67	2	2	9	6	• • • • • • • • • • • • • • • • • • • •	4		2	•••••	42
69	1	346	15	322	6	3	226	137	280	8	7	37	23	20	40	2	12	4	127
43 26 43	1	346	15	322	6	3	223 3	94 43 94	158 122 101	6 2 6	3 4 2	17 20 9	7 16 3	20 11	24 16 7	1 1	6 6 2	4 4	70 57 57 42
26	1	341	11	322	6	2	223	43	66	ž	2	8	6	· · · · · · · · · · ·	4		2		
3		9	!	9	<u> </u>	······	3	1	9			2	1		1		2		3
3		9		9	¦ 		3	i	8			1	1		1		2		3
3		9		9	ļ		3	1	3			i	1				1		1
25		142	10	129	3		110	. 46	179	1	1	14	6	19	15	3	13	3	104
13 12		142	10	129	3		108	36 10	113 66	1	1	7	3	19	11 4	2	10 3	3	56 48
13 12		138	7	!			2 108	36 10	69 28	1	1	6 3	2 2	8	7 2	1 1	3 2	3	56 48 37 18
24	<u>.</u>	133	10	120	3		107	45	175	1	1	13	6	19	15	3	13	3	101
13 11		133		120			2 105	36 9	111 64	1	1	7 6	3	19	11 4	2	10	3	54 47
13 11		129	10	120	3		105	36 9	68 28	i	i	6	2 2	8	7 2	i	3 2	3	36 18
1	1 1	9	<u> </u>	9	.		3	1 .	4	 		1	<u>-</u>					i	3
									2										2
1	ļ	9	ļ	9			3	1	2			1					i		1 4

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.] DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF-Peritoneum, intestines and rectum. Buccal cavity. Stomach and liver. AREA AND BASIS OF DIAGNOSIS. Perito-neum and mesen-tery. Liver and gall blad-der. Others of this class. Esoph-agus. Lip. Total.

ŀ	REGISTRATION STATES—Con.	ļ	! !													,
1	KENTUCKY	1,081	58	10	11	21	12	4	366		1	209	156	101	3	64
2	Males	388	46	9	8	15	10	4	183	<u> </u>	1	105	77	42		24
3	Females	693 162	12 46	1 9	3 8	6 15	2 10	4	183 26			104 12	79 14	59 18	8	40
4	Diagnosis reasonably certain. ${\bf r}$	446	12	1	3	6	2		23			10	13	27	1	10
5	White	959	55	10	10	20	11	4	328		1	188	139	93	3	58
6	MalesFemales	356 603	45 10	9	8 2	15 5	9 2	4	165 163		1	91 94	70 69	40 53	3	22 36
8	Diagnosis reasonably certain. ${M \choose F}$.	155	45	9	8	15	9 2	4	25			11	14	18		1
	\	382	10	1	2	5	_		21			10	11	25	1	10
9	Colored	122	3		1	1			38			21	17	8		
10 11	MalesFemales	32 90	1 2		i	i	1		18 20			11 10	7 10	6		2 4
12	Diagnosis reasonably certain. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	7 64	1 2		i	i	1		1 2			1	2	2		
13	MAINE	821	33	11	7	3	11	1	300	1	5	180	114	129	6	86
14	Males	293	25	11	6	1	6	1	132	1	4	79	48	57	2	37
15	Females	528 122	8 25	ii	1 6	2 1	5 6	i	168 20		1 1	101 14	66 5	72 24	4	49
16	Diagnosis reasonably certain. $\{F: G_{F}: G$	308	8		1	2	5		16		1	6	9	30	1	10
17	White	819	33	11	7	3	11	1	299	1	5	179	114	128	6	85
18 19	MalesFemales	292 527	25 8	11	6 1	1 2	6 5	1	131 168	1	4	78 101	48 66	57 71	2 4	37 48
20	Diagnosis reasonably certain. ${M \choose F}$	122 308	25 8	11	6	1 2	6 5	1	20 16		1	14	5	24 30	i	6
21	Colored	2			•	_			1		•	1		1		1
	Males	1							1			1				
22 23	Females	i												i		i
24	Diagnosis reasonably certain. ${\mathbf{F}}$															
25	MARYLAND	1,092	44	7	15	3	14	5	389	ĭ	10	225	153	129	9	77
26 27	Males	401	35 9	7	14	2	9 5	3	185	1	8	125	51	55	1	29
28	Females	691 215	35	7	14	2	9	3	204 51	i	3	100 35	102 12	74 33	5 2	48 11
	ζ- · ·	457	li -		1	l	5	2	39		1	14	24	43	3	19
29	White	947	40	7	13	3	12	5	342	<u> </u>	7	200	135	120	9	69
30 31	Males Females	365 582	31	7 <u>-</u> .	12	1	7 5	3 2	163 179		6	111 89	46 89	53 67	5	28 41
32	Diagnosis reasonably certain. ${M \choose F}$.	199 378	31	7	12	2	7 5	3 2	47 34		3	33 12	11 21	32 41	2 3	11 17
38 34	Colored	145	4	 	2	ļ	, 2		47	1	3	25	18	9	!	8
	<u> Males</u>	36	4		2		2		22	1	2	14	5	2		1
35 36	FemalesDiagnosis reasonably certain. ${M \choose F}$	109	4		2		2		25 4	····i	1	11 2	13 1	7	·····	7
	(79							5	 		2	3	2		2
37	Massachusetts	3,649	150	24	52	15	48	11	1, 151	1	50	722	375	666	32	460
38 39	MalesFemales	1,324 2,325	127 23	22 2	46 6	11	37 11	11	542 609	3	33 17	365 357	141 234	240 426	8 24	160 300
40	Diagnosis reasonably certain $\{_{ m F}^{ m M}$.	683 1,475	127 23	22 2	46	11	37 11	11	136 106	2	17	91 52	26 49	139 213	3 6	107
41	White	8, 613	148	24	50	15	48	11	1, 138	4	49	714	371	663	32	458
42	Males	1,310	126	22 2	45	11	87	11	533	3	32 17	358	140	239	8	159
43 44	Females Diagnosis reasonably certain. ${f M}$.	2,303 678	126 22 126 22	22	5 45	11	11 37	ii	605 134	1 2	17	358 356 89 52	231 26	424 138	24	159 299 63 106
"	•	1,457	22	2	5	4	11		105	1	4	52	48	211	6	106
45	Colored	36	2		2				13		1	8	4	3		2
46 47	MalesFemales	14 22	1	ļ	1 1				9		1	7	1 3	1 2		1
48	Diagnosis reasonably certain. ${M \choose F}$	5 18	1		l i				2			2	i	1 2	ļ	1
49	Michigan	2,395	118	23	22	10	51	12	974	1	19	638	316	272	27	165
50	Males	1,015	l'———	22		8	35	9	509	⊩	15			128	11	
51	Females	1.380	89 29 89 29	1 22	15 7 15	2 8	l 16	3 9	465 128	ı	4 3	369 269 91	125 191	144	16	71 94 27 25
52	Diagnosis reasonably certain ${M \choose F}$	498 854	29	1 4	17	2	35 16	3	83	i	l	43	34 39	69	10	25

						DEAT	HS FROM	CANCER	AND OTH	ER MALI	GNANT '	TUMORS	o r						
Periton testin ectum	neum, es, and —Con.		Female	genital or	gans.							Other o	rgans or	of organ	s not spe	cified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
31		216	10	196	9	1	116	58	166	3	4	11	15	8	13	3	7	4	98
18 16 17		216	10	198	9		2	33 25 33	82 84 37	2 1 2	·	4 7	5 10	8	8 5	-!	1 6	4	49 49
16 32		213 174	8 9	196 156	9	1	111	25 54	32 149	. 1	3	1 3 11	5 13	²	13	3	3 6	4	26 20 88
18 14		174	9	156	8	1	101	31 23 31	73 76	1	3	4 7	4 9	7	8 5	3	1 5	4	44
17 14 2		171 42	7	156 40	8		101 10	23	34 28 17	1		3	4	2	2		3	4	24 18 10
		42	1	40	1		10	2 2	9 8	1 1	1		1 1	1			1		5 5
2		42	····i	40	i		10	2 2	3 4	1			1						2 2
18		142	1	138	3		93	28	96 58	1	1 3	6	1	6	13	2	3	2 2	54 27
19 18 19		142 142	1 1	138 138	3		93 93	7 21 7	38 32 12	1 1 1	3 1	2 3	1	2	3 2		1	2	27 22 10
37 18		142	1	138	3		93	28	96 58	2	4	8	2	6	13	2	<u>3</u>	2 2	54 27
19 18 19		142 142	1 1	138 138	3		93 93	21 7 21 7	38 32 12	1 1 1	3 1	3	i	2	3 2		1	2 	27 22 10
			<u></u>										·						
43		186	11	171	3	1	132	35	177	11	6	17	10	12	26	5	13	1	76
22 21 20 21		186 181	11 6	171 171	3	1 i	131 131 131	19 16 19 16	106 71 76 38	8 3 8 3	2 4 1	7 10 7 7	5 5 4 3	7	21 5 11 3	3 2	8 5 4 2	1 1	39 37 33 20
42		137	10	124	2	1	113	33	162	9	6	14	9	12	25	5	12	1	69
21 21 19		137	10	124	2	1	112 112	18 15 18	99 63 70	7 2 7	2 4 1	5 9 5	5 4 4	12 7	21 4 11	3 2	8 4	<u>1</u> 1	35 34 30
21 1		133	6 1	124 47	1	1	112 19	15	34 15	2 2		3	3		1		1		19 7
1		49	1	47	····i		19	1 1 1	7 8 6	1 1 1		2 1 2	1		i		1		4 3 3 1
172	2	48 576	39	47 518	1 16	3	19 436	94	576	1 30	33	36	30	68	1 68	5	44	9	1 253
72 100 72 98		576	39	518	16	3	432	55 39 55 39	356 220 222 100	26 4 26	13 20 5 4	16 20 12	12 18 8	68	52 16 21	4 1 2	19 25 5	9	137 116 108 63
98 171	2	562 569	25 39	518 513	16 14	3	432 430	39	100 571	30	33	10 36	30	67	5	5	9	9	63
72 99 72 97	2	569	39	513	14	3	4 426	55 39 55 39	353 218	26 4	13 20	16 20	12 18	67	52 16	4	19 25 5	9	135 114 107 62
72 97 1	2	555 7	25	513 5	14 2	3	4 426 6	39 39	221 99 5	26 4	5 4	12 10	5	26 1	21 5	2	5 9	9	107 62 4
<u>-</u> -		7		5			6		3 2					1					2 2
···i		7		5	2		6		1										1
80 46		360	14	341	3		214	75	343 210	5	7	34 16	13	38	36 26	3	12	4	170 90
46 34 46 34		360	14	341 341	3		210 4 210	75 39 75 39	210 133 123 68	5 4	7 3 3	16 18 8 8	4 2 3	18	26 10 12 4	3 2 1	12 12 4 6	4	90 80 66 43

35030°—16——7

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

			1											==		
					Buccal c		THS PRO	M CANC	ER AND O		ach and		s or—	Periton	eum, int	estines,
	AREA AND BASIS OF DIAGNOSIS.	Aggre- gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	REGISTRATION STATES—Con.															
1	Michigan—Continued. White	2,379	118	23	22	10	51	12	968	1	19	634	314	269	27	162
2 3 4	Males	1,010 1,369 495 850	89 29 89 29	22 1 22 1	15 7 15 7	8 2 8 2	35 16 35 16	9 3 9 3	507 461 127 82	1	15 4 3	368 266 90 42	124 190 34 39	128 141 79 69	11 16 6 10	71 91 27 25
5	Colored	16							6			4	2	3		8
6 7 8	Males	5 11 3 4							2 4 1 1			1 3 1 1	1 1	3		8
9	MINNESOTA	1,701	70	16	14	3	31	6	804		20	611	173	213	13	127
10 11 12	Males	829 872 406 519	59 11 59 11	14 2 14 2	12 2 12 2	3	26 5 26 5	4 2 4 2	452 352 125 71		17 3 6	376 235 108 44	59 114 11 27	107 106 70 69	7 6 4 2	62 65 28 32
13	White	1,696	70	16	14	3	31	6	801		20	610	171	213	13	127
14 15 16	Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array} \right.$	828 868 406 519	59 11 59 11	14 2 14 2	12 2 12 2	3	26 5 26 5	4 2 4 2	452 349 125 71		17 3 6	376 234 108 44	59 112 11 27	107 106 70 69	7 6 4 2	62 65 28 32
17	Colored	5		<u> </u>			<u> </u>		3			1	2			
18 19 20	Males Females Diagnosis reasonably certain. $\left\{ egin{align*}{c} \mathbf{M} & \mathbf{M} \\ \mathbf{F} & \mathbf{M} \end{array} \right.$	1 4							8	••••		i	2			
21	Missouri	2, 326	120	25	32	16	37	10	882	3	27	561	291	228	15	120
22 23 24	Males Females. Diagnosis reasonably certain. $\binom{M}{F}$	978 1,348 534 870	104 16 104 16	25 25	27 5 27 5	13 3 13 3	32 5 32 5	7 3 7 3	438 444 101 75	. 1	19 8 5	301 260 68 42	115 176 27 33	102 126 69 73	11 4 4 4	48 81 22 30
25	White	2, 233	116	24	32	16	35	9	855	3	26	542	284	219	14	123
26 27 28	Males	945 1,288 518 827	101 15 101 15	24	27 5 27 5	13 8 13 3	30 5 30 5	7 2 7 2	421 434 98 74	3 1	19 7 5	288 254 66 41	111 173 26 33	99 120 67 72	10 4 4	47 76 21 30
20 30	Colored	93	4 3	1			2	1	27		1	19	7	9 3	1	6
31 32	Females	60 16 43	1 3 1	1			2	1 1	10 3 1		1	6 2 1	8 1	6 2 1		5 1
33 34	Montana	223	13	3	3		6	1	93 52	<u></u>	3	65	25 10	28	3	16
35 36	Females	116 67 74	1 13 1	3	3		1 6 1	1 	41 19 6		2 1	24 15 3	15 4 2	11 16 8	1 2 1	6 9 8
37	White	218	14	3	3		6	1	91 52		3	64	10	26 16	3	16
38 39 40	Females Diagnosis reasonably certain. ${M \choose F}$	112 66 72	1 13 1	3	3		1 6 1	1	39 19 6		<u>2</u> 1	23 15 3	14 4 2	10 15 7	1 2 1	6 9 8
41 42	Colored	5							2			1	1	2		
43 44	Females. Diagnosis reasonably certain. ${M \choose F}$.	4 1 2							2			1	1	i i i i	-	
45 46	NEW HAMPSHIRE	142	13	2	4		6		132		1	32	27	29	2	63
47 48	Females	300 64 187	1 12 1	2	4		1 6 1		72 11 6			35 6 3	27 37 5 3	29 57 11 27	i	21 42 4 13
49 50	White	141	13	2 2	4		6	<u> </u> '	130	<u> </u>	1	32	63	20	1	63 21
51 52	Females	299	1 12 12	<u>2</u> 2	4		1 6 1		59 71 10 6		ļ <u>.</u>	32 34 6 3	26 37 4 3	29 57 11 27	i	21 43 4 12

						DEAT	res prom	CANCE	AND OT	IRR MALI	GNANT	TUMORS	O F —							Ī
Perito intestir rectum	es, and		Female :	genital org	gans.							Other or	gans or o	of organs	not spe	cified.				
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	8kin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain,	Bones (except jaw).	Tes- tes.	Others of this class.	
80 46		358	14	339	3	2	213	114	339	9	7	34	13	38	36 26	5	12	4	166	
34 46 34		358 354	14 10	339 339	3	2	209 4 209	75 39 75 39	132 121 68	5 4 5 4	3 3	16 18 8 8	4 2 3	18	10 12 4	1	12 4 6	4	87 79 64 43	}
		2		2	¦		1		3										4 3	
		2		2			1		1 2										1 2	}
73		193	16	174	3		119	57	245	9	15	18	23	25	29	6	22	5	93	ľ
38 35 38 35		193	16 14	174	3		115 4 115	43 14 43 14	164 81 105 48	8 1 8 1	8 7 3 1	11 7 8 3	15 8 8	25 8	23 6 16 3	3 3 2	16 6 9 2	5 5	50 43 38 34) 1 1
. 73		193	16	174	3		119	57	243	9	15	18	23	24	29	6	22	5	92	1
38 35 38 35		193	16 · 14	174 174	3		115 4 115	43 14 43 14	163 80 105 48	8 1 8 1	8 7 3 1	11 7 8 3	15 8 8 4	24 8	23 6 16 3	3 3 2	16 6 9 2	5 5	50 42 88 34	}1 }1
• • • • • • • • • • • • • • • • • • • •		<u></u>	<u></u>	<u></u>	<u></u>				2	<u></u>				1		<u></u>		<u></u>	1	۱,
• • • • • • •									1					1					1	};
83	1	278	18	348	9	3	221	156	341	10	8	25	i	32	43	12	15	4	161	12
43 40 43 39	i	878	18	348	9	3	11 210 11	101 55 101	222 119 148	8 2 8 2	6 2 3	20 5 11	15 16 9	32 14	35 8 18	6 6 3 2	7 8 3	4	89 72 75 45	}2
81	1	372 350	12 18	348 320	9	3	210 211	55 154	328	10	8	25	8 30	31	41	12	14	4	153	۱2
42 39 42 38	i	350 344	18	320 320	9	3	200 11 200	100 54 100 54	213 115 141 68	8 2 8 2	6 2 3 1	20 5 11 3	14 16 8 8	31 13	33 8 17 4	6 6 3 2	7 7 3 4	4	84 69 71 44	}2
2		28		28	ļ		10	2	13	ļ <u>.</u>			1	1	2		1	'	8	12
1 1 1 1		28		28			10	1 1 1	4 7				1	1	2 1		1		5 8 4 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
9	-	31	2	26	2	1	18	'	32	1	1	6	1	4	1	1	2	·	12	-:
5 4 5 4		31	2				.1	3	20 12 14 9		1	3		4		i	1	4	7 5 4 5	}3
	ļ	1	2		·	1	ľ	1	1.	<u> </u>				4			·	4	11	
4 8 4 8			2		, z		1	3 4	20 11 14 8		1	3	1	4		i :i	1	4	7 4 4	3 }4
2				<u> </u>	<u>'</u>		<u></u>	·	1	<u> </u>		ļ	<u> </u>	! 	ļ	<u> </u>	ļ		1	•
1 1 1 1																; ; ; ;	 		i	}
<u>21</u>			·	79	1			·	ll	ـــــال	!		ļ	6	\		1	1	29	1
14 7 14		83 82	1	79	1	2	1 53	13	30 16 14] 2	i	2 3 1	2		5		i	1 		١.
7	1	·	 	{		2	54	17			'	 			.'		1			
14 7		83 82	i	79	.		53	13	30 16 14	2		2	2		5			····i	8 21 8 12	1

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

İ						DEA	THS FR	OM CANO	ER AND	OTHER I	MALIGNA	NT TUMOR	as of—			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal	avity.				Stor	ach and	liver.		Peritor	eum, int	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION STATES—Con. NEW HAMPSHIRE—Continued.															
1 2 3	Colored	1 1			<u>-</u>				1 1	 		1	1			
4	Diagnosis reasonably certain. ${M \choose F}$.	2, 223	80	12	31	12	23	2	849	4	19	549	277	335	26	201
6 7 8	MalesFemales	859 1,364 370 808	65 15 65 15	11 1 11 11	27 4 27 4	9 3 9 3	16 7 16 7	2 2	405 444 73 67	3 1	16 3 3 1	283 266 53 42	103 174 17 24	134 201 69 102	5 21 3 9	80 121 17 34
9	White	2, 163 845	80 65	12	31	12	23 16	2 2	832 398	3	19 16	537 278	273 102	325 132	26 5	196 79
11 12	Females Diagnosis reasonably certain. ${M \choose F}$.	1,318 366 774	15 65 15	1 11 1	27 4	3 9 3	7 16 7	2	434 73 66	1	3 3 1	259 53 41	171 17 24	193 68 97	21 3 9	117 17 33
13 14 15 16	Colored	14 46 4 34							7 10	1		12 5 7	1 3	10 2 8 1 5		1 4
17	New York	8, 907	339	37	124	34	113	31	3,250	19	159	2,051	1,021	1,319	115	765
18 19 20	Males Females Diagnosis reasonably certain. M	3, 568 5, 339 1, 863 3, 359	283 56 283 56	33 4 33 4	109 15 109 15	31 3 31 3	85 28 85 28	25 6 25 6	1,618 1,632 414 268	17 2 8 1	117 42 51 11	1,077 974 275 138	407 614 80 118	572 747 386 421	39 76 22 27	321 444 157 176
21 22	White	8, 791 3, 536	336 281	37 33	123 109	34 31	111 83	25 6	3, 212	18	157	2,026	1,011	1,305	115 39	755 317
23 24	Females. Diagnosis reasonably certain ${f M} \cdots$	5, 255 1, 853 3, 298	55 281 55	33 4	14 109 14	3 31 3	28 83 28	· 25	1,610 413 265	2 8 1	42 51 11	959 274 136	607 .80 117	738 384 415	76 22 27	438 156 172
25 26	Colored	116 32	3		1		$\frac{2}{2}$		38 16	1	2	25 10	10	5		10
27 28	Females Diagnosis reasonably certain. {M	84 10 61	1 2 1		1 1		2		22 1 3			15 1 2	7 1	9 2 6		6 1 4
29 30 31	MalesFemales	273 72 201	2 2	1	1				37 48		1 1	20 28	35 16 19	8 19	1 3	3 11
32	Diagnosis reasonably certain. ${\mathbf{F} \cdot \mathbf{F}$	35 145 190	2 2 3	1	1		2 2		10 12 64		2	7 5 34	3 7 28	6 8 25	1 1	1 2 14
34 35 36	Males Females Diagnosis reasonably certain. M	53 137 25 90	· 1 2 1 2 2 2 2		1		2 2		24 40 6 10		1	13 21 4 3	10 18 2 7	7 18 5 7	1 3 1 1	8 11 1 2
37 38	Colored	83	1	1	<u>`</u>				21	! 		7	7	2		
39 40	Females Diagnosis reasonably certain. ${M \choose F}$	64 10 55	i	1					8 4 2			7 3 2	1	1 1 1		
41 42 43	Males. Females	1,660 2,516 813	174 143 31 143	26 24 2 24 24	38 30 8 30	22 17 5 17	75 62 13 62	13 10 3 10	1,635 800 835 185	3	39 7 16	998 530 468 124	228 360 44	207 280 122	36 16 20 6	268 112 156 39
44	Diagnosis reasonably certain. $\left\{ egin{align*} M \dots \\ F \dots \end{array} \right.$	1,603 4,080	31 172	2 26	8 38	5 22	13 74	3 12	173 1,601	3	45	90 974	579	156 481	4 36	50 266
46 47 48	Males Females	1,632 2,449 806 1,555	142 30 142 30	24 2 24 24 2	30 8 30 8	17 5 17 5	61 13 61 13	10 2 10 2	783 818 183 170	3	39 6 16 2	519 455 122 89	222 357 44 79	205 276 121 134	16 20 6 4	111 155 39 50
49 50 51 52	Colored. Males. Females. Diagnosis reasonably certain. { M	96 28 68 7	1 1 1 1				1 1 1	1 i	34 17 17 2		1 1	24 11 13 2 1	9 6 3	2 4 1		1 1

 $^{^{1}\}operatorname{Includes}$ only municipalities having a population of 1,000 or over in 1910.

						II EAL			- AND OIL	LEK MALI	GNANI	TUMORS	O P						
Peritor etestin	es, and		Female	genital or	gans.	:						Other or	gans or o	of organs	not spe	cified.	-		
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
					! ! !		' <u></u>												
		· 														<u>!</u>			
· · · · · · · ·																·			
108		317	20	289	7	1	232	66	206	15	21	22	27	34	42	7	26	4	146
49 59 49		317	20	289	7	1	229 3	46 20 46	138 114	12 3 12 3	10 11 3	13 9 4	12 15 3	34 9	27 15 14	3 4 1	12 14 3	4 4	79 67 61
59 103		305 297	10 20	287 270	7	1	229	20 66	70 336	3 15	1	22	6		6	2	6		42
48		281	20		6	1	3	!			10	13	12	34	26 14	6	26	4	76
55 48 55		297	20 10	270	6		224 3 224	46 20 46 20	201 135 111 67	12 3 12	11 3 1	9	15	9	14 13 5	1 2	14	4	65 59 40
5		200	10	268 19	6	1	5	20	8	3		4	6		2	1	6		5
1 4		20		19	····;		5		5 3						1 1	1			3 2
1 4		20		19	1 i		5		3 3						i				2 2
423	16	1,262	92	1,120	42	8	1,035	245	1,457	83	96	106	89	125	223	12	89	24	610
207 216	5 11	1,262	92	1,120	42	8	18 1,017	157 88	920 537	73 10	61 35 27	52 54	51 38	125	150 73	5 7	39 50	24	340 270 278
206 214	1 4	1,225	62	1,115	42	6	18 1,015	157 88	605 286	73 10	27 10	54 22 20	26 20	49	83 27	3	20 17	24	278 178
419	16	1,229	89	1,091	41	8	1,019	245	1,445	83	96	105	87	123	221	11	89	24	606
206 213 205 212	5 11 1 4	1,229	89 59	1,091	41	8 6	18 1,001 18 999	157 88 157 88	911 534 600 284	73 10 73 10	61 35 27 10	51 54 22 20	50 37 25 19	123 48	148 73 82 27	4 7 3 4	39 50 20 17	24 24	338 268 276 177
4		33	3	29	1		16		12			1	2	2	2	1			4
1 3		33	3	29	i		16		9			1	1	2	2	1			2 2
1 2		33	3	29	····i		16		5 2				1	1	1				2 1
9		87	3	81	2	1	23	12	35		1		5	1	4	2	3		19
5		87	3	81	2	i	1 22	6	18 17	İ	i		3 2	1	2 2	2	2		8 11
5		87	3	81	2	i	1 22	6	10 8				2 1		1	2	1 1		4 5
		45	1	43		1	16	11	26	<u> </u>	1		5	1	3	2	3		
3 4 3		45	i	43		1	16	6 5 6	15 11 7		i		3 2 2	1	1 2	2	2 1 1		6 5 2
4		45	1	43		1	16	5	5				1		1		1		2 2
$\frac{2}{1}$		42	2	38	2		7	1	3						1				<u>8</u>
1		42	2	38	2		6 1	1	6 3						·····i				6 2
180	3	633	2 35	38 585	8	5	430	199	618	32	36	55	43	63	71	11	45	9	253
	1		 			i——	5	105	400	26	25 11		23	63	47	8		9	
78 102 77 102	2	633 619	35	585 585	8 8	5 2	425 5 425	94 105 94	218 253 105	6 26 6	11 5 2	30 25 19 4	15 7	24	24 17 5	3 3 2	22 23 8 8	9	147 106 127 71
177	2	603	34	556	8	5	420	199	604	31	35	54	12	62	71	111	42	9	247
77 100	1 1	603	34	556	8	5	5 415	105 94	392 212	26 5	24 11	29 25	23 19 15	62	47 24	8 3	20 22	9	144 103
77 100 76 100		590	24	556	8	2	415	105 94	392 212 250 102	26 5	5 2	29 25 18 4	15	24	24 17 5	3 2	20 22 8 8	9	144 103 125 69
3	1	30	1	29	<u></u>		10		14	1	1	1	1	1		<u> </u>	3		6
1 2	ii	30	1	29			10		8 6	1	1	1	i	1			2		3 3 2 2
1 2		2)	<u>}</u>	29	ļ		10	ļ	3 3	i		1	 	ļ		ļ	'	l::::::	2 2

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 58.]

Same Calcular Same Sam				ified.	not spec	f organs	s or o	rgan	Other or	,						gans.	genital or	Female		-Con.	Perito intestin rectum
1972 2		Tes-	(except	Brain.	Blad- der.		eys nd pra-	n su		and	Larynx	Total.	Skin.	Breast.	of this	and	Uterus.	fallo- pian	Total.	of this	
226	9 34	9	55	18	110	81	52		84	28	38	821	222	649	3	15	881	44	943	8	234
226 2	13	9	24 14	9	25 48	 l	25 27 14		47 21	16 6	33 5 33 5	531 290 358 165	78 144	638 11	l			!		2	127 106
124		9		1		78	1	1			1							1	1 1	l li	
0 1 46 6 22 2 18 1 1 1 3 5 3 2 2 8 1 1 1 3 5 3 1 46 46 3 22 2 8 1 1 1 3 1 1 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 1 3 3 1 1 3 1 3 3 2 2 3 1 1 3 3 3 1 </td <td> 13</td> <td>9</td> <td>23 14</td> <td>9</td> <td>25 45</td> <td></td> <td>25 26 14 11</td> <td></td> <td>36 47 20 16</td> <td>15 6</td> <td>33 5 33 5</td> <td>282 350</td> <td>76 144</td> <td>616 11</td> <td> </td> <td></td> <td></td> <td></td> <td></td> <td>1 1</td> <td>124 100</td>	13	9	23 14	9	25 45		25 26 14 11		36 47 20 16	15 6	33 5 33 5	282 350	76 144	616 11						1 1	124 100
3 1 46 22 2 8 1 1 1 1 1 1 1 1	<u> </u>						1	1		1			2	22			46		46	1	
13	::		1 1		3	i			i			8 8 6	2	22		••••••	46		46		3 6 3
13	8							-		1				72		3	87	5	95		
13	1		1	1	4 3 1	3	1	ļ	2 3 1	•••••	1 4	31 31 11	6 9 6	72		3	87	5	95		13 13
13	3			2				-						71		3	86	5	94		
	1				4		1	ļ	2 3	1 	1	31 30 11	6	71			86		94		13 13 13
1																					
1 27 25 1 1 13 2 1 2 1 3 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 2 1 1 1 1 2 1 1 1 1 2 1 1 1 1 2 1	1 1	1	4	1	1	3	1		3				5	i	1	1	1		1		
1 5 27 25 1 1 13 2 5 1 1 1 2 1 1 1 2 1 2 1 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1		1	2					╁	2			21									1
5 27 25 1 1 13 2 6 1 2 1	1 1	1	2 1	1	••••••	••••••			1			18 5	3 2	13	i	····i	25		27		5
17		1	2 2	1					1 2			6 18	3				l .		·		5 1
17	<u></u>							<u> </u>													
17					•••••								••••••								• • • • • • • • • • • • • • • • • • •
17								-				70	14	20			an an		70		
26	1 2	1 1	1		5	10	1 3	 	6	2 2 1	1 2 1	47	9 7 9	30		5	63	2	70		17 9 17
17	- 1	1	3		s	10	i	1			1						i	1)	i I		•
9 69 1 63 5 30 7 17 2 1 2 3 1	'	1					1	╁	2		1	46									17
27 249 5 239 4 1 105 65 188 7 5 16 11 15 20 3 6	1 2 1 1 2 2	1			2	2	• • • • • .	.	2	ī	1 2	Į.	7 9 7				J 	[[17
									1												•••••
									1			1									••••••
	2 10	2	6	3	20	15	11		16	5	7	188	65	105	1	4	239	5	249		27
13 249 5 239 4 1 105 24 68 2 2 7 4 4 6 4 1 1 105 24 1 76 5 1	4	2	2 4	3	14 6	15	7 4 4 1		9 7 4	3 2	5 2 5 2	120 68	41 24	105	····i	4	239	5	249		14 13

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

Ī						DEAT	ths pro	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	9 OF—			
	AND RATE OF SURVEYOR	Aggre-			Buccal	avity.				Stom	ach and	liver.		Periton aı	eum, int	estines,
	AREA AND BASIS OF DIAGNOSIS.	Aggre- gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	REGISTRATION STATES—Con.											-				
1	VIRGINIA—Continued. White	767	35	5	9	4	14	3	251		4	156	91	62	2	36
2 3 4	MalesFemales	324 443 165 286	26 9 26 9	5	7 2 7 2	3 1 3 1	- 6 8 6	3	133 118 20 10		1 3	86 70 15 3	46 45 5 6	31 31 22 14	1 1	17 19 9 3
5	Colored	284	5	1			4		75			58	17	16	<u></u>	13
6 7 8	MalesFemales	66 218 24 154	1 4 1 4	1 1			1 3 1 3		33 42 1 1			26 32	7 10 1 1	5 11 2 2 2		4 9 1
9	Washington	871	33	10	8	5	9	1	386	<u></u>	5	293	88	100	6	61
10 11 12	$ \begin{array}{c} \textbf{Males} \\ \textbf{Females} \\ \textbf{Diagnosis reasonably certain.} \Big\{ \begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix} \\ \end{array} $	446 425 242 300	26 7 26 7	9 1 9 1	7 1 7 1	2 3 2 3	8 1 8 1	1 1	251 135 91 43		1 2 1	200 93 73 27	47 41 16 15	51 49 39 34	2 4 2 3	31 30 19 6
13	White	865	32	10	7	5	9	1	384	<u></u>	5	291	88	100	6	61
14 15 16	$ \begin{array}{cccc} \textbf{Males} & & & & \\ \textbf{Females} & & & & \\ \textbf{Diagnosis reasonably certain.} \Big\{ \begin{matrix} \textbf{M} & & & \\ \textbf{F} & & & \end{matrix} \\ \end{array} $	442 423 240 298	25 7 25 7	9 1 9 1	6 1 6 1	2 3 2 3	8 1 8 1	i	249 135 90 43		1 2 1	198 93 72 27	47 41 16 15	51 49 39 34	2 4 2 8	31 30 19 16
17	Colored	- 6	1	<u></u>	1				2			2		<u></u>		
18 19 20	Males	4 2 2 2	1		1				2 1			2 1				
21	WISCONSIN	1,985	80	20	18	3	35	4	973	1	33	678	261	234	11	147
22 23 24	Males. Females Diagnosis reasonably certain. $\left\{ egin{array}{ll} \mathbf{M} & \mathbf{K} & \mathbf{K} \end{array} \right.$	948 1,037 394 596	69 11 69 11	18 2 18 2	17 1 17 1	1 2 2 1	28 7 28 7	4	550 423 104 81	1	28 5 3 2	420 258 86 37	102 159 15 42	119 115 76 55	6 5 4 1	65 82 24 26
25	White	1,976	79	20	18	3	34	4	971	1	33	678	259	234	11	147
26 27 28	Males. Females. Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array} \right.$	947 1,029 394 590	69 10 69 10	18 2 18 2	17 1 17 1	2 1 2 1	28 6 28 6	4	549 422 104 81	i	28 5 3 2	420 258 86 37	101 158 15 42	119 115 76 55	6 5 4 1	65 82 24 26
29	Colored	9	1				1	·	2	·	<u> </u>		2		<u></u>	
30 31	Males	1 8	i	' 	ļ		i		1 1		¦		1 1		'	
32	Diagnosis reasonably certain. $\left\{ egin{align*} \frac{M}{F} \ldots \\ REGISTRATION CITIES. \end{array} ight.$	6	1				1				 	i 	,			I
3 3	Registration cities	159	4	2	2			į į	36		1	24	. 11	16		. 12
34 35 36	Males Females Diagnosis reasonably certain. (M.F.	53 106 41 81	3 1 3 1	1 1 1	2				13 23 7 7		1	8 16 4 3	4 7 2	10 6 9 2		6 6 5 2
37	White	115	4	2	2				28		1	18	9	12		8
38 39 40	Males Females Diagnosis reasonably certain {M F.	44 71 34 55	3 1 3 1	3 1 1 1	2				11 17 6 6		1	7 11 3 2	3 6 2 4	8 4 7 2		4 4 3 2
41	Colored	44	ļ	ļ			l		8			6	2	4		4
42 43 44	Males Females Diagnosis reasonably certain. $\left\{ f M ight.$	9 35 7 26							2 6 1 1			1 5 1	1	2 2 2		2 2 2 2
45	Birmingham	77	3	2	1				19		1	12	6	8		5
46 47 48	Males. Females Diagnosis reasonably certain.{M. F.	26 51 19 40	1 2 1 2	1 1 1 1	1				8 11 4 4		1	5 7 2 1	2 4 1 3	6 2 5 1		3 2 2 1

¹ Nonreg istration state; cities shown below only those with effective local ordinances.

							1												
Perito ntestii ectum	neum, nes, and —Con.	li .	Female	genital o	rgans.							Other or	gans or o	of organs	not spec	ified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
24		139	4	131	3	1	76	57	147	5	4	11	7	13	15	2	4	2	84
13 11		139	4	131	3	i	76	37 20 37	97 50 60	3 2 3	3	7 4 3	3 4 1	13	10 5 1	2	1 3	2	53 31 44
13 11 3		137 110	3 1	130 108	3	i	76 29	20 8	20	2 2	1	1 5	i	2	i 5	1	1 2		14
1 2 1		110	1	108	····i		29	4 4	23 18 16	2	····i	2 3 1	4	2	4 1 3	1	1 1		7 12 6
2 33		109 111	11	108 100	1		29 73	27	141	6	5	13	11	18	18	2	9	1	5 58
18 15 18		111	11	100			72 1	20 7 20	97 44 65,	4 2 4	<u>5</u>	10 3 10	8 3 1	18	11 7 6	1 1 1	4 5 2 2	1 i	35 23 . 29
15 33		110 109	10 11	100 98			72 73	7 27	27 140	6	5	1 13	11	18	5 18	1 2	2 8	1	58
18 15 18 15		109	11	98			72 1 72	20 7 20 7	96 44 65 27	4 2 4 2	5 2	10 3 10 1	8 3 1 2	18 9	11 7 6 5	1 1 1	3 5 2 2	1 1	35 23 29 14
		2		2				<u></u>	1								1		
••••• ••••		2		2					1								1		
76 48		219	20	185	12	2	162	72 40	245	6	10	18	24	35 35	27 20	3	15	6	101 57
28 48 28		219 212	20 14	185 185	12	2 1	161 1 160	32 40 32	169 76 104 45	6	3 1	12 6 7 3	13 11 7 5	14	7 10 4	2 	12 3 4 2	6	44
76 48 28		217	20	183	12	2	159	72 40	244 169 75 104	6	7 2	18	13	35 35	27 20 7	3 1 2	15 12 3	6	101 57
48 28		210	14	183	12	2 1	158 1 157	32 40 32	45	6	1	6 7 3	11 7 5	14	10	2	4 2	6	49 31
		2		2			3		1		1 i		·						
•••••		2		2		 	3						' 	<u> </u>					
4		53	3	49	1		9	10	31			5	4	2	2		2		16
4		53	3	49	1		9	6 4 6				3 2 2	2 2		2		2		10
4			3	49 30	ł		5	8	H			1 2	1	2	2		2		1
4 4			3	30	!		5 5	5				1 1 1	2 2	2			·····i		1 2
<u></u> -		19	<u></u>	19	,		4	2	7	l	! 	3	ļ						-
		19 19		<u>.</u> .			4	1	3 3	-	١	1 1		ļ					
3							3	2	8		<u> </u>	1			'	-			
3		30 30	2	27	1		3		1 4			i	. 1	1	l	.			

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF-Peritoneum, intestines, and rectum. Buccal cavity. Stomach and liver. Aggre-AREA AND BASIS OF DIAGNOSIS. Liver and gall blad-der. Perito Others of this class. neum Intes-Total. Lip. Tongue Mouth Jaw. Total. Total. vnx. REGISTRATION CITIES-Con. ALABAMA 1-continued. Birmingham—Continued.
White Males.....Females 1 2 1 7 9 4 4 5 2 1 2 3 1 i Diagnosis reasonably certain. ${M \choose F}$ ï Males.....Females 15 1 2 Diagnosis reasonably certain. Mobile 11 3 3 3 1 Diagnosis reasonably certain. ${M \choose F}$ 21 17 17 1 3 2 3 1 Diagnosis reasonably certain. ${M \choose F}$ 19 1 2 1 Males.....Females Diagnosis reasonably certain. ${M \choose F}$ Montgomery 1,.... 23 Males 24 4 18i Diagnosis reasonably certain. ${M \dots \{M \dots \}}$ White..... 27 Males.....Females.....2 Diagnosis reasonably certain. ${M \choose F}$ 10 0 ·····i Diagnosis reasonably certain. CALIFORNIA. Registration cities..... 1,754 Males.
Females.
Diagnosis reasonably certain. M... 35 276 148 113 36 28 4 27 4 162 103 34 1,720 39 10 65 10 273 144 160 102 34 112 33 28 126 70 81 Males.... 73 27 32 959 5 1 5 1 Diagnosis reasonably certain. ${M \choose F}$. Males. Females. 6 2 1 Diagnosis reasonably certain. $\{M, ..., M\}$ ï Los Angeles..... 6 Males... Females... 36 15 20 17 22 8 7 36 4 10 Diagnosis reasonably certain ${M = {K \choose F}}$

¹ Nonregistration state; cities shown below only those with effective local ordinances.

Perito	neum, es, and		_				!	i	1										
ntestin rectum	es, and —Con.		Female :	genital or	gans.							Other or	gans or o	of organs	not spe	cified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
8		19	2	16	1		2	1	9	<u> </u>	·····		3	1	1				4
3		19	2	16	····i		2	1	6 3				2	1	1				2 2
3		19	2	16	····i		2	1	1	' 			2	1					1 1
		11		11	 		1	1	3			1							2
								1	2			1							1
		11		11			.i 1	1	1 2	" !		i				<u>:</u>			1
		11	·····	11			1			 		• • • • • • • • • • • • • • • • • • • •		•••••		·····			
1		14	<u> </u>	14			2	2	15	<u></u>		1	1	1	1		2		9
1		14		14			2	1	11			1	i	1	1		2		6 3 6 2
1		14		14			2	î 1	9			1	i	1			1		6 2
1		9		9			1	2	14			1	1	1	1		2		8
				<u>·</u>				1	l ———					1	1		- 2		6
		9		9			1	1	11 3				1		·····•				2 6
		9		9			1	1	9			1	····i	1			1 '		2
		5		5			1		. 1					•••••					1
		5		5			1		1					• • • • • • •					
		5		5			1		•••••										
• • • • • •		9	1	8			4	6	4			3			·····				1
		9					4	3 3	2 2			1 2				·····			1
•••••	;		1	8				3	1										1
• • • • • • • • • • • • • • • • • • • •		9	1 1		• • • • • • •	•••••	. 4	3	1		•••••	1	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	·••••••	' 		• • • • • •	
		- 6	1	5				5	1			1				<u> </u>	·		
		6	_i -	5			2	3 2	1			·····i		••••••					
		6	_i -	5	••••	•••••	2	3 2			•••••	••••••	•••••	•••••					
		3	-	3		, ,	2	1	3			2							1
									2										
		3		3	•••••		2	i	į į.			î		• • • • • • • • • • • • • • • • • • • •					i
		3		3	•••••		2	1	. i			1		• • • • • • • • • • • • • • • • • • • •					
			l i																
85		252	18	227	4	3	200	51	288	13	20	29	18	29	31	13	14	9	112
41							2	33	197	9	10	20 9	11	29	24 7	9	7	9	69
41 44 41		252	18	227	4	3	198 2	18 33 18	91 144	9	10 7	15	7 8	15	14	3	5	9	69 43 59 36
44	•••••	245	12	227	4	2	198		68	4	3	9	6	•••••	4	3	3	• • • • • •	
85		246	18	221	4	3	198	51	284	12	20	29	18		31	13	13	9	110
41 41 41		246	18	221	4	3	196	33 18	194 90	9	10 10	20 9	11 7	29	24 7	9	6 7	9	67 43 58 36
41		239	12	221	4	2	196	33 18	142 67	9	7 3	15 9	8	15	14	3	4 3	9	58 36
		6	"	6	•	"	2	10	4	1	,				•		1		2
									·										
::::::		6		6		 	2		3	i				••••••			1		2
		6		6		[']	2		2 1	i					l:		1		1
18		70	7	62		1	53	8	80	4	8	8	3	6	4	1	9	3	34
7						<u> </u>		7	48		4	5 3 3 3	1	6	2 2	1	5	3	20 14 18 11
11 7 11		70	7	62		1 i	53		32 37	3	4 2		2			. •	4		,

² The only other registration unit; shown in order to complete the state.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

-	`			·		DEA1	ths fro	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	s o r —			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal	avity.				Stom	ach and	liver.		Periton at	eum, int	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	REGISTRATION CITIES—Con. CALIFORNIA—continued.	- .														
-1	Los Angeles—Continued. White	436	19	3	6		10	<u> </u>	152	<u> </u>	5	93	54	57	3	36
2 3 4	$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \begin{array}{c} \text{M.} \\ \text{F.} \end{array}$	167 269 108 178	17 2 17 2	3	5 1 5 1		9 1 9 1		75 77 31 16		5 3	52 41 25 6	18 36 3 10	21 36 15 20	3	14 22 8 7
5	Colored	7	1		<u></u>		1		2	·····		· 1	1	1	1	
6 7	MalesFemales	5 2	1	'			1		2			1	1	1	1	
8	Diagnosis reasonably certain. $\{\stackrel{M}{F}$	3 2	1				1		1				1			
9	Oakland	170	5	1	1	·····	3		64		1	42	21	24	2	13
10 11 12	MalesFemalesDiagnosis reasonably certain. $\left\{ egin{matrix} M & \\ F & \end{matrix} ight.$	61 109 39 75	4 1 4 1	1 1	1		1 2 1		25 39 9 10		1	19 23 7 9	5 16 1 1	12 12 9 7	1	5 8 3 3
13	Pasadena	53	1			<u></u>	1		20		1	17	2	7		1
14 15	MalesFemales	17 36 10	1 1						12 12		1	11	1 1	2 5		3
16	Diagnosis reasonably certain. ${\scriptsize f M }$	24					1		3 2			1	1	5		3
17	Sacramento	65	4	1	1	<u></u>	1	1	28		1	20	7	6	1	2
18 19 20	Males Females Diagnosis reasonably certain. ${M \choose F}$	32 33 20 23	4	1 1	1		1 1	1	17 11 10 1		1 1	12 8 6 1	3 3	3 3 1 3	1	1
21	San Diego	85	3		3		<u></u>		30		1	20	9	13	3	5
22 23 24	MalesFemales	39 46 17 35	3		3				20 10 5 2		1	13 7 4 1	6 3 1 1	4 9 2 6	3	3 2 1 1
25	San Francisco	576	33	5	16	1	6	5	211	2	13	137	59	72	4	37
26 27 28	MalesFemales	292 284 186 208	28 5 28 5	1 1 4 1	13 3 13 3	1	6	4 1 4 1	139 72 56 17	2	13	90 47 39 8	34 25 14 9	39 33 34 19	2 2 2 1	15 22 10 9
29	White	563	32	5	16	1	6	4	206	2	12	136	56	72	4	37
30 31 32	MalesFemales M Diagnosis reasonably certain. M F .	286 277 183 203	27 5 27 5	4 1 4 1	13 3 13 3	1	6	3 1 3 1	136 70 55 17	2	12	90 46 39 8	32 24 13 9	39 33 34 19	2 2 2 1	15 22 10 9
33	Colored	13	1	<u> </u>	<u></u>	ļ		1	5		1	1	3			<u> </u>
34 35 36	MalesFemalesDiagnosis reasonably certain. $\left\{ egin{matrix} M & \cdots \\ F & \cdots \end{array} \right.$	6 7 3 5	1					1 1	3 2 1		1	i	2 1 1			
37	Other cities	362	11	1	4		5	1	153		4	92	57	46		30
38 39 40	MalesFemalesDiagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \mathbf{K}$	169 193 83 139	9 2 9 2	1 1	4		3 2 3 2	1	98 55 33 15		3 1 1 1	67 25 20 8	28 29 12 6	17 29 8 22		13 17 4 10
	COLORADO.		.					j [!	
41	Registration cities	293	17	1	4	2	10		118	2	4	82	30	32	2	16
42 43 44	Males. Females. Diagnosis reasonably certain. ${M \choose F}$.	123 170 76 121	17 17	1	4	2	10		66 52 26 17	2	1	50 32 21 7	10 20 4 10	12 20 9 14	2	5 11 2 6
45	White	281	17	1	4	2	10		112	1	4	78	29	32	2	16
46 47 48	Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	121 160 76 117	17	1	4	2	10		65 47 26 17	1	1	50 28 21 7	10 19 4 10	12 20 9 14	2	5 11 2 6

						DEATE	is prom	CANCER	AND OTH	ER MALIG	NANT T	UMORS () ; —						
Peritor intestine rectum-	es, and		Female	genital or	gans.							Other or	rgans or o	of organs	not spec	cified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.
18		. 69	7	61		1	53	8	78	3	8	8	3	6	4	1	8	3	34
7			7						47	l——	4	5	1	6	2	1	4	3	20
11 7 11		66	7	61		1 1	53 53	7 1 7 1	31 36 20	1 2 1 2	4 2	3 3 3	2 1 1	4	1 1		3 2	3	14 18 11
		1	<u>.</u>	1			ļ		20	1		ļ			ļ <u>.</u>		1		••••
		i		1					1	·i							1		
		<u>-</u>		<u>î</u> .					1 1	i-							i		••••••
9		22		21	1		24	11	20		1	1	2	2	1			1	12
6		22		21	i		1 22	6 5	13		·····i	1	2	2	1			1	6
6		22		21	<u>i</u> -		23 1 23	6 5	10 7		<u>i</u> .	1	1	1	1			i	5
3	•••••	8	2	5	1		7	3	7		1		1	3	1				1
1 2		8	<u>2</u>	5	i		7	2 1	4 3				i	3	1				i
1 2		8	2	5	<u>.</u>		7	2 1	3				<u>î</u> .	2	1				
3		12		12	ļ <u>.</u>		5	1	9					i	1				7
								i	8					1	1				6
3		12 12		12			5	1	1 5 1					1					1
5		6	1	5			15	3	15			1	1	2	1				10
1			<u> </u>					2	10			1	1	2	1				5
1		6	1	5			15 15	1 2 1	5 5 5			i			i				5 3 5
31		78	1 6	72			61	13	108	7	7	15	7	7	12	12	5	2	34
22							1	7	78	7		12	5	7	·	8	2	2	23 11
22		78	6	72			60	6 7	30 60	7	3 3	3 10	5	3	8 4 4 3	3	3	2	11 22 11
9 31		76 73	6	72 67			60 61	13	25 106	7	7	3 15	7	7	12	3 12	5	2	32
22				07			1	7	76	7	4	12	5		8	8	2	2	21
22		73	6	67			60 1	6 7 6	30	7	3	3 10	2 5	3	4 4 3	4	3	2	11 21 11
9	••••••	71	4	67			60	6	y,	ľ:•••••	2	3	2	`	3	3	1		11 2
		5	ļ 	5			·		$\frac{2}{2}$	<u> </u>									2
		5		5					······································				!			· • • • • • • • • • • • • • • • • • • •			<u>ī</u> .
•••••	•••••	5		5								·····		1			·····		
16		56	2	50	2	2	35	12	49	2	$\frac{3}{2}$	4	4	8	11			3	14
12 12 12		56	2	50	2	2	35	9 3 9 3	36 13 24 8	1 1	1 2	3	2 2 1	8 4	10			3	9 5 7 2
12		54	i	50	2	i	35	3	8	i	ļ <u>.</u> .	3	2	······	······	`i		j	2
												_			_				
7		- 51		47		1	34	!	33	2	4	2			3	2	l		12
7		51	4	47			33 1	6 2 6	21 12 17	2	2 1	2 1	2 4 1		1 2 1	1 1	· · · · · · · · · · · · · · · · · · ·		9 3 9
6		50	3	1			33	2	5				1		1	i			2
14	•••••	- 50	4	46	·····		31	·		'	4	1	5	2	3				12
7		50	4	46			1 30 1 30	6 2 6 2	20 11 17 5	2	2 2 1	1 1		2		1 1	l:::::::		9 3 9 2

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

						DEAT	на рво	M CANC	ER AND C	THER M	IALIGNAN	NT TUMOR	s of—			-
	ARKA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal c	avity.				Ston	ach and	liver.		Peritor	neum, int	estines, n.
	AREA AND BARIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue.	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes-
	REGISTRATION CITIES—Con.															
	colorado—continued.															
1	Registration cities—Continued.	12							6	1		4	1			
2	MalesFemales	2 10							1 5	1		4	i			
4	Diagnosis reasonably certain. ${f M}_{{f F}}$	4		l::::::	. .		· • • • • • • • • • • • • • • • • • • •									
5	Denver	222	16	1	4	2	9		90	2	2	67	19	22	1	12
6	MalesFemales	94 128	16	1	4	2	9		51 39	2	2	41 26 14	6 13	8 14	i	4 8
8	Diagnosis reasonably certain. ${M \cdot F \cdot C}$	55 92	16	1	4	2	9		18 13			14 6	7	6 10	i	2 5
9	Other cities	71	1	<u></u>			1		28		2	15	11	10	1	4
10 11	MalesFemales	29 42	1				1		15 13		2	9	4 7	4 6	i	1 3
12	Diagnosis reasonably certain $\left\{ \begin{smallmatrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{smallmatrix} \right\}$	21 29	1		•••••		1		8 4		1	7	3	8 4	·····i	1
	CONNECTICUT.															
13	Registration cities	717	31	4	11	4	9	3	232		6	153	73	107	4	75
14 15	MalesFemales	271 446 136	28 3 28	3 1 3	10 1 10	4	8 1 8	3	120 112 38		5 1 3	85 68	30 43 7	42 65	2 2 1	29 46 9
16	Diagnosis reasonably certain ${M \cdot F \cdot I}$	290	3	i	10		î		32			28 18	14	21 28		ıi
17	White	699	31	4	11	4	9	3	227	<u></u>	6	148	78	104	4	74
18 19	MalesFemales	267 432	28	3 1 3	10 1 10	4	8 1 8	3	116 111 37		5 1 3	81 67	30 43	42 62	2 2	29 45 9
20	Diagnosis reasonably certain. ${M \choose F}$.	135 278	28 3	1	10	4	î		32			27 18	· 14	21 26	1	11
21	Colored	18			•••••				5			5		3		1
22 23	Males	14				· • • • • • • • • • • • • • • • • • • •		::::::	1			1		3		·····i
24	Diagnosis reasonably certain ${M \choose F}$	12							1			1		2		
25	Bridgeport	97	4		2		2		31		3	18	10	19	1	16
26 27	Males Females	40 57	4		2		2		15 16		2 1	10 8	3 7	8 11	i	7
28	Diagnosis reasonably certain $\left\{ {\mathop{F}\limits_{F}^{M}} \cdots \right\}$	19 27	4		2		2		3			2 2	1 1	2 2		i
29	Hartford	132	9	1	3	1	3	1	39		1	30	8	19		14
30 31	Males Females	56 76	9	1	3	1	3	1	22 17		1	18 12	3 5	8 11		8
32	Diagnosis reasonably certain. ${M \cdot \{F \cdot \}}$	37 57	9	1	3	1	3	1	12 12		1	10 10	1 2	6		3
33	New Haven	164	7	2	3	<u></u>	1	1	54	<u> </u>	1	35	18	17	3	9
34 35	MalesFemales	57 107	5 2	1	2		1	1	29 25		1	20 15	8 10	13	2	1 8
36	Diagnosis reasonably certain. ${M \choose F}$.	30 73	5 2	1	1		1	1	12 9		1	8	3 6	3 5	1	1
37	Waterbury	57	2			1	1		19	·		11	8	12		10
38 39	MalesFemales	22 35	1			1	····i		9 10			6 5	3 5	6		4
40	Diagnosis reasonably certain $\left\{ egin{align*} M \\ F \end{array} \right\}$	21	1			1	i		i			1	1	í		1
41	Other cities	267	9	1	3	2	2	1	89		1	59	29	40		26
42 43	MalesFemales	96 171	9	1	3	2	2	1	45 44		1	31 28 7	13 16	16 24		11 15
44	Diagnosis reasonably certain $\{F : \}$	42 112	9	1	3	2	2	1	10 7		1	7 3	2	8 14		5
'	DELAWARE.1		ļ:			}	į									1
45	Wilmington	81	4	1	1	<u> </u>	2!				1	19	9	14		
46 47	Males	33 48	4	1	1				16 13		1	12 7	3 6	8 6 1		5
48	Diagnosis reasonably certain ${M \choose F}$.	8 38	4	1	1	• • • • • • • • • • • • • • • • • • • •	2		7			3	4	4		3

¹ Nonregistration state; c ities shown below only those with effective local ordinances.

						DEAT	es prom	CANCER	AND OTH	ER MALIG	NANT T	UMORS (o r —						
intestir	neum, nes, and —Con.	I	emale ge	nital orga	ins.		!				0	ther orga	ans or of	organs n	ot specif	led.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
	<u></u>	1		1			3		2			1	1						
		i		i			3		1			1	·····i						
• • • • • • •		·····i		<u>.</u>			3						¦						
9		37	3	34			28	6	23	2	3	2	3	1	3	1			8
								4	15	2	- 2	2	1	1	1	1			5
5	ļ	37	3	34			28	2	8	2	ĩ 1	<u>.</u>	2	ļ	2	i			3 5
i i		36	2	34			28	2	3		····••	······			i	:			2
5		14	1	13	<u></u>		6	2	10		1		3	1		1			4
3 2		14	·····i	13			1 5	2	6		i	ļ	1 2	1		<u>ı</u>			4
3 2		14	i	13			1 5	2	6 2				1	1					4
•			-										-			1			
28		117	5	109	3		73	21	136	8	3	13	5	16	24	2	10	1	54
11							1	9	71	6	1	1	3	. 16	17			1	
17 11		117	5	109	3		72	12 9	65 39	6 2	2	9 4	2	3	7 7	2	2 8	<u>.</u> .	21 33 16 17
17		115	3	109	3		72	12	28	Ž	2	3	<u>.</u>		i	1	2		17
26		111	5	103	3		70	20	136	8	3	13	5	16	24	2	10	1	54
11 15		111	5	103	3		1 69	9 11	71 65	6 2	1 2	4 9	3 2	16	17	2	2 8	1	21 33 16 17
15 11 15		109	3	103	3		1 69	9 11	39 28	2 6 2	1 2	4 3	ī	3	7	<u>.</u>	2	i	16
2		6		6			3	1		-	•	٠			•	•	•		••
		<u> </u>																	
2		6		6			3	1											
2		6		6			3	ı						<u> </u>					
2	·····	9	•••••	8	1		8	3	23	2	1	2	1	1	4		3		9
1		9		8	<u>i</u>		1 7	1 2	11 12	1 1	i	1	1	1	3		3		4 5
į		ļ		8	····i		i 7	1 2	8	1 1	i	i		·····	2				4
5		22		22	•		8	;	31	3	1	2	2	3	2		•		18
		 						1	16	3	<u> </u>	<u>-</u>	1	3					
3 2		22		22			8	3	15			. 1	i	ļ	i			'	6 12
3		22					8	3	6			¦		¦·····					6
5		29	2	26	1	<u> </u>	19	6	32	<u> </u>	1	3	1	8	7	2	2		8
1			2	26		¦		3				3	<u>ı</u> .	8		2			3 5 2 3
1			2					3						3	2				3
2		lI.	il		i		2		lł		i	Ì.		1 .			1		4
									6			<u> </u>		2					
<u>.</u>		13	ļ	13			2		3			1							2 2 2
				13			11		3			1			1				2 2
14		44	3	40	1		36	8	41	3	İ	5	1	2	10		4	1	15
5			3	40			36	4		2		2	1	2	8		····· <u>·</u>	1	6
5			·	l			!	4	11	2		2			. 2				4 5
•		**	1	30	•		30	•		•	ļ	1			1 1	[•		'
		17		16			7	3	7						,				4
3	;	<u> </u>	-	10	<u> </u>			1	l						1				
2	·	17		16	1			2	3		1								3 1 2 1
i		17		16	1		7	1/2	1	<u> </u>	ļ .	J					J	l:	lí

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

		1				DEA?	'HS FR	M CANO	ER AND	OTHER 1	MALIGNA	NT TUMOI	RS 07-			
	AREA AND BASIS OF DIAGNOSIS.	Aggre- gate.			Buccal c	avity.				Stom	ach and	liver.		Periton a	neum, int	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes-
	REGISTRATION CITIES—Con. DELAWARE 1—continued.												-			
1	Wilmington—Continued. White	75	4	1	1		2		27	l .	1	17	9	13		8
2	Males	31	4	1	1		2		15		1	11	3	8		5
3 4	Females	44 7	4	1	i		····· <u>2</u>		12			6	4	5 1		3
5	Colored	36 6					•••••		7 2	ļ		3 2	1	1		3
6	Males	<u>2</u>							1	l		1				
7 8	Females	4							î			î		1		1
8	Diagnosis reasonably certain ${M \choose F}$. DISTRICT OF COLUMBIA.	2					•••••									
9	Washington	355	18	2	6	1	7	2	112		3	63	46	48	5	30
10	Males	144	14	2	4	1	6	1	60		3	30	27	14	1	7
11 12	Females	211 73	14	2	2 4	····i	16	1 1	52 13		·····i	33 8	19 7	34 6	4	23 2
	(-	137	4	·····	2		1	1	5	 		4	1	19	3	10
13	White	271	14		6	1	3	2	79		3	43	33	39	4	27
14 15	MalesFemales	112 159 61	11 3 11	2	4 2	1	<u>3</u>	1 1	43 36		3	20 23 7	20 13 5	9 30	3	6 21
16	Diagnosis reasonably certain $\{F : C$	104	3	ž	4 2	1	3	1 1	13		1	3		18	3	2 10
17	Colored	84	4				4		33			20	13	9	1	3
18 19	MalesFemales	32 52	3 1				3 1		17 16			10 10	7 6	5	·····i	1 2
20	Diagnosis reasonably certain $\left\{ {{\mathbf{F}} \cdots } \right\}$	12 33	3 1				3		3 2			1	2	2		
	FLORIDA. ²									l						
21	Registration cities	72	4		2		1	1	15			11	4	4		2
22 23	MalesFemales	26 46	3				1	i	8			6 5	2 2	2 2		1
24	Diagnosis reasonably certain $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$.	16 38	3 1		2		1	····i	3			3		1 2		1
25	White	58	4		2	ļ	1	1	12			8	4	3		1
26 27	Males	23	3		2		1		7			5	2	1		
28	Females	35 16 29	3		2		····i		5 3			3	2	2 1 2		1
29	Colored	14	1			ı	•••••	1	2			2				1
30	Males	3							1			1		1		1
31 32	Females Diagnosis reasonably certain.	11							2			2				
02	GEORGIA.1	9		1		·····	· • · · · · •									
33	Registration cities	186	9	2	3	1	3		45		1	25	19	18		12
34	Males	66	8	1	3				21		1	12	8	7		6
35 36	Females	120 41	1 8	1	3	·····i	3		24 6		i	13 2	11 3	11 4		6 3
	•	85	1	1			· · • · · · · ·		1				1	8		3
37 38	White	139	6	2	3	1	- 		37	<u> </u>	1	19	7	13		11
39	Females	52 87 31	1 6	1 1	3	1 i			17 20 4		1	10	10 2	7		5 3
40	Diagnosis reasonably certain. $\{ \stackrel{M}{F} : :$	58	ì	1		·····			1	 		.	í	5		3
41	Colored	47	2			·			8	<u> </u>		6	2	5	<u> </u>	1
42 43	MalesFemales	14 33	2						4	!		3 3	1	1 4		i
44	Diagnosis reasonably certain. ${M \choose F}$.	10 27	2				2		2	'		1	1	3		
45	Atlanta	106	4	2	2				26			16	10	11		9
46 47	Males Females	36 70 22 54	3 1	1	2				15 11	 		11	4 6	5 6		1
48	Piagnosis reasonably certain. ${M \choose F}$.	22	3 1	1	2	l			114	W:		5 2	2	4 3		8

¹ Nonregistration state; cities shown below only those with effective local ordinances.

[See note at head of this table, p. 88.]

Perito: itestin ectum	es, and Con.		Female ;	genital or	gans.							Other or	gans or o	of organs	not spe	cified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros-	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
_							_												
5 3		16		15	1		7	1	6						3	<u> </u>			3
2 1		16		15	1		7	1	3	;; ;;					2				1
. 1		16	ļ	15	1		7	1	1				-						1
		1		1				1	1										1
• • • • • • • • • • • • • • • • • • •		1		1				1	i										1
•••••		1	·····	1				1		 			 .			·····			- · • • • • •
13		54	2	52			36	. 9	78	5	2	8	6	12	13	1	6	: 	25
6 7		54	2	52			1 35	6 3	49	5	2	3 5	4 2	12	9	1	3 3	ļ <u>.</u>	10 15
3 6		54	2	52			1 35	6	29 30 17	5	1	3 2	2 2	4	5 2	1	1		8 10
8		34	2	32			29	9	67	4	2	7	5-	9	13	1	6		20
2 6		34	2	32			1 28	6 3	42 25	4	2	3 4	3 2	9	9	1	3 3		8 12
1 5		34	2	32			28 1 28	6	26 15	4	1	3	2 2	3	5 2	1	1		6
5		20		20			7		11	1		1	1	3				 	5
4		20		20		•	7		7	1		1	1	3					2 3 2
2 1		20		20			····· '		4 2	1		·····i		1					2
															!				
		21		20	1		12	2	14		!	2			3		2		7
1 1 1		21		20	·····i		12	1 1 1	12 2 8			2			3 1		2		5 2 5
î		21		20	1		12	i	î			2			·····•				i
2		15		14	1		9	2	13	<u> </u>		2	•••••		3		1		7
1 1 1		15		14	i		9	1	11 2			2			3		1		5 2 5
i		15		14	1		9	1	8 1			2			1 				1
••••	• • • • • •	6		6	•••••		3		1	<u></u>						ļ	1		
		6		6			3		1				· · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		1		
· · · · · · · ·		6		6	· · · · · · · · ·		3						· · · · · · · · · · · ·					· · · · · · ·	· · · · · · · ·
6		20		40			1.5												10
1		58	8	49	1		15	<u>8</u>	38		1	3	6	3	3		- 4		18
5 1		53	3	49	1		15	17	15 16		1	1 1	2 2	3	1		1		9 8
5 2	••••	51 36	1	49 35	1		15	1	8			1.						•••••	- 6 12
			1				10	- 7 6	29		1	<u>3</u>	<u>5</u>	2	3		3		6
2		* 36	1	35		٠	10	1 6	12 12		1	1	2 1	2	1 2		1		6 6
2	•••••	35		35			10	1	5		• • • • • • • • • • • • • • • • • • • •	1	1						3
1		17	2	14	1		5	1	9				1	1			1		6 3
3 1		17	2	14	1		5	i	3 4				i	i		· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •		3 2
		16	1	14	<u>i</u>				3				====						3
		83	1	31	1		11	5	16		1	1	2		1		1	······	
1		83	i	31	i		11	4 : 1 4	9 7		i	i			1				3 5 3 4

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See mote at head of this table, p. 86.]

						DEAT	TES PEO	M CTAC	ER AND O	THER M	ALIGNAN	T TUMOR	s or-			
		Aggra-			Buccal	esvity.				Ston	ach and	liver.		Periton 8	neum, int	estine n.
	ARRA AND BARR OF DIAGROSIS.	gute.	Total.	Lip.	Tongue	Mogth	Jaw.	Others of this class.	Total.	Phar- ynx,	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Inte
	REGISTRATION CITIES—Con. OROBOTA !—continued.															
	Atlanta—Continued. White	82	4	2	2	******			20			12	5	8		
	Males. Females. Diagnosis reasonably certain.	29 53 17 40	3 1 3 1	1 1 1 1	2	 !			11 9 2 1			8 4 1	3 5 1 1	4 4 3 7		
	Colored	24		-	*****	_	1	******	- 4		******	- 4	2	3		-
	Males. Females Diagnosis reasonably certain. M.	7 17 5 14	*******	(2000)	******				2 2		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	3 1 1	1 1 1	1 1		
1	Other cities 1,,,,			aine	_	1	3		19		1	9	9	7	*******	
	Male: Females Diagnosis reasonably certain. [M	30 50 19 31	5			1	3		13 2		1 · · · · · · · · · · · · · · · · · · ·	1 8	5 1	2 5 5		
	White	. 57	3		1	1	1		17		1	7	9	. 5		
	Males. Females. Iriagnosis reasonably certain.	34	3		1	1	1 1		6 11 2		1	1 6	4 5 1	3		
	Colored.	23	2				2		2			2		2		ļ
	Males. Females. Diagnosis reasonably certain. M.	7 16 5 13	2				2		2			2		. 2		
	ILLINOIS,	1				1										
	Registration rities	2,338	101	8	43	4	35	11	985	6	58	656	265	271	18	
	Males. Females. Diagnosis reasonably certain. ${M \choose P}$.	1, d33 1, 305 497 826	89 12 89 12	8	39 4 39 4	3 1 3 1	31 4 31 4	8 3 8 3	549 436 167 93	5 1 2	50 8 18 1	388 268 119 54	106 159 28 38	116 155 73 96	7 11 5 5	
	White,	2,27%	100	8	42	4	35	11	963	6	58	638	261	265	18	
	Malea. Femalea Diagnosh reasonably certain. [M.]	1,009 1,200 479 790	58 12 58 12	8	34 4 38 4	3 1 3 1	31 4 31 4	8 3 8 3	536 427 160 90	5 1 2	50 8 18 1	377 261 114 52	104 157 26 37	114 151 71 93	7 11 5 5	
	Colored	60	1	251424	1				22			18	4	6		
	Males Fermiles Diagnosis reasonably certain. M.	24 36 18 27	1		1	.,,,,,,			13 9 7 3			11 7 5 2	2 2 2 2	2 4 2 3		
	Chleago	2, 107	03	8	42	4	29	10	901	6	57	600	238	239	17	
	Males Females Diagnosis reasonably certain. [Males of the control of the certain of the certai	1,159 452 724	\$2 11 \$2 11	N N	3× 4 3× 4	3 1 3 1	26 3 26 3	7 3 7 3	506 395 154 79	5 1 2	49 8 18 1	356 244 108 47	96 142 26 31	104 135 64 83	7 10 5 5	
	White,	2,059	92	*	41	4	29	10	881	6	57	584	234	235	17	
	$\frac{M_{\text{ales}}}{F_{\text{errolles}}}$. Diagnos is reasonably certain. $\left\{ egin{matrix} M_{-} \\ F_{-} \end{array} \right.$	926 1,133 435 704	81 11 41 11	8	37 4 37 4	3 1 3 1	26 3 26 3	7 3 7 3	494 387 147 76	5 1 2	49 8 18 1	346 238 103 45	94 140 24 30	103 132 63 81	7 10 5 5	
	Colored	48	1		1				20			16	4	4		
	Males. Femmles. Diagnosis reasonably certain.	22 26 17 20	1		1				12 8 7 3			10 6 5 2	2 2 2 1	1 3 1 2		
	Springfield	62	2			*****	2		24			17	7	8		
	Males. Females. Diagnosis reasonably certain. M.	20 42 10 26	2				2		11 13 2 3		*******	7 10 2 2	4 3	3 5 3 4	*******	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

[See note at head of this table, p. 88.]

						DEAT	HS FROM	CANCER	AND OTH	ER MALIC	TRANC	rumors	o r —						
Peritor intestin rectum	es, and		Female	genital or	gans.							Other or	gans or	of organs	not spec	cifled.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	of this	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
		26	1	25			7	5	12		1	1	1	2	1		1		5
2		26 25 7	1	25 25 6	1		7 7 4	4 1 4 1	7 5 5 3		1	1	1	2	1		1		2 3 2 2
1 1 1 1		7 20	2	6 18	i i		4 4	3	2 2 4 2 2 22			2	1 1	1	2		3		1 2 1 2
4 2		20 19 10	2	18 18 10			4 3	3 3	14 8 9 3			1 2	2 2 1 1	1	1 1 1		2 1		6 4 5 2
2 2		10 10	2	10			3 3 1	2 2	10 7 7 2 5			2	2 2 1 1	1	1 1 1		1 1		4 3 4 1
2		10	2	8			i 1	1	4 1 2 1					1			1		2 1 1 1
95 45 50	7 3 4	362	23	334	2	3	192 3 189	45 22 23	382 254 128	16 14 2	25 13 12	28 20 8	38 22 16	39 39 15	63 44 19	6 3 3	. 15 11	7	134 77 57
45 50 92	7	356 346	18 23	333	2 2	3	189 187	23 22 23 45	143 57 372	14 2 15	3 5 24	10 3 28	10 5 38	39	22 7 62	6	9 4 26	7	52 30 127
44 48 44 48	3 4 1	346 340 16	23 18	318 317 16	2	3	181 3 181	22 23 22 23	246 126 135 57	13 2 13 2	12 12 2 5	20 8 10 3	16 10 5	15	43 19 21 7	3 3 1 1	15 11 9 4	7	72 55 47 30
1 2 1 2		16		16			5		8 2 8	1 1	1				1				5 2 5
39 47 39	6 3 3	318	21	292	2	3	172 3 169 3	37 19 18 19	347 234 113 130	16 14 2 14	13 11 3 5	25 18 7 9	36 21 15 9	37 37 15	58 41 17 21 7	6 3 3 1	12 10 6	6	117 69 48 46 26
47 84	6 3 3	312 306 306	16 21 21	291 280	2 2	3	169 169 3 166	18 37 19 18	339 226	15	23	25 18 7	36 21 15	37	57 57 40 17	3	12 10	6	112
39 45 39 45 2		300	16	279	2	·	' 3	19 18	113 122 52 8	1	12 11 2 5	3	5	15	20 7 1	3 1 1	6 3	6	26 5
2 2 3		12 12 11		12 12 11	 		3 4	3	8 8 10	1	1		1	1	1		2		5 5
3		ii	il	ii			4	3	4 6 3		,		1	1	i		2		1 4 1 1

² Includes Augusta and Savannah.

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

Nonregistration state; cities shown below only those with effective ordinances.

						DEAT	HS FROM	CANCER	AND OTH	ER MALIC	NANT T	UMORS	O F						
Periton intestin	es. and		Female	genital or	gans.							Other or	gans or o	f organs	not spec	dfied.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.
6	1	33	2	31			16	5	25		1	3	1	1	4		2	1	12
3 3 3 3	1 1	33	2	31			16	3 2 3 2	16 9 10 4		1	2 1 1	1	1	3 1 1		1 1 1	1	7 5 5 3
27	<u>.</u>	150	5	141	3	1	84	26	117	2	2	22	10	9	15		10	3	44
12 15 12 15		150	5	141	3	1 1	1 83 1 83	13 13 13 13	64 53 43 27	2	1 1	10 12 7 6	10	9	11 4 3 1		5 5 2 2	3	23 21 20 13
26		144	5	135	3	1	81	25	113	2	2	21	10	9	14		9	3	43
12 14 12 14		144	3	135 135	3	1 1	1 80 1 80	13 12 13 12	60 53 42 27	2	1 1 1	9 12 7 6	10	6	10 4 3 1		5 2 2	3	22 21 19 13
1		6		6			3	1	1			1			1	 	1		1
i i		6		6			3	1	1			1			1				1
- 6 3		9	1	8			3	1	17		1	1	3	3			2		2
3 3 3		9 8	1	8			3	1 1	11 5 5		i	ii	3	3			1		5 1 1
$\frac{3}{2}$		54	1	53			32	10	30	2 2		3	4	1	5		5	2	19
2 1 2 1		54 54	1 1	53 53			32 32	5 5 5	20 23 10	2		6 2 4	1 4 i	i	3		1 2	2	12 7 11 5
2		51	1	50		·····	31	9	48	2		9	4	1	7		5	2	18
2 2		51 51	i i	50 50			31	5 4 5 4	28 20 22 10	2		3 6 2 4	4	1	5 2 3		1 2	2 2	11 7 10 5
1		3		3			1	1	2							<u> </u>	1		1
i i		3		3			1	.] 	1								1		1
		12	1	11			9		4	·	<u> </u>	1	1	1		·			1
1 i		12 11	1				9		3			1		1					1
		75	2	69	3	1	I		·	J		11		4		-		1	1
6 11 6 11		<u></u> .	2			.		7 7	19 15		1		2	2	2		.	1	8 8
		47	8	43	1		25			·II——					 				
3 6 3 6		47 45	3	.l. 			25 25	. 7	17 23	i		5 4 1			2	1 1			11
8		42	3	38	1	<u></u>	24									2			
8 5		42	8	88	i		24	7 2 7 2	30 15 23	 		4				1 1 1			.I 8

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF-Peritoneum, intestines, Buccal cavity Stomach and liver Aggre-AREA AND BASIS OF DIAGNOSIS. Perito-neum and mesen-tery. Liver and gall blad-der. Mouth Intes-Total. Lip. Tongue REGISTRATION CITIES-Con. KANSAS-continued. Registration cities—Continued. 16 1 9 2 Diagnosis reasonably certain. $\left\{ egin{aligned} M \\ F \end{aligned} \right\}$ ï i Kansas City..... 1 Males.....Females..... 33 17 21 11 8 5 9 4 5 6 2 4i i ï Diagnosis reasonably certain. ${M \choose F}$ ï ï 29 17 17 1 10 8 4 11 Males..... 1 8 4 4 5 2 3 Diagnosis reasonably certain. ${M \choose F}$ Colored ____ 15i Diagnosis reasonably certain. $\begin{Bmatrix} M \\ F \end{Bmatrix}$ ï ï 1 Topeka.... 1 81 12 24 19 Males Females ····i Diagnosis reasonably certain. $\left\{ \frac{M}{F} \right\}$ ï White..... 28 12 23 1 1 1 23 5 2 2 4 1 2 5 2 4 Diagnosis reasonably certain. $\left\{ \frac{M}{F} \right\}$ 27 Males.....Females..... Diagnosis reasonably certain. $\binom{M}{F}$. 25 16 21 31 7 2 5 2 5 2 2 1 2 2 2 1 ·;· Diagnosis reasonably certain. ${M \choose F}$ · · · · · · · Other cities....._i 82 17 50 29 4 9 12 3 2 16 1 7 35 Males.....23 Diagnosis reasonably certain. $\{M, \dots, M\}$ KENTUCKY. Registration cities..... ____i 54 13 11 25 6 4 21 4 13 14 1 6 Males....Females..... 219 2 2 29 7 7 39 4 9 4i Diagnosis reasonably certain. ${M \choose F}$. 152 49 13 11 21 6 4 21 195 36 133 28 7 7 2 2 2 43 Males..... . . **.** . . . 3 8 3i Diagnosis reasonably certain. $\begin{cases} \frac{M}{F} \end{cases}$ Colored 5 Males..... 24 3 19 47i Diagnosis reasonably certain. F.

						DEAT	ES PROM	CANCER	AND OTH	ER MALIG	NANT 1	UMORS	o rc —						
Peritor intestin rectum	es, and		Female	genital or	gans.							Other o	rgans or	of organs	not spec	ified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.
									ì										
1		5		5	<u></u>	<u></u>	1	1	3	<u> </u>	<u></u>	1	!						2
i		5		5			······i	i	1 2			····i	i						1 1
i		5		5		ļ	·····i	i	¦				ļ						• • • • • • •
4		7		7			3	1	14			4		2		1			7
2 2		7		7			3	1	8			2 2		2					4 3
2 2							3	1	5			2		2		1			1
3		5	1	5			3	1	13			4		2		1			6
		<u> </u>		<u> </u>	-			1	7			2	-	2	-	<u> </u>			3
1 2		5		5			3	i	6 5			2 2		2		1			3
ī		5	ļ	5	ļ		3		2			······			ļ	1			1
1	<u></u>	2		2					1	ļ		ļ			<u> </u>	<u></u>	••••••		1
i		2		2					1										1
i		2		2															
1		12	1	11			4	2	10			1		1	 				8
								1	8					1					7
1		12	1	11			4	1 1	6										1 6
1		12	1	11			4	1				ļ			ļ·····		••••••	•••••	
1		12	1	11			4	1	9			1		1					7
i		12	i	11			4	1	8			1		1					7
i		12	i	11			4	1	6								• • • • • • • • • • • • • • • • • • • •	· · · · · ·	6
			 					1	1	 	ļ		.		ļ			••••	1
									i										;
								1		J									1
1		10	1	9			4	3	10	1		1		3	2		1	•••••	2
1		10	<u>-</u>				<u> </u>	3	8	1		1	ļ	3			1		2
		10	i	9			4	3	2 7			·····i			2				
		11		9			4	······	i					ļ	1				2
3		18	1	16	1	·	14	4	14			. 3	<u> </u>	1	1	1			8
3		18	ii	16	· · · · · i		14	2 2	7 7					1	1	1			3 5 2 2
		17			1		11	2 2	5 3			1	ļ. .		1	1			2
											1								
9		73	5	67	1		34	12		1			3	2	6		2	2	23
3 6		73	5	67			34	3 9	22 24	1	1 2	4	3	2			1 1	2	12
8			. II					. 3	10	ı	ļ	2		i	1		ļ	2	12 11 5 4
		if	1		1		ll .		42	1	2		1	ľ			2	2	21
3		I			<u>. </u>	 	11						-'	2	3		1	2	
		60	11	.				8 2	24		2	4	3	i	3			2	10 11 5
6		60	'1	l	l		И	8	8				2						4
•••••		18		13			4	2	4	1	1	ļ	.!				<u> </u>		2
		13		13			4	1	11	II .	1								2
• • • • • • •		13	.			.		. 1	1	i			-				<u>-</u>		

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF
REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN
[See note at head of this table, p. 88.]

_						DEA	THS FR	OM CAN	CER AND	OTHER	MALIGNA	NT TUMO	RS OF—		*************************************	
		Aggre-			Buccal	avity.				Stor	ach and	liver.		Peritor	eum, int	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	REGISTRATION CITIES—Con.															
	KENTUCKY—continued.															
1	Louisville	187			3	1	3		73	ľ 		38	35	21	1	17
3	Males	64 123 19	6 1 6		1 2	1	3 3		41 32 8			24 14 6	17 18 2	7 14 1	1	7 10 1
4	Diagnosis reasonably certain. ${M \cdots F \cdots F}$	83	ĭ		1	······	-		6			2	4	9	1	5
5	White	168	5		2	1	2	<u>'</u>	66			32	34	21	1	17
7	Males	109 18	5		2				38 28 8			22 10 6	16 18 2	7 14 1	i	7 10 1
8	Diagnosis reasonably certain. ${f M}$	73				-			6			2	4	9	1	5
9	Colored	19			1		1		7	ļ		6	1			
10 11	MalesFémales	5 14 1	1 1		1				3 4			2 4	1			
12	Diagnosis reasonably certain $\left\{ egin{align*} M \\ F \end{array} \right.$	10	i		1		<u>.</u>					•••••				
18	Other cities	141	6		3	3			46		1	19	26	10		4
14 15	MalesFemales	45 96	3		2	1 2	.		24 22		1	8 11	15 11	3 7		4
16	Diagnosis reasonably certain. ${M \dots F \dots F}$	20 69	3		2 1	1 2			5 5			2	5 3	3 4		i
17	White	123	6		3	3			41		1	17	23	10		4
18 19	MalesFemales	37 86	3		2	1 2			20 21		1	6 11	13 10	3 7		4
20	Diagnosis reasonably certain. ${M \choose F}$	18 60	3 3		2	1 2			5 5			2	5 3	3 4		i
21	Colored	18				 			5	ļ .		2	3			
22	MalesFemales	8 10							4			2	2			
23 24	Diagnosis reasonably certain. ${M \choose F}$.	2 9											. 1			
	LOUISIANA. ¹											••••				
25	New Orleans	358	24	1	9	5	7	2	112	2	4	65	41	37	4	21
26 27	MalesFemales	154 204	19 5	1	8 1	5	5 2	2	68 44	2	4	42 23	22 19	11 26	3 1	5 16
29	Diagnosis reasonably certain. ${M \choose F}$.	88 145	19 5	1	8	5	5 2	2	23	<u>i</u>	1	23 18 1	4 2	7 15	3	1 6
29	White	257	20	1	8	4	6	1	80	2	3	47	28	31	4	18
30	Males	114	17	1	8	4	4		45		. 3	28	14	10	3	5
31 32	Diagnosis reasonably certain $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$.	143 67 96	17 3	1	8	4	2 4 2	1	35 15 4	1	i	19 12 1	14 2 2	6 12	3 1	13 1 5
33	Colored	101	4		1	1	1	1	32		1	18	13	6		3
31	Males	40	2			1	1		23		1	14	8	1		
35 36	Females Diagnosis reasonably certain ${M \cdot \{F : F\}}$	61 21 49	2 2 2		1 1	i	····i		9 8			6	5 2	5 1 3		3 1
•	MAINE.	שר			1			1				•••••		3		•
37	Registration cities	212	. 4		1	<u></u> .	3		75		2	46	27	33	2	20
38 39	MalesFemales	65 147	1 3		1		3		33 42		1 1	25 21	7 20	14 19	2	8 12
40	Diagnosis reasonably certain ${M \choose F}$.	26 96	1 3		1	ļ .	3		8		i	5 3	3	7 8	ī	1 2
41	White	212	4		1		3		75	ļ	2	46	27	33	2	20
42	MalesFemales	6.5	1		1				33		1	25 21	7	14		.8
43 44	Diagnosis reasonably certain. ${M \cdot r \choose F}$	147 26 96	3 1 2		ı				42 8 8	· · · · · · · · · · · · · · · · · · ·	1 i	5	20 S	19 7 8	2	8 12 1 2
	· (F	AG	3				3		8		1	3		<u> </u>		Z

 $^{^{\}rm 1}$ Nonregistration state; cities shown below only those with effective local ordinances.

Darita	neum II																		
Periton ntestin rectum	es, and		Female (genital or	gans.	!						Oth	er organs	or of or	gans not				
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
3		42	4	37	1		14	4	26		2	3	3	2	3		1		12
3		42	4	37	····i		14	4	10 16		2	3	3	2	. 2		1		5 7
3		42	4	37	1		14	4	7			1	2	1					3 4
3		35	4	30	1	<u> </u>	13	3	25 9		2	3	3	2	3 2		1		11
3		35	4	30	1		13	3	16 4		2	3	3		í				4 7 3
3		35 7	4	30	1		13 1	3	. 7	 		1	2						4
									1										1
· • • • • • • • • • • • • • • • • • • •		7		7			1 i	1 1											
6		31	1	30			20	8	20	1	1	1			3		1	2	11
3 3		31	i	30			20	3 5	12 8	1	1	i			1 2		·····i	2	7 4
3		31	····i	30			20	3 5	6	1		i			ī		. .	2	2
6		25	1	24			17	7	17			1			3		1	2	10
3		25	·····i	24			17	2 5	9 8			i			1 2		i	2	6
3 3		25	1	24			17	2 5	5			1			1			2	2
		6	<u></u>	6			3	1	3	1	1								1
••••		6		6			3	1 1	3	1	1								1
		6		6			3	·····		1									
12		79	2	76		. 1	29	12	65	4	1	9	5	9	6	3	4	1	23
3 9	-	79	2	76		1	1 28	7 5	48 17	2 2	1	6 3	4 1	9	5 1	2	3	1	15
3 8		77	i	76			1 28	7 5	31 11	2 2		3	2	7	2	i	i	1	12 7
9		43	1	42			21	11	51	4	1	6	4	6	5	2	3	1	19
7		43	·····i	42			20		35 16	2		3	1	6	1	1	2 1	1	12 7 10 6
2 6		42		42			20			2		1 1		4				1	10 6
3		36	1	34		1	8		l				-	3					4
1 2 1		36	ì	34		ii	8	1 1	1			3	1				1		3 1
2		35	1	34			8							ļ		ļī.			2 1
11		49	1	47	1		25	4	22	1	2	2	1	1	3	1		1	10
6		49	1	47			25	3	14 8		1 1	2		1	3	1		1	4 6
6		49	i		. .			3	7 2	1	`\	2	`					i	3 2
11		49	1	47	1		ii .	4	22	1	2	2	1	1	3	1		1	10
6 5		49	i	47	i		25	3	14	1		2	i					1	4 6 3 2
6 5		 	1		.		 	.] 3		1		2						i	3

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

						DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	s o r —			
		Aggre-			Buccal c	avity.				Ston	ach and	liver.			eum, int	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES-Con.															
	MAINE—continued.															
1	Portland Males	65	1		1				18		1	9	8	11 7	1	5
3 :	Females. Diagnosis reasonably certain ${M \choose F}$.	43 9	i		<u>1</u>				10°		1	3	6	4	1	2
5	Other cities	32		-					3		ł		2	1	•	
6	Males	147	3				3		25		1	37	19	7	1	15
7 8	Females	104 17	3				3		32 8			18 5	14	15 3	1	5 10 1
	MARYLAND.	64	3				3		5			3	2	7	1	2
9	Registration cities	653	23	5	11	1	4	2	238	1	9	133	95	78	7	44
10 11	Males	241 412	22	5	10	1	4	2	109 129	1	7 2	75 58	26 69	34	3 4	17
12	Diagnosis reasonably certain. ${M \cdot \cdot \setminus F \cdot \cdot \setminus F \cdot \setminus$	138 271	22 1	5	10	i	4	2	38	1	2	25 8	10	44 20 29	1 2	27 7 14
13	White	567	21	5	10	1	3	2	210		6	117	87	71	7	38
14 15	Males	219 348	20	5	9	1	3	2	94 116		5	65 52	24 63	33 38	3	17 21
16	Diagnosis reasonably certain $\{\frac{M}{F}\}$	127 224	20	5	9	i	3	2	34 22		2	52 23 6	9	19 28	1 2	7
17	Colored	86	2		1		1		28	1	3	16	8	7		6
18 19	MalesFemales	22 64	2		1		1		15 13	1	2	10	2 6	1 6		6
20	Diagnosis reasonably certain $\begin{Bmatrix} \mathbf{M} \\ \mathbf{F} \end{Bmatrix}$	11 47	2		i		1		4	1		2 2	ž	i 1		i
21	Baltimore	589	17	3	9	1	2	2	213	1	9	121	82	76	7	43
22 23	Males	220 369	17	3	9	1	2	2	99 114	1	7 2	69 52	22 60	32 44	3 4	16 27
24	Diagnosis reasonably certain. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	126 245	17	3	9	1	2	2	35 24	1	2	22 8	10 15	19 29	1 2	7 14
25	White	510	17	3	9	1	2	2	185		6	105	74	70	7	87
26 27	MalesFemales	201 309	17	3	9	1	2	2	84 101		5 1	59 46	20 54	32 38	3 4	16 21 7
28	Diagnosis reasonably certain $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$.	118 200	17	3	9	1	2	2	31 20		2 1	20 6	9 13	19 28	1 2	7 13
29	Colored	79						<u></u>	28	1	3	16	8	6		6
30 31	Males	19 60							15 13	1	2 1	10 6	2 6	6		6
32	Diagnosis reasonably certain. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	8 45					· • • • • • •		4	1		2 2	1 2	i		i
33	Other cities	64	6	2	2			<u></u> '	25	<u> </u>		12	13	2		1
34 35	MalesFemales	21 43 12	5 1	2	1							6	9	2		1
36	Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{aligned} \right\}$	26	5 1	2	1				2			3	2	·		
37 38	White	57	4	2	1	·			25	<u></u>		12	13	1		1
39 40	MalesFemales	18 39 9	3 1 3	2	·····i				10 15 3			6 6 3	9	1		1
	Diagnosis reasonably certain $\{ F : \}$. 24	1	2			. .		2			.	2			
41 42	('olored	7	2		1				<u>-</u>					1		
43 44	Males	3 4 3	2 2		1 1		1 1							1 i		
••	Diagnosis reasonably certain. $\{ \mathbf{F} : \mathbf{F} : \mathbf{F} \}$	2	[·····•		- -		. .							- -		
45	MASSACHUSETTS. Registration cities	2, 781	116	10	94	12	,41	8	862	4	39	536	283	518	24	944
46 47	Malea	1.008		19	36	8	$-\frac{41}{30}$	8	400	3	26	264	107	198		364
47 48	Fem. les	1 775	22 94 22	7 7 2	5 31 5	8	11 30 11	l l	462 110 90	1 2 1	13 14 2	272 75 43	176 19	320 117	18 3 5	230 56 89

Perito	neum,	1			-80	1													
itestin	es, and —Con.		Female	genital or	gans.						01	her orga	ns or of o	organs n	ot specifi	ed.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
5		14		14			14	1	6		1	1		,	1	1			2
4 1 4		14		14			14	1 1	5 1 3		1	1 1			1	1			2 2
1		14 35	1	14 33	1		11	3	16	1	1	1	1	1	2			1	8
2 4 2 4		35 35	- i	33	i		ii ii	2 1 2 1	9 7 4 2	1	1	1	i	1	2			1	2 6 1 2
27		117	10	105	1	1	72	11	114	10	4	15	6	9	21	3	7		39
14 13 12 13		117 113	10	105 105	i	1 1	72	6 5 6 5	70 44 52 25	8 2 8 2	1 3 1	7 8 7 6	4 2 4 2	6	16 5 8 3	1 	5 2 4 1		18 21 14 11
13 13 13 11 13		88 88 85	9	78 78 78		1 1	61	5 4 5 4	107 67 40 49 23	7 2 7 2 7	1 3 1	5 7 5 5 5	4 2 4 2 2	9 9	20 16 4 8 2	2 1	5 2 4 1		18 19 14 11
1		29	1 1	27	1 i		11	1 1	3 4	1		3 2 1			1				<u>2</u>
1		28		27	1		11	1	3 2	1		1			1				
13 13 13 11 13		104	10	92	1 1	1 1	65 65 65	6 4 6 4	104 66 38 49 23	8 2 8 2	1 3 1	7 8 7 6	4 2 4 2	9 9	15 5 8 3	3 2 1	5 2 4 1		30 15 15 11 9
26		76	9	66		1	55	8	99	9	4	13	6	9	19	3 2	7		30
13 13 11 13		76 73	6	66 66 26		1 1	55 55	5 3 5 3	63 36 46 21	7 2 7 2	1 3 1	5 7 5 .5	2 4 2	6	8 2	1	5 2 4 1		15 15 11 9
		28 28 27	1 1	26			10	1 1 1 1	3 2 3 2	1 1		2 1			1 1				
1		13		13		·····	7	1	10		•				1				9
1 1		13 13	i l	13			7	1 1	6 3 2										3 6 3 2
		12		12			6	1 1	4 4						1				3 4
1		12		12 1			6	1 	3 2 2										3 2 2
1 1		1 1		1 1			1		2										2
120	1	450	33	401	14	2	328	60	447	23	21	35	24	57	50	5	37	7	188
58 71 58	i	450	33	401	14		3 325 3	38 22 38 22	'	20	7	15	10	57		4	17 20 3 9		100 88 83 50

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

Periton	neum,		Famele	genital or	gane							Other or	gans or o	of organs	not ener	inel			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	- 	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung	Pan-creas.	Kid- neys and supra- renals.	Pros-	Blad-der.		Bones (except jaw).	Tes-	Others of this class.
		•	tube.										renais.						-
128	1	443	33	396	12	2	324	60	443	23	21	35	24	56	50	5	37	7	185
58 70 58 68	1	443 432 7	33	396 396 5	12 12 12 2	2	3 321 3 321 4	38 22 38 22	271 172 173 81	20 3 20 3	7 14 3 2	15 20 11 10	10 14 7 4	56 22	36 14 15 4	1 2	17 20 3 9	7	99 86 83 49
1 1		7		5	2		4		2 2					1					1 2
42		144	14	127	3		108	14	148	12	9	12	8	19	15	2	7		64
17 25 17 23		144	14	127 127	3		108	10 4 10 4	100 48 70 28	11 1 11 1	4 5 1 1	6 6 6 4	5 3 3 1	19 8	12 3 6 1	2 1	3 4 1 1		38 26 33 19
42		139	14	123	2		106	14	145	12	9	12	8	18	15	2	7		62
17 25 17 23		139 136 5	14	123 123 4	2 2 1		106 106 2	10 4 10 4	46 70 27	11 1 11 1	5 1 1	6 6	5 3 3 1	18 8 1	12 3 6 1	1	3 4 1 1		38 24 33 18
									1					1					
6		5 5 4		4 3	1 1 1		2 2 8		1 1			1		2	2		2	1	1 3
3 3 3		4		3	i		8		5 6 2 2			i		2	1 1			1	1 2 1 1
5	'n	13	2	10		1	19	4	20		1	· 1	1	2	1		1		13
1 4 1 4	i i	13 13	2	10		1 1	19	3 1 3 1	12 8 11 4		1 1	i	i	2	1		1 1		9 4 8 2
4	<u></u>	12	1	10	1		7	1	17	1	1	2	2		4				7
2 2 2 2		12					1	1	6		1	1			1	•••••	• • • • • • • •		5
4		9		9					2				1					_	
3 1 3		9	2	9	1		4	4	2 1 11			,.	i				i		5
2								<u>-</u>	7				<u> </u>	1			4		1 4
3		12		ii			13 13 9		4 4 1 15	1		1			2		2		1
										!		1		- i					1 7
1		l i	1 2		1		1	2 2 3	7 3 5	1			3	1 1	1		•••••		7 1 5 2
		17	2	14				2 1	4 5	ļ				1	1		i		1 1
			2						4	1				1					i
		1	1	8	1		9		13	1	2			1				,	
2		10	i	8			9		10 3	1			1	1	2				3 1 1 1

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

=					ee note s											
						DEA1	ms pro	M CANC	ER AND O	THER M	ALIGNAN	TUMOR	s o r —			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal c	avity.			 	Stom	ach and	liver.		Periton ar	eum, int	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	REGISTRATION CITIES—Con. MASSACHUSETTS—continued.															
1	Springfield	92	3		2		1		. 33		1	19	13	20	1	17
2 3 4	$ \begin{array}{c} \text{Males}. \\ \text{Females}. \\ \text{Diagnosis reasonably certain.} \\ \left\{ \begin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{matrix} \right. \\ \end{array} $	39 53 24 24	3		2		1		15 18 6 3		1	9 10 5	5 8 1 3	9 11 5 2	1	7 10 3 1
5	Worcester	176	8		3	2	3		57	1	1	41	14	32	2	22
6 7 8	Males	59 117 30 76	6 2 6 2		3	1 1 1	2 1 2 1		26 31 5 8	1	1	21 20 4 3	3 11 5	7 25 5 12	2 1	18 2 6
9	Other cities	993	45	12	15	3	15		299	2	13	182	102	182	5	131
10 11 12	Males	362 631 184 401	35 10 35 10	11 1 11 1	11 4 11 4	3	10 5 10 5		141 158 36 30	1 1 1	9 4 3 1	91 91 27 13	40 62 6 15	76 106 46 51	4	40 82 20 31
13	MICHIGAN. Registration cities	997	41	7	11	2	16	5	400		12	253	135	129	14	83
14 15 16	$ \begin{array}{c} \textbf{Males} \dots \\ \textbf{Females} \dots \\ \textbf{Diagnosis reasonably certain.} \\ \begin{cases} \textbf{M} \dots \\ \textbf{F} \dots \\ \end{cases} $	413 584 211 366	33 8 33 8	7	9 2 9 2	2 2	11 5 11 5	4 1 4 1	205 195 58 37		10 2 2	145 108 42 17	50 85 14 20	66 63 42 30	10 2 6	40 43 18 14
17	White	988	41	7	11	2	16	5	397		12	250	135	127	14	81
18 19 20	Males	411 577 209 364	33 8 33 8	7	9 2 9 2	2 2	11 5 11 5	4 1 4 1	205 192 58 36		10 2 2	145 105 42 16	50 85 14 20	66 61 42 30	10 2 6	40 41 18 14
21	Colored	9				<u> </u>			3			3		2		2
22 23 24	Males	2 7 2 2							3			3 1		2		2
25	Detroit	424	20	5	8		5	2	179		b	116	57	54	5	83
26 27 28	Males Females	178 246 91 148	19 1 19 1	5	8		1 4 1	2	96 83 27 14		5 1 1	69 47 20 . 6	22 35 6 8	25 29 18 14	1. 4 1 3	14 19 7 5
29 30	Grand Rapids	120	2		1	<u></u>	1	<u></u>	54		1	35	18	18	8	10
31 32	Females	43 77 19 46	1 1		1		1 1		22 32 7 7			16 19 6 3	13 1 4	11 4 5	8 2	6 1 1
33 34	Saginaw	50 27	3			<u> </u>	3		21		1	11	9	7	2	5 2
35 36	FemalesDiagnosis reasonably certain. $\left\{egin{array}{c} \mathbf{M} & \mathbf{M} \\ \mathbf{F} & \mathbf{M} \end{array}\right.$	23 14 17	3				3		14 7 5 1		1	7 4 3 1	6 3 1	4	1	3
37 38	Other cities	403	16	2	2	2	7	3	146	<u> </u>	4	91	51	50	4	35
38 39 40	Females	165 238 87 155	10 6 10 6	2	2	2	3 4 3	2 1 2 1	73 73 19 15		3	53 38 13 7	17 34 6 8	31 19 20 7	2 2 1	20 15 10 5
41	MINNESOTA. Registration cities	605	32	4	9	2	15	2	250		8	179	63	79	8	45
42 43 44	Males	262 343 150 232	28 4 28 4	4	8 1 8 1	2	12 3 12 3	2	136 114 48 35		7 1 5	109 70 39 22	20 43 4 13	30 49 25	8 5 2 2	17 28 13 12
45	White	604	32	4	9	2	15	2	249		8	178	63	79	8	45
46 47 48	Males	262 342 150 232	28 4 28 4	4	8 1 8 1	2	12 3 12 3	2	136 113 48 35		7 1 5	109 69 39 22	20 43 4 13	80 49 25 80	8 5 2	17 28 13 12

			· · · · · · · · · · · · · · · · · · ·			DEAT			at head of				o F —		 -					Ī
Perito intestin	neum, les, and —Con.		Female	genital or	gans.									of organs	not sp	ified.				
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
2		11	3	7	1		6	1	18	1		2	1		2		2		10	1
1 1 1		11	3	7	i		6	1 1	11 7 9	1 1		2	i		2		1 1		5 5 5	
ī		10	2	7	1		6	•••••	3			ļ			·····		1	 !	2	}
. 8		27	2	23	2			4	28	3	1	3	1	7	3	$-\frac{1}{1}$		$\frac{2}{2}$	3	
3 5 3		27	2	23	2		20	2 2 2	10 12 7	1 2 1 2	i	2	1	2	3 1 2	i		2	3 3	1
5 46		25 171	5	23 161	2	1	20 114	2 27	7 155	3	7	2 13	6	23	1 16	2	15	4	66	1
							3	18	89	3	1	4	2	23	10	1	5	4		1
26 20 26 20		171	5 1	161 161	4	i	111 3 111	18 9	66 46 23	3	6	9 2 3	1	6	6 3 1	1	10 4		36 30 27 14	}1 }1
32		- 166	5	160	1		84	30	147	4	4	18	6	19	12	4	10	2	68	1
22 10		166	5	160	_i .		- 84	19 11	90 57	3 1 3	2 2	8 10	4 2	19	6 6	3 1	3 7	2	40 28 32 17	1
22 10		166	5	160	····i		84	19 11	59 30	3		4 5	1 2	12	2 2	1	2 3	2	32 17	}1
32		165	5	159	1		84	30	144	4	4	18	6	19	12	4	10	2	65	1
22 10		165	5	159	₁		84	19 11	88 56 57	3 1	2 2	8 10	4 2	19	6	3	3 7	2	38 27 30 17	1
22 10		165	5	159	1		84	19 11	57 30	3 1		5	1 2	12	2 2	1	3	2	17	}2
•••••		1		1					3					ļ 	ļ	<u></u>			3 2	2
 		i		i					1 1 2										1 2	2
		1		1																}2
16		78	2	75	1		30	6 4	57	1	1	2		8	5	1	5	1	30 19	1 2
6 10 6		78 78	2 2	75 75	1		30	2 4 2	34 23 23 9	1	i	2 2		4	1	1	. 4	i	11 14 6	${}^{2}_{2}$
5		15		15			14	5	12		1	1	2	1		2			5	2
3 2 3 2		15		15			14	3 2	10 2		1	1	2	1		2			3 2	3 3 }3
3 2		15	•••••	15			14	3 2	4 2			1		1			• • • • • • •		2 2	}3
•••••		8	<u> </u>	8.			2	2	7			1		2	1				2	3
		8		8			2	2 2	5 2 4			i		2 2	1				1 1	3.
•••••		8		8			2	• • • • • • • • • • • • • • • • • • • •	2		• • • • • •	1							1	}3
11		65	3	62			38	17		2	1	12	4	8	6	1	<u>5</u>	1		
9 2		65 65	3	62 62		!	38 38	10 7 10 7	30 28 17	1	1	5 7 1 4	2 1 2	5		1	3	1	17 14 15 8	31 }4
26		89	6	82	1		53	15	87	3	3	10	8	9	12	2	7	1	32	4
10 16 10		89	6	82	1		1	10 5 10	57 30 38	2 1 2	3 2	6 4	5 3 3	9	9 3 7	1	4 3 2	1 1	17 15 14 12	}4 }4
16 26		88 89	5 6	82 82			52 53	5 15	18 87	3	3	1 10	8	9	12	2	1 7	1	12 32	1
10							1	10			3	6			,	1			17	4
16 10 16		89	6 <u>5</u>	82 82			52 1	5 10 5	30.	1 2. 1	2	4	5 3 3 1	3	3° 7	1	3 2 1	i	17 15 14 12	}4 }4

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

						DEA	THS PRO	M CANO	ER AND	OTHER 1	MALIGNA	NT TUMOR	88 OF—			
	•	Aggre-			Buccal	avity.				Ston	ach and	liver.		Periton	eum, int	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes-
	REGISTRATION CITIES—Con.			i												
	MINNESOTA—continued. Registration cities—Continued															
1	Registration cities—Continued. Colored	1						<u></u>	1	<u></u>		1				
2 3	MalesFemales	i										i				
4	Diagnosis reasonably certain. ${M \cdots F \cdots M \cdots M \cdots M \cdots M \cdots M \cdots M \cdots M \cdots M \cdots $															
5	Duluth	68	2				2		38			27	11	9	2	4
6 7	MalesFemales	31 37	1 1				1		22 16			16 11	6 5	3 6	1	1 3
8	Diagnosis reasonably certain. $\left\{ egin{matrix} M \ldots \\ F \ldots \end{matrix} \right\}$	18 24	1 1				1 1		10 5			7	3 2	3 5	1	1 2
9	Minneapolis	313	15	 	4	2	7	2	116	 	3	88	25	48	6	30
0	MalesFemales	138 175	13 2		3 1	2	6	2	68 48		2	58 30	8 17	18 30	2	12 18
2	Diagnosis reasonably certain. ${M \choose F}$	76 121	13 2		3	2	6	3	22 15		2	19	1 7	13 18	1	8
3	St. Paul	166	10	2	5		3		75		5	51	19	17		7
4	Males	69 97	9	2	5		2		33		5	25	.3	7		3
6	Females	46 63	· 9	2	5		2		42 15 14		3	26 12 10	16	10 7 6		1
7	Other cities	58	5	2			3		21			13	8	5		4
8	Males	24	5	2			3		13			10	3	2		1
9	Females Diagnosis reasonably certain. ${M \choose F}$	34 10	5	2			8		8			3	5	3 2		1
	MISSOURI.	24	•••••				• • • • • • •		1			1		1		1
1	Registration cities	1, 171	62	8	25	6	18	5	402	3	21	264	114	132	10	67
2	MalesFemales	489 682	56 6	8	22	6	16 2	4	217 185	3	17	151 113	46 68	60 72	7 3	27
4	Diagnosis reasonably certain. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$		56 6	8	22	6	16	4	74 39	1	5	53 23	15 16	44 51	2 3	40 16 21
5	White	1, 121	60	8	25	6	17	4	387	3	20	251	113	127	9	63
6	Males	472	55	8	22	6	15	4	208	3	17	142	46	58	6	26
7 8	Females	619 286 467	5 55	8	3 22 3	6	15 2	4	179 72	····i	3 5	109 51 23	67 15	69 43 51	3 2 3	26 87 18 21
9	Colored	50	5 2		3		1	1	39 15		1	13	16	51		21
0	Males.	17 33	1				1		9			9	<u> </u>		1	
1 2	Females	9	1 1				····i	1	6 2		1	4 2	1	3		1
3	ζ- 11	24	1					1		ļ <u>.</u>						•••••
4	Kansas City	110	19	5	9	3	3 2		72		2 2	31	19	31	1	16
5	Females	144 78	1 19	5	9	3	1 2		30 15			20 13	10 2	14 17 14	i	12
-	Diagnosis reasonably certain. ${M \choose F}$	115	1			·····	1		10			6	4	10		
7	White	240	20	5	9	3			65	<u> </u>	2	45	18	30		18
8	MalesFemales	135	19 1 19	5 5	9	3	1 2		38 27 15		2	27 18 13	9 9 2	13 17 13	1	1
0	Diagnosis reasonably certain. ${M \choose F}$	109	19				í		10			6	4	10		1
1	Colored	14	·	<u> </u>		<u> </u>	<u></u>	<u> </u>	7	<u></u>	<u></u>	6	1	1		
2 3	MalesFemales	5		;			¦		3			4 2	i	1		1
4	Diagnosis reasonably certain. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	6	' .			ļ					 			1		
5	St. Joseph	97	3	<u> </u>	1	1	1		32			23	9	13	1	7
6	MalesFemales	37 60	3	!	1	1	1		19 13			15 8	4 5	6 7	1	24
8	Diagnosis reasonably certain. $\left\{ \begin{matrix} M \\ r \end{matrix} \right\}$		3		1	1	ľ	 	4 2			4 2	ļ .	5 5		3

Perito:	neum, les, and —Con.		Female:	genital or	gans.							Other or	gans or o	f organs	not spec	ified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	1	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.
													!						
•••••																			
3		7	1	6			4	3	5				1		2				2
1		7	i	6				2	3						2				1
1		7					4	2	2 2 1						2				
2			1	6			4	1	ł										1
12		47	2	45			31	6	50	<u></u>	2	5	5	- 5	9		4	1	17
8		47	2	45		::::::	30 30	4 2	34 16		2	3 2	3 2	5	7 2 5	1	2 2	1	10
4 8		47	2	45			30 1 30	4 2	23 7		1	2	3 1	1	5 1		1	1	9
10		25	1	24			10	5	24	2	1	4	1	3	1		2		10
4								4	16	1	1	3	1	3			2		5
6		25	1	24			10	1 4	8 11	1	····i	1 2		2	1		i		5
6		24		24			10	i	7	ī				·····	1				5
1	J	10	2	7	1		8	1	8	1		1	1	1			1		3
1									4	1			1	1					1
····i		10	2	7	1		8	1	2 3	i		1					1		1
• • • • •		10	2	7	1		. 8	1	3						ļ		1	·····	2
54	1	238	14	219	5		109	45	183	7	4	17	19	15	31	11	4		71
				218			l]	7				15		ļ		4	
26 28 26 27	i	238	14	219	5		103	30 15	120 63 85	7	3	13	10 9	l. .	25 6	5	2 2		36 35 32 25
20 27		233	9	219	5		103	30 15	85 44		3 1	8	6 7	9	13 4	3 2	2	4	32 25
54	1	219	14	200	5		106	45	177	7	4	17	18	14	31	11	4	4	67
26							6	30	115	7	3	13	9	14	25 6	5	2 2	4	33
26 28 26 27	1	219	14	200	5		100	15 30	62 80	7	1 3	8	9 5	8	6 13	6 3	2		33 34 29 24
27		214	9	200	5		100	15	43		1	3	7		4	2	2		24
••••		19		19			3		6		·		1	1					4
		19		19			3		5 1				1	1				ļ	3
									5				1	1					.i 3
		19		19		<u> </u>	3		1		<u> </u>		· · · · · · · ·	·					1
		51	2	48			29	17	34	3				<u> </u>	6			2	
9 5		51	2	48	····i		28 1	12 5	22 12			1	1 3		В	1 1		2	7
9		51	······ <u>2</u>	48	····i		28	12	17 10	3	 	·····i	3		4			²	. 6
14		46	2	43	1	l	28	17	34	3		2	4	l	6	2		2	15
9							1	12		II		1	1		6	1		2	·
5 9	1	46	2	43	1		27 1	5 12	12		 	1	3		4	1		2	7
5		46	2	43	1		27	. 5			¦	i	3		······			.	6
		5		5	ļ	<u> </u>	1				<u> </u> -	<u> </u>	<u></u>		<u> </u>			ļ. <u></u>	ļ
				······_															
		5		5			J1						 	:::::::	ļ::				
••••	• ••••	5	 	5		·····	1		 	 		: I		·····	ļ· · · · · · ·	·····		·····	
5		20	1	19	l	<u> </u>	16	2	11	<u> </u>	2	1		1	2	.'	<u> </u>	<u></u>	4
3 2		20	ii	19		ļ	1 15	2	6 5		2	1		1	1 1				
ã	1	19	;,	l		1	15 1 15	2	1 6	11	2	1	ı	i	i	1	1,	1	3

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

Ī			 		oc more a				CER AND	OTHER 1	MALIGNA	NT TUMO	R8 0F-			
		Aggre-	i		Buccal	avity.				Stom	ach and	liver.		Periton aı	eum, int	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	REGISTRATION CITIES—Con.															
1	8t. Louis	701	33	1	14	2	12	4	262	3	18	168	73	*0	6	10
2 3 4	$ \begin{array}{c} \text{Males} \\ \text{Females} \\ \text{Diagnosis reasona}^{\text{1}} \cdot \text{ly certain.} \left\{ \begin{matrix} \text{M} \\ \text{F} \end{matrix} \right. \end{array} $	302 399 179 271	28 5 28 5	1 1	11 3 11 3	2	11 1 11 1	3 1 3 1	141 121 53 25	3	14 4 5	95 73 35 13	29 44 12 12	37 43 24 32	5 1 1	19 21 10 12
5	White	671	31	1	14	2	11	3	255	3	17	162	73	76	5	37
6 7 8	$\begin{array}{c} \textbf{Males}. \\ \textbf{Females}. \\ \textbf{Diagnosis reasonably certain.} {\color{red}M}. \\ \textbf{F} \end{array}$	291 380 171 261	27 4 27 4	1 1	11 3 11 3	2	10 1 10 1	3	137 118 51 25	3	14 3 5	91 71 33 13	29 44 12 12	36 40 24 32	4 1 1	19 18 10 12
9	Colored	30	2				1	1	7	<u></u>	1	6		4	1	3
10 11 12	Males	11 19 8 13	1 1 1				1	1 1	4 3 2	` 	-	4 2 2		3	1	3
13	Other cities	119	6	2	1	<u></u>	2	1	36	·	1	22	13	8	2	4
14 15 16	Males	40 79 17 57	6	2	1 1		2	1 1	15 21 2 2		1	10 12 1 2	4 9 1	3 5 1 4	1	3
17	Registration cities	82	5	i 	3		2		32		1	25	6	11	8	5
18 19 20	$\begin{array}{c} \textbf{Males} \\ \textbf{Females} \\ \textbf{Diagnosis reasonably certain.} \\ \begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix}$	39 43 22 26	5		3		2		17 15 5		i	15 10 5	2 4	7 4 6	2 1 2	3 2 2 2
21	White	20 81	5	i	3		2	i	1 32	1	1	1 25	6	11	3	5
22 23 24	Males Females Diagnosis reasonably certain. \(\begin{align*} M \\ F \end{align*}. \end{align*}	39 42 22 25			3		2	·	17 15 5		1	15 10 5 1	2 4	7 4 6 4	2 1 2 1	3 2 2 2
25	Colored	1	<u> </u>	·		<u></u>		·. <u></u>					. <u></u>		ļ <u></u>	
26 27 28	Males	1		 												! ;
29	NEBRASKA.1 Registration cities	187	3	1			1			<u> </u>		44	22	23	3	16
30 31 32	Males	81 106 51 75	3	1	1		1 1		38 28 18 8			29 15 15 3	9 13 3 5	13 10 8 5	3	9 2 4
33	White	185	3	1	1	<u></u>	1		66	<u></u>		44	22	22	3	_ 15
34 35 36	$\begin{array}{c} \textbf{Males}. \\ \textbf{Formales}. \\ \textbf{Diagnosis reasonably certain.} \\ \begin{cases} \textbf{M}. \\ \textbf{F}. \end{cases} \end{array}$	80 105 51 74	3	1 i	1		1 1		38 28 18 8			29 13 15 3	9 13 3 5	12 10 8 5	3	6 9 2 4
37	('olored	2	<u> </u>			<u></u>		<u>'</u>	! <u></u> ;	<u></u>				1	<u></u>	1
38 39 40	Males Females Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} ight.$	1 1												1		1
41	Omaha	140	1	1					46			32	14	14	3	7
42 43 44	Males. Females. Diagnosis reasonably certain. {M	62 78 38 60	1;	1					30 16 12 4			23 9 10 1	7 2 3	8 6 7 5	3	2 5 1 4
45	Lincoln ²	47	2	·- <u></u> -	1	·	1	. <u></u>	20	·		12	8	9		9
46 47 48	Males Females Diagnosis reasonably certain. { F	19 28 13 15	2		1 1		1		8 12 6 4			6 5 2	2 6 1 2	5 4 1		5 4 1

Nonregistration state; cities shown below only those with effective local ordinances.

Peritor ntestin rectum	es, and		Female	genital or	gans.							Other or	gans or o	of organs	not spec	ified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tee-	Others of this class.
33	1	130	7	120	3		54	23	119	4	2	14	13	12	20	8	3	2	41
13 20 13 19	1	130	7	120			50 4 50	15 8 15 8	77 42 55 26	4	1 1 1 1	11 3 7 2	7 6 5 4	12	15 5 7 3	3 5 2 2	1 2	2	21 20 19 12
33	1	120	7	110	3	<u></u>	53	23	113	4	2	14	12	11	20	8	3	2	37
13 20 13 19	1	120 118 10	7	110 110 10	3		4 49 4 49	15 8 15 8	72 41 50 25	4	1 1 1 1	11 3 7 2	6 6 4 4	7	15 5 7 3	3 5 2 2	2	2	18 19 16 11
		10		10			<u>i</u>		5 1		'		1	1					3 1 3
2		10 37	4	10 32			1 10	3	19			ļ	2	2	3		1		11
1 1 1 1		37	4	32	i 1		10	1 2 1 2	15 4 7 4				1	2			1		7 4 5 4
3		. 13		12		1	5	1	15		1	3		1	1		2	1	6
2 1 2 1		13					5	1	9 6 5 4		i	1 2			1		1 1 1	1 1	4 2 2 2
3		13		12	1	1 .	5	1	14		1	3		1	1		2	1	5
2 1 2		13		.		1	l'	1 1	9 5 5 3		1	1 2 1			1		1 1 1	1 1	1 1 2
	ļ	<u> </u>	<u></u>		<u> </u>		ļ		1						<u></u>				1
•••••					. .				1					1		1			1
4		38	3	34	1	ļ	18	5	34		4	2	1	1	5	2		1	18
3 1 3 1		38	3	31			18 18	5	22 12 17 7		3 1 1	1 1 1 1	1 1	1 1	1 2	2 1		1	11 7 10 5
3	<u> </u>	38	3	34	1		18	5	33 22 11		4 3	2	1	1	5	2		1	17 11 6
1 3 1		38	3	' 	1		18	5	17 6		1	1 1	1	1	1 2	1		1	10
									1 1										1
4		33	3	29	1		13	5	28		4	2	1	1	4	1			1 15
3 1 3		33	3	29	i		13	5	18 10 13		3 1 1	1 1 1	1	1	3 1 1	1			9 6 8 4
1	ļ <u></u>	32 5	2	5	1		5		6			1			1	1		1	3
	ļ 			5			5	' 	4 2						1 1	····i		1	2 1 2 1

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

Ī						DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	8 OF—			
		Aggre-			Buccal	avity.				Stom	ach and	liver.		Periton aı	eum, int	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	Aggre- gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes-
j	REGISTRATION CITIES—Con.															
	NEW HAMPSHIRE.													;		
1	Registration cities	173	2	<u></u>			2				1	29	18	38		27
8 4	Males	54 119 27 82	2				2		27 21 8 2		1	17 12 5	9 9 3 2	13 25 8 14		8 19 3 8
5	White	172	2	ļ			2		47		1	29	17	38		27
6 7 8	Males	53 119 26 82	2				2		26 21 7 2		1	17 12 5	8 9 2 2	13 25 8 14		8 19 3 8
9	Colored	1							1				1			
10 11	MalesFemales	1				ļ <u>.</u>			1				1			
12	Diagnosis reasonably certain. ${M \choose F}$.	1							1				1			
13	Manchester	56	2				2		12			10	2	13		10
14 15	MalesFemales	13 43	2				2		4 8			3 7	1	4 0		3 7
16	Diagnosis reasonably certain. $\left\{\frac{M}{F}\right\}$.	7 30 117	2				2		36		1	19	16	1 7 25		5 17
18	Males	41									1	14	. 10	9		
19 20	Females	76 20							23 13 7			5	8 2	16		5 12 3
20	Diagnosis reasonably certain. $\{ \mathbf{F} \dots \}$	52							2				2	7		3
	NEW JERSEY.						,,	,			.,	070			_	
21 22	Registration cities		52 42	7	21 19	5	14	1	255	4 3	14	353 177	176 62	218 85	20	128
23 24	Females	881 243 529	10 42 10	1 7 1	19 19 2	3 5 3	10 10 4	1	292 53 51	1	1 3 1	176 39 31	114 11 19	133 45 74	16 2 8	50 78 12 27
25	White	1,384	52	8	21	8	14	1	534	3	14	342	175	212	20	126
26 27 28	Males	537 847 241 502	42 10 42 10	7 1 7 1	19 2 19 2	5 3 5 3	10 4 10 4	1	249 285 53 50	1 1	13 1 3 1	172 170 39 30	62 113 11 19	. 128 44 70	16 2 8	50 76 12 26
29	Colored	42		ļ					13	1		11	1	6		2
30 31	Males	8 34 2							6 7	1		5 6	1	1 5 1		2
32	Diagnosis reasonably certain. ${M \cdot {F \cdot {F \cdot {F \cdot {F \cdot {F \cdot {F \cdot {F \cdot $	27							1			1		4		1
33	Camden	74	1			1			26		1	20	5	12	1	8
34 35 36	Males	27 47 17 30	1 1			1			11 15 4 2		1	9 11 3 1	1 4 1 1	. 4 . 4 . 6	1	3
37	Elizabeth	76	4		2	1	1		33		1	21	11	8	2	4
38 39 40	Males	36 40 12 19	3 1 3 1		1 1 1	1 1	1 1		15 18 1 2		1	10 11 1 1	7	5 3 2	1	2 2
41	Jersey City	217	7	2	2	1	2		97		1	63	33	28	3	19
42 43 44	Males Females Diagnosis reasonably certain.[M.F	135	5 2 5 2	1 1 1 1	2	1	1 1 1		43 54 8 5		1	33 30 . 7 2	9 24 1 3	12 16 6 9	3	10 9 4 3
45	Newark	340	12	2	6		1		135	2	8	85	40	54	5	29
46 47 48	Males	132 208	10 2 10 2	2	6		2 2 2 2		68 67 15 16	1 1	8	45 40 10	14 26 2	25 29 13	1 4	13 16 2 5

						DEAT	HS FROM	CANCER	AND OTH	ER MALIC	MANT !	TUMORS	O F —						
Perito: intestin	neum, les, and —Con.		Female	genital or	gans.		1					Other or	rgans or	of organs	not spec	ified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Other of this class.
•••		99		20					21					8					
11 5		33		32		1	26	3	8	1		1	2	3				1	11
6		33		32		1	25 1	2 3	13 5	<u>.</u> .		<u>i</u>	2		2			i	9 2
6		33		32		1	25	2	6	, ,	-	·····	1					····	5
11 5		33	<u> </u>	32		1	26	3	21	1		1	2	3	2		······	1	11
6		33		32		1	25 1	2 3	13 5	·····i		·····i	2		2			i	2 9 2 5
6	·····	33		32		1	25	2	6				1						5
 																ļ		ļ	
	<u></u>	13		13			8	3	5	1	····								
3		13		13					1	1							<u></u>		4
2 1		13		13			8	2 1 2 1	1	i									4
2		13		13	·····		8	l .	1										1
8		20	<u> </u>	19			18	2	16			1	2	3	2			1	7
. 4		20		19		1	17	1 1 1	9			i	2		2		•••••	i	5 2
i		20		19		1	17	1	5				1				•••••	····	4
70		214	12	197	5		136	31	228	14	17	18	′ 17	17	27	8	17	2	96
31 39		214	12	197	5		2 134	21 10	140	12 2 12	9 8	11 7	6 11	17	17 10	1 2	8	2	57 39
31 39		207	6	196	5		134	21 10	88 80 43	12 2	. 2	4 3	i 4	6	7 5		2	2	44 25
66		199	12	183	4		131	31	225	14	17	18	17	17	26	8	17	2	94
30		199	12	183			129	21 10	139	12 2 12	9 8	11 7	6	17	17 9	1 2	8	2	56 38
36 30 36		192	6	182			129	21 10	86 79 41	12	2	4 3	i	6	7		2 3	2	43 24
4		15		14	1		5		3						1				2
1					<u> </u>														1
3 1 3		1		14					1 2						1				i i i
خصر							5	5		1		1	1	2					4
3		<u> </u>						4	8					2	3				3
5 3 5							5 5	1 4 1	5 5 3			1 1		·····i	1 1 1				3
_							5	1	i	2	1	1							8
									13	2							1		7
2		1					5	1	6	2		1					1		1 4 1
a			2				5	1 5		1		1	1						
				25			18	5 2			2	2	1	2	2				23
4 2	l l	28	2	25			18	2 3 2 3	14 16		2	î	1		ī		1		14 9 14 7
4		28			1		18		ll .		•••••				•••••	•••••			
			7	46	1		31	9	'	3		i			7	3			14
11 9			7	46	i i		31	7 2 7	22 23 9	3	4 2	3 1 2 1	3	· 	3 4	1 2	1 2		5 9 3 5

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

			i i			DEAT	THS PRO	M CANC	ER AND	OTHER 1	(ALIGNA)	NT TUMOI	s o r —			
		Aggre-			Buccal	avity.				Stom	ach and	liver.			neum, int	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	REGISTRATION CITIES—Con. NEW JERSEY—continued.									i		••				
1 2 3 4	Paterson	50 74 18	2 2	1 1 1			1 1		30 21 5	1	1	25 13 5	11 4 7	19 5 14 2	1 1 1	16 4 12 1
5	Trenton	45 98	9	2	3	1	3		35		1	20	14	15	2	8
6 7 8	Males	42 56 26 84	7 2 7 2	2	2 1 2 1	1	2 1 2 1		17 18 4 5		1	10 10 4 3	6 8 2	5 10 4 5	2	3 5 2 2
9 10 11 12	Other cities	176 321 79 200	15 2 15 2 15 2	1	8 8	2 2 2 2 2	3 3	1 1 1	71 99 16 19		1	106 45 61 9 13	62 24 38 7 6	. 29 . 53 14 27	6	18 31 3
13	NEW YORK. Registration cities	6,621	243	18	97	24	80	24	2,418	17	139	1,532	730	1,032	87	614
14 15 16	Males	2, 685 3, 936 1, 425 2, 489	204 39 204 39	17 1 17 1	86 11 86 11	22 2 22 2	60 20 60 20	19 5 19 5	1, 223 1, 195 348 219	15 2 7 1	111 28 50 7	801 731 224 119	296 434 67 92	448 584 316 335	34 53 21 20	256 358 142 148
17 18	White Males	6, 528 2, 663	242	18	96	24 22 2	80 60	19	2,390 1,211	16	137	1,517 795	720 293	1,022	87 34 53	908 254
19 20	FemalesDiagnosis reasonably certain. $\left\{egin{array}{c} \mathbf{M} & 0 \\ \mathbf{F} & 0 \end{array}\right.$	3, 865 1, 417 2, 43 5	38 204 38	17 17	10 86 10	2 22 2	20 60 20	5 19 5	1,179 347 217	7	28 50 7	722 223 118	427 67 91	577 314 830	53 21 20	254 354 141 145
21	Colored	93	1		1	<u></u>	<u></u>		28	1	2	15	10	10		6
22 23 24	Males Females Diagnosis reasonably certain.{M F	22 71 8 54	1		1				12 16 1 2		2	6 9 1 1	3 7 7	3 7 2 5		4 1 3
25 26	Albany	151	3	1					16	1	1	32	3	19	1	12
27 28	FemalesDiagnosis reasonably certain. $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	103 23 64	3	i	2				30 3 6	1		21 2 3	8 1 3	14 3 4	1 1	10
29 30	Buffalo	192	16	2	5		$-\frac{8}{8}$	$-\frac{1}{1}$	162		9	106	17	56 28	6	32 16
31 32	Females. Diagnosis reasonably certain. $\left\{ egin{align*}{c} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{M} \end{array} \right.$	243 94 153	16	2	5		8	1	81 19 13		1 4	50 11 8	30 4 5	28 15 19	4 1 2	16 4 9
33 34	New York	1,908	166	7	63	18	38	16	1,735	12	95	1,100	208	705 319	62	415 181
35 36	Females Diagnosis reasonably cer-{M tain	2,544 1,004 1,558	24 142 24	7	7	18	13 38 13	16	827 261 153	6 1	22 44 7	506 170 86	298 41 59	387 231 221	24 38 14 15	234 106 94
37 38	White	1,889	165	7	69	18	38	20 16	1,713	12	94	1,089	496 205	315	62	410 179
39 40	Females Diagnosis reasonably cer-M tain	2,490 996 1,508	23 142 23	7	6 63 6	18	13 38 13	16 16 4	814 260 151	1 6 1	22 44 7	500 169 85	291 41 58	381 229 217	24 38 14 15	231 106 92
41 42	Colored	83 19	1	<u></u>	1				9		1 1	11 5	10	9		5
43 44	Females Diagnosis reasonably cer-{M tain	64 8 50	1 1		1				13 1 2			6 1 1	7	6 2 4		3 1 2
45	Bronx Borough	516	19		·	· 	2	4	187	1	:	124	52	104	8	63
46 47	Males	209 307 110	17 2 17	1 1	8 1 8	j3	2	3 1 3	92 95 22	1	9 1 3	62 62 18	20 32 1 7	42 62 33 37	5 3 5 1	24 30 15 17

					****	DEAT	на реом	CANCER	AND OTH	ER MALIC	NANT 1	TUMORS	o r —	,						Ī
Peritor intestin rectum	es, and		Female	genital or	gans.							Other or	gans or o	of organs	not spec	ified.				
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.	
2		21	1	20	ļ		12		19	1	1	2	3	2	3		1	<u></u>	6] :
2		21	·····i	20			12		13 6	1 i	····i	2	1 2	2	2		1		4 2 3	
2		20		20			12		3	1		1 	1	2	1 1				8 1	}
5		9		9	<u> </u>		11	2	17	2	2	2		2		<u> </u>	3		6	
2 3 2 3		9		9			1 10 1 10	2	10 7 8 3	2	1 1 1	1 1 1		2 1			1 2 1 · 1		3 3 2 2	1
27		83	2	78	3		54	9	82	4	5	6	5	9	9		7	2	35	ľ
11				70			1	6	54 28 27	3	3 2	4 2	3 2	9	5		4 3	2	21	1
16 11 16		83 82	<u>2</u>	78 78	33		53 1 53	3 6 3	27 14	1 3 1	1	2	1	2	3 1		3 1 2	2	14 15 9	n.
318	13	961	82	851	25	3	725	121	1, 121	65	84	86	75	93	184	9	70	16	439	1
153 165 152 163	5 8 1	961	82	851 848	25 25	3	15 710 15 708	75 46 75 46	720 401 467 210	58 7 58 7	53 31 23	40 46 15 17	45 30 24 18	93	123 61 68 22	3 6 2 4	34 36 16 10	16	255 184 206 123	1 1 1 1
314	13	930	79	824	24	3	711	121	1,112	65	84	85	73	91	183	9	70	16	436	1
152 162 151	5 8 1	930	79	824	24	3	15 696 15	75 46 75	713 399 462	58 7 58	53 31 23	39 46 15	. 44 29 23	91	122 61 67	3 6 2	34 36 16	16	253 183 204 123	1
161	4	901	53	821	24	3	694	46	209	7	23 9	17	17	·····	22	1	10			}2
1		31	3	27			14		9	<u></u>		1	2	2 2	1	·····			3 2	2
3	• • • • • • •	31	3	27	i		14		2 5				1 1		<u>î</u> -				1 2	22
2		31	3	27	1		14		1				1							. }2
		31	3	27	<u></u>	1		2	30		2		1 1	7	- 6 - 5		2		12 8	2
2 2 2	i	31	3	27		1	20	2	8 12		2		ļ <u>.</u>	2	1 3		î		4 7	22
2	•••••	30	3	26		1	20		4						1		1		2	ľ
18		64	6	56	2		16	8	62	4	8	3	2	16	12		3	2	33 24	3
10 8 10		64	6	56	2		45 1	4	21 39	4	3	2 2	<u>1</u>	8	6 3 3		ī	2	24 9 18 7	33
8 221	7	61 587	3 49	56 517	20	1	449	4 68	12 742	47	71	1 55	53	41	3 125	8	50	10	7 282	ľ
111							10	41		43	47	'	34	41	86	3	26	10		_
110 110	2 5 1	587	49	517	20	1	439 10	27 41	489 253 319	4 43 4	24 20 8	26 29 9	19 19	14	39 47	5 2	24 13	10	173 109 142 70	3 \2
109 217	3 7	572 558	36 46	515 491	20 20	1	439 436	27 68	122 733	47	71	9 54	11 51	39	10 124	8	6 50	10	70 279	
110	2 5						10	41	482	43	47		33 18	39	85	3	26	10		
107 109 107	5 1 3	558 543	46 33	491 489	20	1 1	426 10 426	27 41 27	251 314 121	4 43 4	24 20 8	25 29 9	18 18 10	13	39 46 10	5 2 4	24 13 6	10	171 108 140 70	}4
4		29	3	26		<u></u>	13	<u></u>	9		<u></u>	1	2	2	1	<u> </u>	<u> </u>		3	j 4
1 3 1 2		29 29	3	26 26			13		7 2 5 1			1	1 1	2 1	1 1		! !		2 1 2	. 4
32	1	64	4	57	3		55	8	79	1	7	4	3	8	14		8	1		- 4
I3 19	i	64	4	57	3		2 53	3 5	53 24	1	4 3	1 3	2	8	9 5		6 2	1	21 12 18 9	
19 13 19		61	1				53 2 53	3 5 3 5	53 26 33 11	1			ļ .	3	5	ļ::::::	3	i	18),

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

						DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	8 OF			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal o	avity.				Stom	ach and	liver.		Perito	neum, in ind rectu	testines m.
	AREA AND BASIS OF DIAGNOSIF.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes-
	REGISTRATION CITIES—Con.															
	NEW YORK—continued.															
1	Bronx Borough—Continued. White	511	19	1	9	3	2	4	186	1	10	123	52	104	8	63
2 3 4	Males	207 304 110 190	17 2 17 2	11	8 1 8 1	3	2	3 1 3 1	91 95 22 24	1	9 1 3 1	61 62 18 16	20 32 1 7	42 62 33 37	5 3 5 1	24 39 15 17
5	Colored	5				<u> </u>		<u></u>	1	<u></u>		1		<u> </u>	¦ 	
7	MalesFemales	2 3							1			1				
8	Diagnosis reasonably certain. \(\begin{align*} \text{M} \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	3 1, 439	53						E20		29	364	179	223	16	126
10	Brooklyn Borough	583	42	$\frac{2}{2}$	24	6	19	2	570 290	4	24	186	173 76	100	6	136
11	Females	856 304 530	11 42 11 53	2	2 22 2	6	9 10 9	2	280 85 49	2	5 14 1 29	178 53 27 360	97 16 21 168	123 72 69	10 3 3	81 31 34 131
13 14	White	1,410 578	42	2	24	6	19	2	561 288	4	29	185	75	218	6	53
15 16	Females	832 302 514	11 42 11	2	2 22 2	6	9 10 9	2	273 85 48	2	5 14 1	175 53 27	93 16 20	120 71 67	10 3 3	78 30 32
17 18	Colored	29 5							9			1	5	5		5
19 20	Females. Diagnosis reasonably certain. $\left\{ egin{align*}{c} m{M} & \cdots \\ m{F} & \cdots \end{array} \right.$	24 2 16							7 1				1	3 1 2		3 1 2
21	Manhattan Borough	955	68	4	34	7	23	9	826 455	6	67	519	234 100	328	34 12	191
22 23 24	Fernales. Diagnosis reasonably certain.	1, 169 506 722	9 68 9	4	30 4 30 4	7	20 3 20 3	7 2 7 2	371 139 73	5 1 4 1	58 14 24 5	297 222 88 41	134 23 26	180 104 101	22 6 9	88 103 50 38
25	White	2,079 944	76 68	4	33	7	23	9	815	<u>6</u>	66	513	230	324	34	191
26 27 28	Females. Diagnosis reasonably certain.	1, 135 500 693	68 8	4	30 30 30 3	7	20 3 20 3	7 2 7 2	449 366 138 72	1 4 1	52 14 24 5	294 219 87 40	132 23 26	147 177 103 99	12 22 6 9	88 103 50 38
29	Colored	45	1		1		• • • • • • • • • • • • • • • • • • • •		11		1	6	4	4		
30 31 32	Females. Diagnosis reasonably certain.	34 6 29	1		1				6 5 1 1		1	8 8 1 1	2 2	1 3 1 2		
33	Queens Borough	277	12		3	2 2	4	3	111	1	7	69	32	41	3	19
34 35 36	Females. Diagnosis reasonably certain.	115 162 60 89	1 11 11 1		3	2	4	2 1 2 1	51 60 10 6	1	2 2	35 34 8 2	8 24 4	23 18 18 12	3 2	11 8 7 4
37	White	276	12		3	2	4	3	111	1	9	69	32	41	3,	19
38 39 40	Males	115 161 60 88	11 1 11 1		3	2	4	2 1 2 1	51 60 10 6	1	7 2 2	35 34 8 2	8 24 4	23 18 18 12	3	11 8 7 4
41	Colored	1							<u></u>	<u> </u>	·····••				 	<u></u>
42 43 44	Males Females Diagnosis reasonably certain. {M F	1														
45	Richmond Borough	96	5	<u></u>	······	<u></u>	3	2	41		2	24	15	9	1	6
46 47 48	Males	46 50 24 24	4 1 4 1				2 1 2 1	2 2	20 21 5 1		1	14 10 3	4 11 1 1	5 4 4 2	1	3 3 3 1
49	White	93	5			<u> </u>	3	2	40		2	24	14	9	1	6
50 51	Males	45 48 24	1 1				2 1 2	2 2	20 20 5		2 1	14 10 3	10 10 1 1	5 4	1	3 3

Periton intestin	neum, es, and		Female	genital or	gans.						(Other or	ans or o	f organs	not speci	fled.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian	Uterus.	- 	Others of this class.	Breast.	8kin.	Total.	Larynx	Lung and pleura.	Pan-creas.	Kid- neys and	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tee-	Others of this class.
	C1888.		tube.		vuiva.	CHARS.					preura.		supra- renals.				Jaw).	 	Class.
32	1	61	4	54	3		55	8	78	1	7	3	3	8	14		8	1	33
13 19 13 19	i	61 58	4	54	3		53 2 53	3 5 3 5	52 26 33 11	1	1	3	1	3	9 5 7 1		6 2 3	1 1	21 12 18 9
		3		3					1	 	<u></u>	1	 						
68	3	3 197	11	3 177	9		154	30	212	13	16	14	11	8	37	2	12	2	97
38 30 38 30	1 2 2	197 195	11	177	9		154 154	20 10 20 10	131 81 85 42	13	11 5 5 2	6 8 1 3	8 3 3 2	3	22 15 8 4	i	5 7 2 2	2	54 43 47 29
68 38 30 38	3 1 2	190	9	172	9		148	30 20 10	130	13	16	14	11 8	7	37 22 15	2 2	12	2 2	96
38 30	2	188	7	172 172 5	9		148 148 6	20 10	80 84 42 2	13	5 5 2	8 1 3	3 3 2	2	8 4	1	5 7 2 2	2	54 42 47 29
		7	2	5			6		1 1 1					1 1					i
101	2	281	33	241	6	1	203	26	383	27	41	33	37	23	59	6	26	6	125
47 54 47 53	1 1 1	281 272	33 25	241 240	6	1	8 195 8 195	15 11 15 11	261 122 172 61	24 3 24 3	27 14 11 5	17 16 8 6	22 15 14 9	23 7	45 14 28 4	1 5 1 4	13 13 7 4	6	83 42 66 26
97 46 51 46	1 1 1 1	263	32	224	6	1	197 8 189	26 15 11	257 121 168	27 24 3 24	27 14 11	33 17 16 8	35 21 14 13	23	58 44 14 27	1 5 1	13 13 7	6	123 81 42 64 26
51	i	254 18	24	223 17	6	1	1×9 6	15 11	60 5	3	5	<u>8</u>	8 2		1	4	4		26
1 3 1 2			1				ľ		. 4				1						
18 12 6	<u> </u>		1					3	27	3	5 2				8		1 1		7
11 6 18		31		29	2		32 32 31	1	18	3 1	4		2	1	3		1	:	5 5
12 6 11 6	1	32	1		2		31	3		ľ 1	5 2 4	1		i	3		1		7 9 5 5
							1								••••••••••••••••••••••••••••••••••••••				
2		13		13			1		23				1		••••••		3	[
1 1 1		13		13			5		17 6 11	2		1 1		1	2 1 1		2 1 1	1	8 3 6
2		13 12	11		ł		l)		1	ll	1	ı	<u> </u>		1		3	i	11
1		12		12			5		16 6 11	!!		1			1		2	1,,	8 3

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

Ī			1			DEAT	HS FRO	M CANC	ER AND C	THER M	ALIGNAN	NT TUMOR	s or—			
		Aggre-			Buccal	eavity.				Ston	ach and	liver.		Periton	eum, int	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	REGISTRATION CITIES—Con.															
	NEW YORK—continued.															
1	Richmond Borough—Continued. Colored	3							1				1	<u></u>	 	
3	MalesFemales	1 2							<u>i</u>				<u>1</u>	'		
4	Diagnosis reasonably certain. ${\mathbf F}$.	i					•••••				•••••					
5	Rochester	261	10	ļ <u></u>	5	2	2	1	79		3	44	32	51	8	28
6 7	MalesFemales	95 166	8 2		5	2	<u>2</u>	1	30 49		1 2	19 25	10 22	23 28	5 3	10 18
8	Diagnosis reasonably certain. $\{ {f H} \cdots \}$	70 118	8 2		5	2	2	1	15 16			11 6	10 10	18 20	1 1	6 12
9	Syracuse	126	3	1	<u></u>		2		33	1	1	17	14	11		6
10 11	MalesFemales	38 88	1 2	1			2		17 16	1	1	10	8	3 8		2 4
12	Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array} \right.$	20 64	1 2	1			2		7 2	1		3 2	3	1 5		i
13	Troy	136	9	2	3	1	3		_ 41	1	1	. 27	12	16		9
14 15	MalesFemales	52 84	8	2	3	i	3	·	24 17	1	1	13 14	3	10	· · · · · · · · · · · · · · · · · · ·	4 5
16	Diagnosis reasonably certain. $\left\{egin{matrix}\mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{aligned} ight.$	25 59	8	2	3	i	3		5 3			3	2	3 5		2 1
17	Utica	82	2	2					30			20	10	17	<u></u>	8
18 19	MalesFemales	25 57	1	1			· · · · · · · ·		14 16			11	5 5	6 11		2 6
20	Diagnosis reasonably certain. $\{\stackrel{M}{F}$.	11 37	1	1					3 2		• • • • • • • • • • • • • • • • • • • •	1 2	2	8		3
21	Yonkers	65	2	ļ <u>.</u>	2				26	1		17	8	11	1	8
22 23	MalesFemales	29 36	2		2				15 11	1		10	4 4	7	·····i	6 2
24	Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array} \right.$	9 20	2		2				1 1			1	1	3 1		2
25	Other cities	913	32	3	10	3	14	2	266		7	169	90	146	8	96
26 27 28	$\begin{array}{c} \textbf{Males}. \\ \textbf{Females}. \\ \textbf{Diagnosis reasonably certain.} \\ \begin{array}{c} \textbf{M}. \\ \textbf{F}. \end{array}$	298 615 169 416	23 9 23 9	3	6 4 6 4	1 2 1	11 3 11 3	1 1 1 1	118 148 34 23		4 3 2	82 87 22 9	32 58 10 14	52 94 38 52	2 6 1 2	33 63 22 26
~	NORTH CAROLINA.	104														
29 30	Registration cities	124	1	 	1				37 16		1	19	17	9	2	4
31	Females	. 34 90 16	i						21 4		1	10	10	2 7 1	2	1 3
32	Diagnosis reasonably certain. ${\mathbf{F}}$	69			·····			·····	6			1	5	4	1	1
33 34	White	76	1		1				27		1	12	14	<u>8</u>	2	- 4
35	Females. Diagnosis reasonably certain. $\left\{ \frac{M}{F} \right\}$	26 50 10	i		i				16		1	6	9	6	2	3
3 6	(2.5)	36				ļ			! 6	······	 .	1	5	3	1	1
37 38	Colored	<u>48</u> 8							10			3	3	1		
39	Females	40							5 3			4 2	1 1	1		
40	Diagnosis reasonably certain. ${\mathbf{F}}$	33			ļ	ļ		·····	·····i				- -	1		
41	OHIO. Registration cities	2, 104	76	3	20	10	35	8	802	3	34	478	287	260	20	144
42	Males	789	65	3	18	7	30	7	386	3	29	240	114	106	8	141
43 44	FemalesDiagnosis reasonably certain. ${M \choose F}$.	1,315 393	11 65	3	18	3 7	5 30	1 7	416 107	i	5 14	238 69	173 23	154 62	12 3	81 22 35
45	White	882 2,041	11 76	3	20	10	5 35	8	104 780	3	33	56 464	45 280	97 256	3 20	35 140
46	Males	779	65	3	18	7		7	376	3	29			104	8	
47 48	Females	1, 269 389 849	11 65 11	3	2	3 7 3	30 5 30 5	1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	404 106	i	14 2	235 229 68 55	171 23 44	152 61 96	12 3	59 81 22 35

						DEVA	IR PROY	CANCER	AND OTHE	R WATER	4 M 2 44	mrope o	P						
Peritor Intestin	es and		Female :	genital or	gans.	DEAT	M SAUM	UARUES	AN OIL					of organs	not spec	ified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	of this	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.
		1		1					1					1	ļ				
		i		····i					1					1		ļ			
		i		i															
15		38	1	36		1	30	6	47	3		3	10	6	7		2	1	15
8			;				2	4	28 19	3		1	4	6	4		1	1	8
7 8 7		38	1	36 36		i	28 2 28	2 4 2	23 13	3	· · · · · · · ·	2 1	8 2	6	3 3 2			i	7 7 5
5		27	4	23		'	20	4	28	1	•••••	4	2	4	1		2		11
-		<u> </u>	<u> </u>					2	15	1		<u> </u>	2	- 4	2		<u>-</u>		6
4		27	4	23			20	2 2	13 9	·····i		4	1	3	1		2		5 8
4		25	2	23		·····	20	2	8		•••••	2			1	······			5
	1			21	1			3	23			2	2	2 2	6	 			11
1 5 1	1	22		21	ı		22	2 1 2	12 11 7		•••••	2	2	<u>î</u>	5 1 3				5 6 3
4		22		21	1		22	í	5			i	i	ļ					8
9		14	1	13		<u> </u>	11		8			1			1		1		5
4 5		14	·····i	13			ii		4			i			1	ļ	i		3 2
4 5		14	·····i	13			ii		3 1										3 1
2		6		6			12		8		2	1			1	ļ			4
1							.1		4			1			1				2
1 1 1		6		6			11 1 11		2 1		2								2 2 1
38	4	172	18	152	2		115	30	152	10	3	15	5	17	22	1	10	3	66
	2			100			110	20	84	7	3	9	2	17	13		4	3	
15 23 15 23	<u>2</u> 1	172 165	18 11	152 152	2		114 1 113	10 20 10	68 53 44	3 7 3	2	6 4 8	3 1 2	5	9 8 5	1	6 2 2	3	26 40 21 29
3		43	3	37	2	1	10	7	17				4.	1	1		2		9
1 2		43	3	37	2	····i	1 9	5	9 8				3 1	1	····i		1 1		4
1 2		43	3	37	l 	i	1 9	2 5 2	4 5				2		i		·····i		4 5 2 3
2		15	1	13		1	7	7	1				4	1	1		2		3
1								5	7				3	1			1		2 1
1		15	1			i	7	2 5	4 2				1 2		1		1		
1	·····	15	1	13		1	7		3		•••••		······	·····	1		1		1
1		28	2	24	2	<u> </u>	3		6		••··•								6
1		28	2	24	2		1 2 1		4 2										2 4 2 2
i		28	2	24	2		Ž		2										2
97	2	375	23	347	2	3	206	66	819	21	28	26	26	29	87	5	18	2	127
38 59 37 59	2	375	23	347	2	3	204 204 2	30 36 30 36	200 119 127	16 5 16	17 11 4	16 10 12	13 13 10	29 11	26 11 9 2	2 8	7 11 2	2 2	72 55 61 40
		367	16	347	2		204		1	5	2	2	5	ļ	1	2	2 5		
95	1	854		327	2		200	66	309	20	27	25	25	28	37	5	17		123
37 58 38 58	····i	354	22	827	2	3	198 2 198	30 36 30 36	195 114 125 60	16 4 16 4	16 11 4 2	15 10 11 2	13 12 10 5	28 11	26 11 9 2	3	6 11 2 5	y	71 52 60 38

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF-Peritoneum, intestines and rectum. Buccal cavity. Stomach and liver. Aggregate. AREA AND BASIS OF DIAGNOSIS. Perito neum and and gall blad-der. Lip. Total. Tongue Mouth REGISTRATION CITIES-Con. оню—continued. Registration cities—Continued.
Colored..... 12 1 3 9 1 Diagnosis reasonably certain. ${M \choose F}$ ï Males..... 42 7 28 15 3 5 7 3 2 11 Diagnosis reasonably certain. $\left\{ egin{aligned} M \\ F \end{aligned} \right.$ 1 15 1 266 76 169 93 18 21 26 7 40 3 9 9 2 1 2 2 2 51 12 10<u>2</u>6 •:-Diagnosis reasonably certain. $\{\frac{M}{F}\}$ White 87 18 19 47 12 10 26 7 16 15 · ; · 'n Diagnosis reasonably certain. $\{F\}$ 19 16 Diagnosis reasonably certain. ${M \choose F}$ iö 1 6 20 6 12 269 105 183 1 15 15 87 39 26 52 27 14 34 6 12 23 Males....Females.... 2 1 18 Diagnosis reasonably certain. $\binom{M}{F}$ Columbus 16 12 5 20 2 8 36 15 13 27 142 6 2 3 i • ï Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right\}$ 110 134 43 103 35 14 13 15 11 5 20 2 8 6 2 3 31 Diagnosis reasonably certain. $\{{\bf M}, {\bf F}\}$ Males... Females... 1 1 35 8 1 7 Diagnosis reasonably certain. $\{F_{\bullet}^{M}$. ï Dayton..... 8 3 2 12 5 7 20 39 90 17 62 12<u>2</u> ï Diagnosis reasonably certain. ${M \choose F}$ ï Toledo.... 107 40 67 43 9 27 5 6 2 2 1 43 . Diagnosis reasonably certain. $\{M, \dots, M\}$ 42 10 27 11 2 47 Males.....Females..... 11 1 1 ·: ï Diagnosis reasonably certain. $\{{\bf M} : {\bf F} : {\bf F} = {\bf F}$ i 1 5 1 66 9 15 357 94 236 6 19 6 111 17 26 49 21 27 3 4 1 1 31 10 13 44 7 10 51 Males..... 4 2 4 2 1 1 Diagnosis reasonably certain. $\{{}^{\mathbf{M}}_{\mathbf{F}}...$

Periton ntestin rectum	neum, les, and —Con.		Female	genital or	gans.							Other or	gans or	of organs	not spec	ified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.
2	1	21	1	20			6		10	1	1	1	1	1			1		4
1 1	····i	21	i	20			6		5 5	i	1	1	i	1			1		1 3
1		20		20			6		3	·····i		1							1 2
2		10		10			10	1	9				2	1	2				4
2	. 	10		10			10	1	6 8			l	1	1	1 1		 		3
2		10		10			10	1	3 1				1		i		 		2
20		80	7	72	1		36	15	70	4	4	4	7	9	10		7	1	24
15		80	7	72	· · · · · i		36	6	49 21	4		3	3 4	9	9		4 3	1	16 8
15		77	4	72	i		36	9	30 9	4		3	1	8	3		1	1	14 7
20		73	6	66	1		35	15	66	4	4	4	7	8	10		6	1	22
15 15		73	6	66	i i	 .	35	6 9	47 19	4	4	3	3 4	8	9		3	1	16 6
5 15		71	4	66	i		35	9	3 0 8	4		3	1	3	8		1	1	14
• • • • • • • • • • • • • • • • • • • •	·	7	1	6		<u> </u>	1		4					1	<u></u>	<u> </u>	1		2
• • • • • • •		7	····i	6			i		2 2					1		-	1		2
• • • • • • •		6		6			····i		i										·····i
24	<u></u>	67	6	60		1	42	10	75	6	10	3	7	5	4	1	4		35
11 13		67	6	60		i	1 41	5	42 33	6	7 3	2	3 4	5	3	i	4		16 19 12
11 13		65	4	60	; ; .	····i	41	5	27 19	6	1 1	2 	2 2	3	1		3		12 13
5		56	1	54	ļ	1	24	8	83	3	4	3	3	3	2	1		1	13
. 3		56	i	54		····i	24	5	19 14	1 2	2 2	2	2	3	2	····i	· · · · · · · ·		6
2 3		55	····i	54			21	3	13 9	1 2	2	2	1			'i		1	5 4
4	<u> </u>	54	1	52	J	1	21	8	32	3	4	3	3	3	. 2	1		1	12
2 2		54	·····i	52		1	21	5 3	19 13	1 2	2 2	2	2 1	3	2	····i		1	6
2 2		53	····i	52			21	5 3	13 13 8	1 2		2	1			i			6 5 8
1		2		2	ļ		3		1		<u> </u>								1
i		2		2			3		1	 	·								i
i		2		2			3		1		; .								i
9	-	31	1	30		ļ <u>.</u>	11	!				4	3	3	3	<u> </u>		·····	2
5 4 5		31	·····i	30			14				ļ	3	1 2		! 1				2
4	1	30		30	-		14	6	3			1	1		! !	' .			
9		27	1	25	<u> </u>	1	15		·	!	·	'	1		4	1	2		14
5		27	, ₁			i	15	6 2		1		1	1		1 1	1	2		8
5		27	1	25		i	15	6 2	14	1 i		2	1	3	2				6 5
4	1	11	2	9	ļ	<u></u>	4	3	l	<u> </u>	'	1	1		1	<u> </u>	·		6
4	· · · · i:	iii	2	9			. 4	3	10		J	1	1		1	ļ			5 1
4		11	2	9	.' 		4	3	7				1			 1			5 1
24		93	5	87	1		61	14	74	· ;	'	8	2	4					29
11 13	1 1	93	5	87	· · · · · i	.	60	6 8	44 30	5 2	4 2	3 5	1 1	4	5 6	1	3 2		18 11 17 10
10 12	<u> </u>	l ¹ 		.		ļ	1	6	l 30	5	ļ	. 2	· i	i	3	i	1		17 10

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

Ī			ļ			DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	8 OF			
		Aggre-			Buccal c	avity.				Stom	ach and	liver.		Periton	eum, int	estines, 1.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	REGISTRATION CITIES—Con.															
1	Portland	229	12	3	3		5	1	84		2	56	26	39	2	20
2 3 4	Males. Females Diagnosis reasonably certain. $\left\{egin{array}{c} M & \cdots \\ F & \cdots \end{array}\right.$	107 122 63 87	9 3 9 3	3	2 1 2 1		3 2 3 2	1 1	56 28 23 9		2	43 13 17 4	11 15 6 5	14 25 10 15	2	5 15 2 6
5	White	222	11	3	3	<u></u>	4	1	79		2	53	24	39	2	20
6 7 8	MalesFemalesDiagnosis reasonably certain. ${M \choose F}$	101 121 58 86	8 3 8 3	3	2 1 2 1		2 2 2 2	1 1	51 28 19 9		2	40 13 15 4	9 15 4 5	14 25 10 15	2 1	5 15 2 6
9	Colored.2	7	1				1		5	<u></u>		3	2			
10 11 12	Males	6 1 5 1	1 1				1		4			3 2	2			••••••
13	Registration cities	3, 245	139	8	38	13	65	15	1, 204	4	43	767	390	392	35	231
14 15 16	MalesFemalesDiagnosis reasonably certain.{M	1, 204 2, 041 610 1, 343	113 26 113 25	8	34 4 34 4	12 1 12 1	49 16 49 15	10 5 10 5	558 646 125 134	3 1 1	34 9 9 5	362 405 87 75	159 231 28 54	165 227 97 137	13 22 5 12	94 137 34 57
17	White	3, 104	135	8	36	13	63	15	1, 152	4	40	729	379	375	34	222
18 19 20	MalesFemales	1,158 1,946 592 1,278	109 26 109 25	8 8	32 4 32 4	12 1 12 1	47 16 47 15	10 5 10 5	536 616 124 129	3 1 1	33 7 9 4	347 382 86 72	153 226 28 53	158 217 92 130	13 21 5 11	92 130 34 53
21	Colored	141	4		2		2	<u></u>	52		3	38	11	17	1	9
22 23 24	Males Females Diagnosis reasonably certain. ${M \cdot \brace F.}$	46 95 18 65	4		2		2		22 30 1 5		1 2	15 23 1 3	6 5	7 10 5 7	1 1	2 7 4
25	Allentown	59							14		1	11	2	9	1	7
26 27 28	$\begin{array}{c} \text{Males}. \\ \text{Females}. \\ \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} \mathbf{M} \dots \\ \mathbf{F} \end{matrix} \right. \end{array}$	13 46 8 32							6 8 3 1		1	5 6 2 1	1 1 1	2 7 1	1	2 5
29	Erie	55	3		1	<u></u>	1	1	20			14	6	8	2	4
30 31 32	MalesFemalesDiagnosis reasonably certain.{M	22 33 11 21	3		1		1 1	1	11 9 1 2			9 5 1	2 4 2	2 6 2 3	2	1 3 1 1
33	Harrisburg	57	2				2	<u> </u>		<u></u>	<u></u>	5	7	11	1	8
34 35 36	Males Females Diagnosis reasonably certain.{M F	16 41 7 32	2				2		8 2			3	2 5 2	4 7 2 5	1	3 5 2 3
87	Lancaster	55	2	<u> </u>	<u> </u>		2	<u> </u>	20	<u></u>	1	12	7	7	<u></u>	2
38 39 40	$\begin{array}{c} \textbf{Males}. \\ \textbf{Females}. \\ \textbf{Diagnosis reasonably certain.} \left\{ \begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix} \right.$	23 32 10 20	2				2		12 8 2 2		1	9 3 1 2	5 1	3 4 3 3		1 1 1
41	Philadelphia	1,541	76	2	-;	11	30	- 8	547	3	25	349	170	170	15	105
42 43 44	Males Females Diagnosis reasonably certain. ${M \choose F}$	591 950 323 631	62 14 62 14	2	3 22 3	11	23 7 23 7	4 4 .4 4	256 291 64 62	1 1	22 3 6 1	163 186 47 33	101 10 28	71 99 48 56	5 10 5 6	42 63 19 24
45	White	1,455	74	2	-	11	29	8	514	3	22	325	164	159	14	100
46 47 48	Females	564 891 311 591	60 14 60 14	2	. 3	11	22 7 22 7	4	243 271 63 59	2 1 1	21 1 6	154 171 46 32	98 10 27	68 91 45 50	5 9 5 5	42 58 19 21

¹ Nonregistration state; cities shown below only those with effective local ordinances.

Periton ntestin	neum, les, and —Con.		Female :	genital or	gans.		•					Other or	gans or o	f organs	not spec	ified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.
17		35	3	31	,		17	4	38		3	5	3	3	6		3		11
9 8 8		35	3	31	1		17	3 1 3 1	25 13 18		3	3 2 1	2 1 2	3	4 2 3	2 2 1	1 2 1		7 4 6
8 17		34 34	3	31 30	1 1		17 17	1 4	8 38		3	1 5	3	3	6	1 4	3		3 11
9 8 8 8		34	3	30	1		17	3 1 3 1	25 13 18 8		3	3 2 1 1	2 1 2 1	3	4 2 3 1	2 2 1 1	1 2 1 1		7 4 6 3
		1		1															
		i		i		ļ							••••			ļ			
125	1	572	32	527	12	1	369	80	489	26	20	57	34	47	73	14	33	4	181
58 67 58 67	i	572 561	32 21	527 527	12 12	1 1	8 361 8 361	47 33 47 33	313 176 220 92	24 2 24 2	7 13 3 3	24 33 14 10	14 20 11 10	20	58 15 41 8	7 7 4 2	21 12 9 7	4	107 74 90 50
119	<u> </u>	539	32	494	12	1	356	78	469	26	19	56	33	45	69	14	30	4	173
53 66 53 66		539 528	32 21	494 494	12 12	1 1	348 8 348	47 31 47 31	300 169 212 87	24 2 24 2	7 12 3 3	23 33 13 10	14 19 11 10	19	54 15 38 8	7 7 4 2	19 11 9 6	4	103 70 87 46
5	1	33		33			13	2	20		1	1	1	2	4		3		8
1 5 1	1 1	33 33		33			13 13	2	7 8 5		1	i	i	1	3		i		4 3 4
1		13		13			11	3	9		1		2	2					4
1		13		13			11 11	3	5 4 5 3		1 1		2 1	2					3 1 3 1
- 2 1		6		6			7 1 6	1	4				1	1	2				2
1 1		6		6			1 6	i	8 8				i 		2				2 2 1
2		14	1	13			8	2 2	4 2					1	1		2		2
2		14	1	13			8	2 2	1								1		1
5 2 3		6	1	5			8	1	11 5			3		1	1				3 2
2 3		5	1	5			8	ii	6 2 2			3			1 1				l
49 24	1	268	13	247	7		186	20 13	261 177	13	12 5	20 17	9	20	31 9	6	17	2	94 60
24 25 24 25	1	268 264	13	247	7	1	181	20 13	84 124 41	12 1 12 1		11 8	8 8 8	8	22 3	3	5 5 2	2	28
45 21		248	18		7		5	20	249 168	18	12	36	9			6	15		88 57
24 21 24		248	18	1	7	1	173	13	81	12 1 12 1	3 1	19 17 10 8	8 8 8	8	9 19	8 3	10 5 5 2	2	

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at heed of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF-Peritoneum, intestines and rectum. Buccal cavity. Stomach and liver. Aggre-gate. AREA AND BASIS OF DIAGNOSIS. Liver and gall blad-der. Perito Others of this Total. Lip. Mouth Total. Tongue REGISTRATION CITIES-Con. PENNSYLVANIA—continued. Philadelphia—Continued.
Colored..... Males.....Females..... •••••• i, Diagnosis reasonably certain. ${M \choose F}$ ï ï ï à Pittsburgh 304 95 194 39 4 7 1 5 1 Males.....Females..... ·····<u>2</u>·· Diagnosis reasonably certain ${M \choose F}$ 2 26 2 17 2 71 16 16 10 4 4 111 21 25 38 4 7 25 11 1 5 1 1 2 2 11 15 Diagnosis reasonably certain. ${M \choose F}$ ···i 50 11 3 3 2 10 1 19 Males....Females..... ·;· Diagnosis reasonably certain $\{{}^{M}_{F}\}$ ï • 13 2 2 23 Males..... 50 15 34 12 1 1 6 2 4 Williamsport.... . 9 31 27 6 3 5 Diagnosis reasonably certain. ${M \choose F}$ ï • 37 31 Males....Females.....3 ···i Diagnosis reasonably certain. $\{M, \dots, M\}$ RHODE ISLAND. Registration cities 29 1 5 24 9 7 1 2 Males.....Females..... . . **. . . .** 1 2 1 2 40 10 2 Diagnosis reasonably certain. $\{{}^{\mathbf{M}}_{\mathbf{F}}$ 175 White..... 3 20 3 67 13 7 24 9 7 29 1 5 2 1 1**2** , Diagnosis reasonably certain. $\{M, \dots, M\}$ $\begin{array}{ccc} \textbf{Males} & & & \\ \textbf{Females} & & & \\ \textbf{Diagnosis reasonably certain.} \Big\{ \begin{matrix} \textbf{M} & & \\ \textbf{F} & & \end{matrix} \Big\} \end{array}$ 43 5 1 2 21 8 13 14 1 3 Diagnosis reasonably certain $.{M \cdot ...}$

Periton testin	neum, es, and —Con.		Female (genital or	gans.							Other or	gans or o	of organs	not spec	ified.			
Rec-	Others of this class.	Totál.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	8kin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.
															!		:		
4	1	20		20			8		12			1			8		2		- 6
8 1 3	·····i	20		20			8		9 8 6			1 1			3 8	•••••	2		8 8 2
1	1	20		20			8		8		 	·····			•••••				8
20 9		92	9	82	1		41	5	70 47	10		8	4	6	10	2	- 6		24 15
11 9		92	9	82	1		41	5	23 38 14	1 9		7	3	4	7	1	2 2		9 13
11 20		89 86	6 9	82 76	1 1		41 39	8	67	1 10		8	3	5	10	2	2 5		6 24
9								5	46	9		1	1	5	10	1	4		15
11 9 11		86 83	9	76 76	i		. 39	3 5 3	21 37 13	1 9 1		7 1 2	1 2	3	7	1 1	1 2 1		9 13 6
		6		6	ļ		2	1	8				1	1			1		
		6		6			2	i	1 2				i	1			i		
• • • • • • • • • • • • • • • • • • •		6		6			2	i	i					1	· · · · · · · · · · · · · · · · · · ·		i		
4	ļ	14		13	1		10	1	13	 	1	1	2	1		1	2		5
3		14		13	····i		10	1	5 8		i	i	1	1		i	2		1 4
3 1	1	14		13	· · · · i		10	1	3				<u>i</u> -				1		1 2
1	ļ	13	1	12	<u> </u>		13	1	9	1				2	2	1			3
1		13	i	12	·		1 12 1	i	6 3 5	1				2	2	·····i		·····	1 2
1		12		12			12	1	5 2	1				1	2		• • • • • • • •		1 2
6	-	7	2	5	ļ		4	1	5	<u></u>			1	1	1				2
3 3 3 3		7	2	5	·			1	3 2 3				i	1	1				1 1
		6	1	5			4							1	1				1
35 15	-	139	5	131	3		81	25	96	2	6	8	6	12	15	1	8	2	38
20 15 20		139 138	5 4	1			80 1 80	16 9 16 9	39 37 23	2	i	3 5 2	2 4 1 8	, 12 4	12 3 8 2	1 1	3 1 2	2 2	19 19 17 14
		80	4	73		<u></u>	54	12	67	5	1	5	1	8	10	2	3		32
8 10 8 10		80	4	73	3		54	8	42 25 27	1	i	4	1	8 3	7 3	2	2		16 16 13 7
	1	83	4	73	1		54	8	10			3	1		3	i	•••••		
	ļ	79	4	¦			53	12	66	5	1	5	1	8	10	2			31
10 8		79	4	72	3		53	8 4 8	41 25 26	1 1	i	1 3	11	8	7 3 3	2	2 1		15 16 12 7
10		79	4	72	i		53	4	10			ĭ	- -	ļ <u>.</u> .	ĭ	i			
		1		1			1		1	<u> </u>		'				<u>'</u>			1
		1		1			i		i										1
		1		1			1 24		<u> </u>	 									
- 9 2		39	4	35			26			3	·····			7	8		1	·	21
7 2	 	39 39	4	35 35			26 26		17 19 8			i		3	6 2 3 1	i	i	:	9 12 9 5

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

F 1 O1 2 3 4 5 66 7 8 9 10 11 12 13 14 15 16	REGISTRATION CITIES—Con. RHODE ISLAND—continued.	Aggregate.	Total.	Lip.	Buccal o	avity.	1			Stom	ach and	liver.			eum, inte d rectum	
F 1 O1 2 3 4 4 5 6 7 8 9 10 11 12 13 14 15 16	REGISTRATION CITIES—Con. RHODE ISLAND—continued.	gate.	Total.	Tin												
1 O1 2 3 4 4 5 Cr 6 7 8 9 10 11 12 13 14 15 16	RHODE ISLAND—continued.			Dip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
2 3 4 4 5 66 7 8 9 10 11 12 13 14 15 16																
2 3 4 4 5 66 7 8 9 10 11 12 13 14 15 16	ther cities						_									
5 CF 6 7 8 9 10 11 12 13 14 15 16	Males	199 73°	15		4	2	5	3	27			24	18	12	1	16 5
6 7 8 9 10 11 12 13 14 15 16	FemalesDiagnosis reasonably certain. $\left\{egin{array}{l} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array}\right.$	126 40 81	3 12 3		4	2	1 5 1	2 1 2	31 4 2			16 4	15 2	14 10 4	1	11 3 1
7 8 9 10 11 12 13 14 15 16	SOUTH CAROLINA.1	35			ļ	ļ			6			3	3	2		
8 9 10 11 12 13 14 15 16	Maies	10 25							2 4			1 2	1 2	2		
10 11 12 13 14 15 16	Diagnosis reasonably certain. ${M \choose F}$.	7 19	•••••					-						2		
11 12 13 14 15 16	White	23	<u></u>		<u></u>	<u> </u>			5			3	2	2		
13 14 15 16	Males	7 16 6							1 4		• • • • • • • • • • • • • • • • • • • •	1 2	2	2		
14 15 16	Diagnosis reasonably certain. $\{F\}$	10												·····•		•••••
15	Colored	12							1				1.			•••••
	Males	9														
17 R	Tennessee.	9									••••••	• • • • • • • • • • • • • • • • • • • •				•••••
	legistration cities	289	11	3	,	2	5		76			48	28	30	2	11
18 19	Males	85 204	7	2	1	2	2 3		44 32			29 19	15 13	10 20	2	
20	Diagnosis reasonably certain. $\{\stackrel{M}{F}:$	37 160	7	1 2 1	1	2	2 3	• • • • • • • • • • • • • • • • • • •	10			8 5	3	14		2
21	White	209	9	3	1	2	3		59			35	24	21	1	18
22 23	Males	72 137	6	2	1	2	1 2		36 23			23 12	13 11	8 13	i	3
24	Diagnosis reasonably certain ${M \choose F}$	32 102	8 3	. 2	1	2	1 2	· · · · · • · ·	8 7			7	3	3 7		1
~	Colored	80	2	·····		<u> </u>	2		17	<u> </u>		13	4	9	1	2
26 27 28	Males	13 67 5	1 1				1 1		8 9 2			6 7 1	2 2 1	2 7 1	i	1
_	Diagnosis reasonably certain. $egin{cases} M & \cdots \\ F & \cdots \end{bmatrix}$	58	- 6				1		1			23		17	1	1
30	Males	37	3	1		1 1	1		36			14	13	3		- 3
31 82	Females	77 10	3 3 3	····i		i	3		12 3	.		3	3	9	1	1
33	White	60 86	4	1		1	3 2		32			19	13	10	1	1
34 35	Males	34	2 2	1		1	····.		22			12	10	3 7		8
36	Diagnosis reasonably certain. ${M \choose F}$.	52 9 37	2 2	1		i	2 2		10 3 3		•••••	7 3 3		1 4	1	i
37	Colored	28	2	ļ	ļ		2	ļ	4			4		2		
38 39	Males	3 25	1				1 1		2 2			2 2		2		
40	Diagnosis reasonably certain. $\{F: C$	23 23	1	.			1 1		1		•••••	i		2		
	lashville	98	2	1	1			<u> </u>	21	<u></u>		12	9	11		7
42 43	Males	30 68 18	2 2	1 1	1 1			 	12 9			9 3 2	3 6 2	4 7 2		8
44	Diagnosis reasonably certain. $\{\mathbf{F}^{\mathbf{M}}_{\mathbf{F}}\}$	55		1	١ ،	ļ			3	II	•••••	1	2	4		1
45	(= **	i i			l		1		1		• • • • • • • • • • • • • • • • • • • •			-		
47	White	68	2 2	1	1				15			7 5	8	7 8		8

¹ Nonregistracion state; cities shown below only those with effective local ordinances.

						,							o r —						
Periton testin ectum	neum, es, and —Con.		Female (genital or	gans.							Other or	gans or o	f organs	not spec	ified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
9		41		38	3		28	7	24	2	1	3	1	1	2	1	2		11
		41		38	3		28	6 1	16	1 1	<u>i</u>	3	1	1	1	i	2		7
6 3 6 3		41		38	3		28	6	8 8 2	1	<u>.</u>	2	1				<u>.</u>		4 2
2		12		12			8	1	6				2	2			<u> </u>		2
<u>2</u>		12		12			1 7 1 1	1 1	4 2 3				1 1 1	2					1
<u>.</u> 2		12 7		12 7			7		5				2	2					
2				7			1		3				1	2		1			<u>-</u>
2		7		7			3 1 3		3				1	2					
		5		5			4	1	1										1
• • • • • •		5		5			4	1 1	1										1
•••••		5		5			4	ļ <u>.</u>							!				
13	<u></u>	98	2	94	2		21	10	43	1	2	10	1	2		1	5		21
11 2		98	2	94	2		21	6 4 6	20 23 12	1 i	1	6 2	i	2 i		1	2 3 1		9 12 7
11		98	2	94	2		21	ı	°	[ļ	1	ļ	1		· · · · · · · · · · · · · · · · · · ·		8
7		61	1	59	. 1		12	8	39	1	1	9	1	2 2			2 3		8 11
6 1 6		61	1 1	59 59	i		12 12	4 4	18 21 11 8	i	1	5 2	1	i			3		11 6 7
6		37	1	85	1		9	2	4			1	\ .			1			2
1 5		37	i	35	····i		9	2	2 2			i				1			1 1
1 5		37	·····i	35			9	2	1										1
5		36		36			8	2	14	1	1	3					2		7
5		36		36		:	8	2	7 7 8	1	1	1 2							3 4 2
5		36		36	1		8	2	1	 									1
		21		21			5	1	13	1		1	<u> </u>				2		3
3		21		21			5		6 3	i	·	i					i		4 2
3 2	1	21 15		21 15	1		3	1 1	1			1							1
<u>2</u>		15 15		15			3	.	.]			1				:			
4		30	2	26	1			1			1	3	1	1	<u> </u>	. 1	2		11
1 3		30	2	26	2		8	3 3	9 11		i	2	1	1		. 1	. 1		4 7
1 3		30	2				8	. 3	7			ī	i	. 1			i		
1	<u> </u>	19	1	17	1	<u> </u>	3		-		. 1	3				.!	. 2		. 9
i		19	i	17	· · · · · i		3	3 2	10		· · · · i	2	i	. 1		:	. 1		

³ The only registration unit in the state.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

Ī	2.					DEAT	ths pro	M CANC	ER AND C	THER M	[ALIGNA]	TUMOI	15 OF—			 , - :
	A DATE OF THE STAT	Aggre-			Buccal c	avity.				Stom	ach and	liver.		Periton	eum, int	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	REGISTRATION CITIES—Con.															
1	Nashville—Continued. Colored	30					.		6			5	1	4		1
2 3	Males	8 22							5			4	1	1 3		
4	Females Diagnosis reasonably certain. ${M \choose F}$	23 4 21					-		2			i	1	1 3		1 i
5	Other cities 2	77	3	1		1	1		19			13	6	7	1	2
6 7	MalesFemales	18 59	2 1	····i		1	1		8 11			6 7	2 4	3 4	i	2
8	Diagnosis reasonably certain. $\left\{ \frac{M}{F} \right\}$	9 45	2 1	····i		1	1		3 1			3	1 · · · · · · · · · · · · · · · · · · ·	1 4	i	
9	White	55	3	1		1	1		12			9	3	4		1
10 11	Males	16 39	2	····i		1	1		7 5	.		6 3 3	1 2	2 2		1
12	Diagnosis reasonably certain. $\{\stackrel{\mathbf{M}}{\mathbf{F}}$	9 31	1	1		1	1		3 1			-	1	2		
13	Colored	22		<u> </u>		<u></u>	···•···		7	<u></u>			3	3	1	1
14 15	MalesFemales	2 20		-		:	· · · · · · · ·		6			4	. 1	1 2	i	1
16	Diagnosis reasonably certain. ${\bf r}$	14												2	i	•••••
	TEXAS.		_													
17	Registration cities	181 74	- 7		1	2	3		29	<u></u>	1	16	12	22	4	3
18 19	Males	107 46	1 6		·····i	2	1 3		23			13	10	13	3	6 2
20	Diagnosis reasonably certain. ${\mathbf{F}}$	74	1				1		3			1	2	7	2	
21 22	White	70	7		$-\frac{1}{1}$	2	3		28		1	16	21	9	2	3
23 24	Females	100 44	1 6		i	2	1 3		21 9			ii 4	10 5	13	2	6 2
	(68	1			······	1		2	•••••		2	2	7	2	· · · · · · · · · · · · · · · · · · ·
25 26	Colored	11							$\frac{3}{1}$				1			
27 28	Females	7 2							2			2	- -			
29	Galveston	52	3			2	1		15		1	<u>1</u>	9	4	1	
30	Males	28	3			2	1		8		<u>-</u>	3	4	2	1	
31 32	Females	24 17 17	3			2	····i		7 2 2		• • • • • • • • • • • • • • • • • • •	2	5 2 2	1		• • • • • • • • •
33	White	45	3			2	1		14		1	5	8	2	1	
34	Males	21	3			2	1		7		1	3	3	2	1	
35 36	Females	21 15 14	3			2	i		7 2 2		• • • • • • • • • • • • • • • • • • •	2	5 2 2	1 2		· · • • • • • • • • • • • • • • • • • •
37	Colored	7							1				1	-		
38	Males	4 2							1				1			
39 4 0	Females. Diagnosis reasonably certain. {M	3 2 3					••••••									
41	San Antonio	81	3				3		23			16	7	11	3	4
42 43	Males	29 52	2				2		12			8 8	4 3	4 7	1 2	1 3
44 44	Diagnosis reasonably certain. ${M \choose F}$	19 36	2				2 1		3			1	2	4	1 2	i
45	White	77	3				3		21			14	7	11	3	4
46 47	MalesFemales	29 48	2				2		12			8 6	4 3	4 7	1 2	1 3
48	Diagnosis reasonably certain. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	19 33	2	l			2 1		, š			ĭ	2	4	1 2	ĭ

¹ Nonregistration state; cities shown below only those with effective local ordinances.

						DEATI	es from	CANCER	AND OTH	BR MALIG	T TKAK	UMORS () ? -						
Periton ntestin	es, and		Female	genital or	gans.							Other or	gans or o	of organs	not spec	cified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- plan tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain,	Bones (except jaw).	Tes-	Others of this class.
3		11	1	9	1		5	1	3							1			2
		11 11	i	9	1 1		5	1 1	2 1 1 1							1			1 1 1 1
4		32	<u></u>	32			5	2	9			4		1			1		3 2
3 1 3		32		32			5 5 4	1 1 2	5 2 1			3 1					1		1 1 3
1 2 1		21		21			4	1 1	9 4 5 2			1 3 1		1			1		2 1 1
1		11		21 11			1	1	1										1
1 1		11		11			1 1												
9		41	2	37	2		13	6	40 28 12	2	1	4	6	4	4 3	·		1	18
5 4 5 9		39 37	2	37 37 33	2 2		13 13 13	4 2 4 5	12 22 7 37	1 1 1 1 2	1 1	3 1 2 3	1	3	3			1	11 3 17
4 5 4 5		37	2	33	2		13	1 4	26 11 21 6	1 1 1 1	1 1	1 2 1 1	3 3 2 1	3	3 1 3			1	13 4 10 3
		4		4				1	3 2 1			1		1					1
3		4 8	1	6	1		5	3	14	1		1	2	2	1			1	6
1 2 1 2		8	1	6	1		5	1 2 1 2	13 1 9	1		1	1 1 1	2	1 i			1	6
3 1 2		5	1	3	1 i		5	1 1 1	12 11 1	1		1	1 1	1	1			1	5
1 2		3		3	i		5	1	2	1		1	1	1	1			1	1
		3	!!	3				1 1	1					1					1
2 2 2		19	1	17	1		5	2	18 11 7 10			3	3 1 2 1	1	2				9 7 2 6
4		18 18	1	17 16	1		5	2	17			2	3	1	2				9
2 2 2 2		18 17	II.	16 16	i		5	2	11 6 10			<u>2</u>	1 1	1	2				7 2 6 2

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

=						DEAT	HS FRO	M CANC	ER AND O	THER M	IALIGNAS	T TUMOR	s or—			
		Aggre-			Buccal o	avity.				Ston	ach and	liver.		Periton ar	eum, int	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	REGISTRATION CITIES-Con.															
	TEXAS 1—continued.															
1	San Antonio—Continued. Colored.	4							2			2	İ			
2	Males										<u> </u>					
3	Females	4							2			2				
•	Diagnosis reasonably certain. ${\bf F}$	3			•••••				1			1		•••••		
5	El Paso 2	48	1		1				14	<u> </u>	<u></u>	8	6	7		5
6 7	MalesFemales	17 31	1		1				9 5			5 3	4 2	3 4		3
8	Diagnosis reasonably certain. ${M \choose F}$.	10 21	1		1				4			3	1	2 1		1
	UTAH.									- 						
9	Registration cities	93	2				2		45		1	39	5	8		4
10	<u>M</u> ales	45	2				2		26		1	21	1	3		2
11 12	Females Diagnosis reasonably certain ${M \choose F}$	48 29 32	2				2		19 12			18 10	1 2	5 1		
	ν- • •								5			5	•••••	4		1
13	White	88	2						40			35	5	8		
14 15	Males Females	42 46	2				2		23 17			19 16	1 1	3 5		2 2
16	Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{aligned} \right.$	28 32	2				2		11 5			9 5	2	1 4		i
17	Colored	5							5		1	4				 .
18	Males	3							3		1	2				
19 20	Females	2 1					• • • • • • • • • • • • • • • • • • •		2 1			2 1				
	•									<u></u>			 			
21 22	Salt Lake City	71	2	·					31			. 26	5	7		
23	Males	32 39	2				2		17 14			13 13	1	5		2
24	Diagnosis reasonably certain. $\{\stackrel{M}{F}$	21 27	2				2		8			6	2	····· i		i
25	Ogden 3	22							14		1	13		1		
26 27	Males	13							9 5		1	8		1		
28	Diagnosis reasonably certain. ${M \choose F}$	8 5							4			5 4		1		
	VERMONT.	5					•••••		' :			1				
29	Registration cities	73	3	2		1		İ	28			23	5	12		
30	Males		2			1			11			9		8		5
31	Females	44 19	1 2	i		i			17			14 4	3	4		1 3
32	Diagnosis reasonably certain. ${M \cdot F \cdot C}$	25	î	i					i			î		3		
33	White	72	3	2		1			28	<u></u>		23	5	12		6
34 35	MalesFemales	23 44	2 1	1		1			11 17			9 14	2 3	8		5 1
36		18 25	2	i		1			4			4		6		3
37	Colored	1	<u> </u>	l										ļ		
38	Males	1														
39	Females	i														
40	Diagnosis reasonably certain. ${\bf F}$		 								ļ					
	VIRGINIA.															
41	Registration cities	304	7	2	2		2	1	78	<u> </u>		47	29	29		21
42 43	Males Females	101 203	3	2	2		1	1	42 36	ļ 	1	24 23 7	17 12 5	11 18		8 13
44	Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array} \right\}$	62 143	4 3	2	2		1 1	1	12	 	i:::::::	7 3	5	10 8	l:	13 7 3

Diagnosis reasonably certain. {F | 143 | 3 | | 2 | | 1 | | 3 | 1 | 8 | | 1 | Nonregistration state; cities shown below only those with effective local ordinances.

[See note at head of this table, p. 88.]

Periton ntestin	es. and		Female	genital or	gans.							Other o	rgans or	of organ	not spe	cified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
		1		1					1			1							
		<u>i</u>		·····i					·····i			1							
		i		i					i			i							• • • • • • • • • • • • • • • • • • • •
2		14		14			3	1	8	1	1		1	1	1				3
									4	<u> </u>	1		1	1	<u> </u>				1
1		14		14			3	1	4 3	1	·····i			i	1				2
1	ļ	14		14			3	1	2	1								•••••	ī
4		15		14	1		5	5	13		 .	1	1		1		3	1	6
1									11			1	1		1		2	1	5
3 1		15		14	1		5	3 2 3 2	2 11			i	····i		·····i		1 2	····i	1 5
3		15		14	1		5	i -	1									• • • • • • • • • • • • • • • • • • • •	1
4		15		14	1		5	5	13	<u></u>		1	1		1		3	1	- 6
1 3		15		14	····i		5	3 2	11 2			1	1		1		2 1	1	5 1
1 3		15		14	i		5	3 2	11			1	1		1		2	1	5 1
	·		 																
• • • • • • • • • • • • • •																			
		13							10						••••••			•••••	
	!		<u> </u>	12	1			2	10				1		1		1	1	5
3		13		12	1		4	2 2	1				<u>1</u> .		·····i		i	<u>i</u>	5
3		13		12	i		4	2	 										
1		2	<u> </u>	2	<u></u>		1	1	3			1					1		1
1		2		<u>2</u>			i	1	2			1					1	•••••	i
1		2		2			<u>i</u>	1	2			1					1		i
				-			_		-										_
6	·	10	<u> </u>	8	2		7	1	12	1	1	2		1	1				6
	1								8	1	1	1		1	1				8 3
3							7		7	····i	····i	1 1		•••••	i				3 8 2
3 6			 		2	•••••	7	1	11 1					1	1			•••••	6
3				8	2		7	1	7	1	1	'	ļ	1	1				3
	1	10		8	2		7	i	4	<u>1</u>	i	1		······	<u>i</u> .			•••••	8
3			 	8	2		7	i		.									2
•••••		<u> </u>		<u> </u>	<u> </u>				1		<u></u> -	1		<u></u>				•••••	
• • • • • •	ļ								1			1						•••••	
• • • • • •									1			1							
			1																
8		91	3	86	1	1	28	9	62	4	1	8	4	7	6		1	1	30
3			 					7	37	2	1	5	1	7	3		.,	1	18 12 17 5
5 3		91	3	86	1	1	28	7 2 7 2	25 29 8	2	1	3 8	3	4	3		1	i	12 17

* The only other city of 10,000 inhabitants or over in 1910.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

Ī						DEAT	THS FRO	M CANC	ER AND O	THER M	ALIGNAN	IT TUMOR	8 OF-			
		Aggre-			Buccal	avity.				Stom	ach and	liver.		Periton	eum, int	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	Aggre- gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con. VIRGINIA—continued.															
1	Registration cities—Continued. White	216	7	2	2		2	1	61	ļ	2	35	24	24		17
2 3 4	$\begin{array}{ccc} \textbf{Males} \\ \textbf{Females} \\ \textbf{Diagnosis reasonably certain.} \left\{ \begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix} \right.$	86 130 53 90	4 3 4 3	2			1 1 1 1	1 1	36 25 11 3		1 1	20 15 7 3	15 9 4	10 14 10 7		7 10 7 3
5	Colored	88	<u></u>		<u></u>		<u></u>		17			12	5	5		4
6 7 8	$ \begin{array}{c} \textbf{Males}. \\ \textbf{Females}. \\ \textbf{Diagnosis reasonably certain.} \\ \begin{array}{c} \textbf{M} \\ \textbf{F} \end{array} . \end{array} $	15 73 9 53							6 11 1			8	2 3 1 1	1 4 1		1 3
9	Richmond	127	3		1		1	1	35			22	13	13		9
10 11 12	$ \begin{array}{c} \textbf{Males}. \\ \textbf{Females}. \\ \textbf{Diagnosis reasonably certain.} \\ \begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix} \\ \\ \textbf{White}. \end{array} $	48 79 31 55	1 2 1 2		i i 1		i i 1	1 1	19 16 4 3			13 9 3 2	6 7 1 1	6 7 5 4		5 4 4 1
14 15 16	Males	40 49 27 87	1 2 1 2				1	1 1	16 10 4			11 5 3 2	5 5 1	5 5 5 4		4 2 4
17	Colored	38							9			6	3	3		8
18 19	MalesFemales	8 30							3 6			2	1 2	1 2		1 2
20	Diagnosis reasonably certain ${M \choose F}$.	18							i				i			
21	Other cities	177	4	2	1		1		43		2	25	16	16		12
22 23 24	Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array} \right.$	53 124 31 88	3 1 3 1	2	i 1		1 1		23 20 8 1		1 1	11 14 4 1	11 5 4	5 11 5 4		3 9 3 2
25	White	127	4	2	1		1		35		2	19	14	14		11
26 27 28	$ \begin{array}{cccc} \mathbf{M} \mathbf{ales} & & & \\ \mathbf{Females} & & & \\ \mathbf{Diagnosis reasonably certain.} & & & \\ \mathbf{M} & & & \\ \mathbf{F} & & & \\ \end{array} $	46 81 26 53	3 1 3 1	2 2	i		1 1		20 15 7 1		1	9 10 4 1	10 4 3	5 9 5 3		3 8 3 2
29	Colored	50	<u></u>			<u></u>			8		•••••	6	2	2		1
30 31 32	Males	7 43 5 35							3 5 1			2 4	1 1 1	2 1		1
33	WASHINGTON. Registration cities	499	13	4	4	ļ	5		212		5	162	45	65	6	39
34 35 36	Males Females Diagnosis reasonably certain. {M F	251 248 148 183	13	4	4		5		140 72 59 28		4 1 2 1	108 54 47 20	28 17 10 7	31 34 26 25	2 4 2 3	18 21 13 13
37	White	497	12	4	3		5		211		5	161	45	65	6	39
38 89 40	MalesFemalesDiagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \mathbf{K}$	249 248 147 183	12	4	3		5		139 72 59 28		4 1 2 1	107 54 47 20	28 17 10 7	31 34 26 25	2 4 2 3	18 21 13 13
41	Colored	2	1		1		<u></u>		1			1				
42 43 44	MalesFemalesDiagnosis reasonably certain. ${f M} \cdot {f F} \cdot {f F}$	1	1		1				1			1				
45	Seattle	221	10	2	4		4		90		2	67	· 21	28	3	15
46 47 48	MalesFemales	115 106 74 78	10	2			4		63 27 31 8		2 1	48 19 25 5	13 8 5 3	16 12 15 9	2 1 2 1	7 8 6 5

						DEAT	HS PROM	CANCER	AND OTH	ER MALIG	NANT T	UMORS C) }- -						
Periton intestin rectum-	es, and		Female	genital or	gans.	Î						Other or	gans or o	f organs	not spec	ified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin,	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renais.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Testes.	Others of this class.
								_	6										
3		49	3	44	1	1	20	5	31	2		5	3	6	4	<u> </u>		1	26 16
4 3		49	3	44	1	1	20	1 5	18 23	2 2		1 2	3	3	2			i	10 15
4		48	2	44	1	1	20	1	8	2		·····	1	ļ					5
1		42	-	42			8	3 2	13		1	3	1	1	1		1		2
1		42		42			8	1 2 1	7 6		1	2	·····i	·····i	1		1		2 2
1		42	3	25			8	5	29	3	1	3		5	2				14
1							<u> </u>	5	17	3		1		5	1			- 1 1	7
8 1		28	3	25			14	5	12 16	1 2	1	2		4	i			i	7 7 7
3		13	3	25 10			14 12	3	5 22	3	ļ	1		4	1				19
• 1				10			12	3	15	2		1		4				1	12
3 1		13	3	10			12	3	7	1 2		1		3	1			····i	5 7
3	······	12	2	10			12		5	1	·····								4
		15		15			2	2 2	7	<u> </u>		2		1	1				2
		15		15			2	2	5 2		1	2			i				2
•••••		15		15			2	····	 	 -									• • • • • • • •
		63		61	1	1	14	4	33	1	<u></u>	5	4	2	4		1		16
2 2		63		61	1	····i	14	2 2 2 2	20 13 13	i		1	1 3	2	2 2		·····i		11 5
2 2		63		61	1	i	14	2	3	1		2	1						10 1
3		36		34	1	1	8	3	27	1		4	3	2	3				14
2 1		36		34	·····i	i	8	2	16 11	1		3 1 1	3	2	2				9 5
2 1		36		34	·····i	·····i	8	2	9	i		1	i		!				8 1
1		27	ļ	27			6	1	6	ļ	ļ	1	1		1	 	1		2
_i .		27		27			6	1	4 2	ļ		1	1		1				2
i		27					6	i	4			1	1						2
				' 					ll .	i									
20		68	9	59		. .	42	11	88	5	1	6	9	10	14	1	6		36
11 9		68	9	59			42	8	59 29	4	1	5	6 3	10	8 6	<u>i</u>	3		22
11 9		<u></u> -	8				42	8 3 8 3	29 42 18	4		1 5	1	16	5 5		2		22 14 19 8
		1	9	59			42	11	88	[]	1	6	9		1	1			36
11							42	8 3	59	4		5	6	10	8		3		
9 11 9		68	9 8	59 50				8 3	29 42 18			5	1	6			3 2		22 14 19 8
		01							10						٠ا				
•••••														 	· · · · · · · · · · · · · · · · · · ·	ļi			
									38		<u>'</u>								
				20			21	2 2 2 2 2	!	14	<u>-</u>		II.	2 2 1				<u></u>	15 8 7 7 5
7 3 7		30	4	24		l	21		II 📆	7 . .		3 1 3			3				

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

						DEA	THS FRO	M CANC	ER AND	THER M	[ALIGNAN	IT TUMOR	s o f—			
		Aggre-			Buccal	avity.				Ston	ach and	liver.		Periton ar	eum, int id rectur	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes-
	REGISTRATION CITIES—Con. WASHINGTON—continued.			1												
1	Spokane	l	1	. !	·		!	<u> </u>		ļ	2	83	9	- 9		7
3 4	Males	43 59 24 49	1								1 1 1	18 15 6 10	5 4 3 8	4 5 3 3		3 4 2 2
5	Tacoma	84	1	1			<u> </u>		37			31	6	17	3	10
6 7 8	$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \begin{array}{c} \text{M.} \\ \text{F.} \end{array}$	45 39 23 23	1	1					5 4	!	·····	20 11 4 3	2 4 1 1	8 9 6 6	3	5 5 3 3
9 10 11	MalesFemales	92 48 44 27	1	1					31 10			31 22 9 12	8 1 1	11 3 8 2		8 4
12	Diagnosis reasonably certain. ${M \choose F}$ WEST VIRGINIA. 1	33	1						13 2			2	1	7	•••••••	8
13	Wheeling *		1				1		13		1	7	5	8	1	
14 15 16	Males Females Diagnosis reasonably certain. \(\begin{align*} M \\ F \end{align*}. \)	14 32 9 23	1			¦	1		5 8 2 3		1	4 3 1 1	5	8 5 3 2	i	2 4 2 1
17	White	45	1	 		l	1		13	 	1	7	5	8	1	6
18 19 20	MalesFemales	14 31 9 22	1			·····			5 8 2 3		1	4 3 1 1	5	3 5 3 2	1 1	2 4 2 1
21	Colored *	1				l				<u> </u>		 				
22 23 24	$\begin{array}{c} \textbf{Males.} \\ \textbf{Females} \\ \textbf{Diagnosis reasonably certain.} \\ \textbf{M} \\ \textbf{M} \end{array}$	i 1								ļi						
	WISCONSIN.															
25	Registration cities	712	27	3	9	1	11	3	321	 	12	206	103	90	1	61
26 27 28	Males Females	315 397 151 244	25 2 25 25 2	2 1 2 1	9	1	10 1 10 1	3	165 156 37 39		8	116 90 30 16	41 62 6 21	43 47 31 24	1	23 38 12 15
29	White	1	27	3	9	1	111	3	321		12	206	103	90	1	61
30 31 32	$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix} \right. \end{array}$	315 395 151 243	25 2 25 25 2	2 1 2 1	9	1 i	10 1 10 1	3	165 156 37 39		8 4 1 2	116 90 30 16	41 62 6 21	43 47 31 24	1	23 38 12 15
33	Colored	2	ļ				l <u>.</u>				ļ <u>.</u>		 	<u></u>		<u> </u>
34 35	MalesFemales															
36	Diagnosis reasonably certain. $\{{\bf M} : {\bf M}$	²														
37	Milwaukee	291	10	1	5		3	1	136		5	80	51	35		2
38 39 40	MalesFemales	133 158 55 96	8 2 8 2	i 1	5		2 1 2 1	1 1	75 61 14		4 1 1	49 31 10 3	22 29 3 5	22 13 15 9		15
11	Other cities	421	17	2	4	1	8	2	185		7	126	52	55	1	40
42 43 44	Males Females Diagnosis reasonably certain. { M	182 239 96 148	17	2	4	1	8	2 2	90 95 23 30		3	67 59 20 13	19 33 3 16	21 84 16 15	1	11 26 7

ntestir	neum, nes.and n—Con.		Female:	genital or	gans.	!						Other or	gans or o	of organs	not spec	ified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
2		18	2	16			9	2	19			1	1	5	4		3		5
1	1			! 				<u>_</u>	13			1	1	5	1		1		4
1		18	2	16	. <u>'</u>	<u> </u>	١	1 1	6 9 4		• • • • • • • • • • • • • • • • • • • •	i	·	4	1 3 1 3	' 	2 1		1 3
· 1	Į i	, 18 3		3			8	1	17	1	1	1	3	2	ļ				9
3	i						<u>'</u>	1	13	1	1		2	2					6
1 3		3		3			8	i	10 2	i	¦ 	·····i	1	····i					3 6 2
1		17	3	14			4	4	14	1			1	1	2	1	1		7
-								4	9 5	1				1	2		1		4
• • • • • •		17	3	14			4	4	7	1 'i	¦				2	1	i		3 3 1
4		. 17	3	14			4		3		<u> </u>		1			1	•••••		1
1	1	9	1	8			7	1	7			1	<u> </u>	2	:				4
1							1		4				<u> </u>	2		 			1
···i		9	1	8			6 1 6	i	3 2 2					1					3 1 2
1	Ì	8	1	7	1		7	1	7			1		2					4
1	-;		į				1		4			1		2					1
·····i		8	1	7	.)		6 1 6	<u>1</u>	3 2 2					·····i					3 1 2
•••••		8	1	1			۰	1	1										
				<u>-</u>				i											
· • • • • • • • • • • • • • • • • • • •		1	 	1				 	ļ										
• • • • • •		1		1														•••••	
28		100	11	83	6		60	15	99	4	5	6	12	11	16		6	3	36
19 9	·····	100	ii	83			1 59	10	71	4	3 2	4 2	7 5	11	13		4 2	3	22
19 9		97	8	83	6		1 59	10 5	28 47 18	4	i	3	3	6	7		3 2	3	22 14 17 10
28		99	11	82	6		60	15	98	4	4	6	12	11	16		6	3	36
19 9		99	11	82	6		1 50	10 5	71 27 47	4	3	4	7 5	11	13		4 2	3	22
19 9		96	8	82	6		59 1 59	10	47 18	4	i	2 3 1	3	6	7		3 2	3	22 14 17 10
		1		1					1		1	 							
•••••									····i										
· • • • • • • • • • • • • • • • • • • •		1		i							ļ								
14		38	8	29	1	-	30	4	38	1	3	2	3	3	8		2	2	14
10	·							3 1	25 13 15	1	2 1	1 1	2	3	5 3		2	2	7 7
10 4		38	8	29	ļ <u>;</u> .		30	3	15	1	i	i	1 1	1	3 2 1		1	2	6
14	1 :	62	3	54	5		30	11	61	3	2	4	9	8	-		4	1	
9							1	7	46	3	1	3 1	5	8			2	1	
5 9		62	3 2	54 54	5		29 1 29	7 4	15 32 9	8	1	3	2	5	5		2 2	i	15 7 11 4

Table 2.—Deaths from cancer and other malignant tumors, classified according to the part of registration states, and for each registration unit in

Diagnosis reasonably certain $\{M, \dots, M\}$

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

						DEAT	HS PROM	CANCER	AND OTH	ER MALIG	MANT T	UMORS C	7-						
Peritor intestin rectum	es, and		Female	genital or	gans.							Other or	gans or o	f organs	not spec	ified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.
								i				I							
42	1	114	4	106	3	1	. 99	49	130	6	3	11	7	16	13	2	3	2	67
28 14	1	114	4	106	3	1		41 8	92 39	5 1	3	6 5	2 5	16	9	2	2	2	47 20
28 14		113	3	106	3	1	96 96	41 8	65 29	5 1	1	5 5	4	6	3	1	<mark>-</mark>	2	42 17
42	1	114		106	3	1	97	. ———	128	5	3	10	7	16	13	2	3	2	67
28 14 28 14	1	114	4	106	3		3 94 3 94	i 8 41 8	90 38 53 29	1 4	3 1	5 5 4 5	2 5	16	9 4 3 1	2	2 1 1	2	47 20 42 17
	·					' 	. 2		2	1		1		i 	<u></u>			ļ	
			,				2		2	1	ļ	1							
	······						2		2	1	l::::::	1		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	'		l:::::	
6	1	20		19	1		18	4	20				3	5	3	1			*
2 4	i	20	[:	19	i	·	17	3	11		 		1 2	5	. !	1			5
4		20	ļ [:]	19	i		17	. 1	8				2	2	i			`	3
2		10		9	`	1	7	. 1	13	2		2	1			·····			4
<u>2</u> 2		10		9		1	1 6 1	1	5 4	1		! !	1		1				3 · 1 3 ·
		10		i			6	1	3	i								'	
1				9			12	1											- 6 1 2
i		9		9			12	1	2										. 4
33		9 75	! 4	į			12 62	1	21	4	2	9	3	9	9	1	2	2	1
23 10			·				1	21	. 69	4	2	5	1	. 9	7			2	37 12
23		75 74	·4 3	`			61 1 61	5 28 5	51 19	4	1	5	2		2	1	!		27 12 22 12
								_			_ :			1				!	!
				27			19		24			3		. 4	. 		1		11
5							1	2	13	1		2		4				' <u>;</u> .	6 5 3
6		30		, 2 7	3			2 5	5 21	1		3						1	3 11
5									15	1		3		1			1	1	s
5		30		27 27	3		1		13			2		•				1	6 5 3
																			
• • • • • • • • • • • • • • • • • • •						· · · · · · · · · · · · · · · · · · ·		1											
																			-
	<u></u> .		2	31.				12			2								19
4		41				1		2 1'1	27) 223	1 2	2	1			4 2		1	•••	10 15 6
							44	2	19	1	• •	1	 2		2				
7							45	10	<u> </u>		2								25
7		• • • • • • • • • • • • • • • • • • • •				1	44	10 2		1 2	2	1		<u></u> .	4 2 2	:	1		10 15 €,

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

						DEA7	THS FRO	M CANCI	ER AND O	THER M	ALIGNAN	T TUMORS	O F —			·
		Aggre-			Buccal	avity.				Ston	nach and	liver.			eum, int	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes-
	RURAL PART OF REGISTRA- TION STATES !—Continued.															
1	CONNECTICUT—continued. Hartford County	76	5		1		4	!	26			14	11	11		9
2	MalesFemales	27 49 16	4 1 4		1		3 1 3		11 15 3			6 8 2	5 6 1	3 8 2		2 7
4	Diagnosis reasonably certain. $\{F : C \in \mathbb{R}^{n}\}$	31 247	1 12				1		3			47	3	5		4
5	Other rural districts	96	8	1	3	1	5		73		1	27	25	19	3	28 12
8	Females. Diagnosis reasonably certain. $\left\{ egin{align*} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \\ \mathbf{INDIANA} \end{array} \right.$	151 47 91	4 8 4	1	3 2	i	1 4 1		40 5 2		1	20 5 1	19	21 8 7	1	16 2 3
9	Total	1,434	74	19	8	11	31	5	594	2	4	351	237	132	7	79
10 11 12	Males Females Diagnosis reasonably certain.{M F	578 856 303 517	60 14 60 14	17 2 17 2	7 1 7 1	7 4 7 4	25 6 25 6	4 1 4 1	270 324 50 57	1	3 1 1	172 179 28 30	93 144 21 26	63 69 49 30	3 4 3 2	29 50 15 13
13	White	1,423	74	19	8	11	31	5	593	2	4	350	237	130	7	79
14 15 16	$egin{array}{cccc} Males & Females. & M. & \\ Diagnosis reasonably certain. & H. & F. & M. & M. & M. & M. & M. & M. & M$	574 849 301 511	60 14 60 14	17 2 17 2	7 1 7	7 4 7	25 6 25 6	4 1 4	270 323 50 57	2 1	3 1	172 178 28 30	93 144 21 26	63 67 49 28	3 4 3 2	29 50 15 13
17	Colored	11						·	1			1		2		
18 19 20	$ \begin{array}{c} \textbf{Males} \\ \textbf{Females} \\ \textbf{Diagnosis reasonably certain.} \left\{ \begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix} \right. \end{array} $	† 7 2 6							1			i		2		
	Kansas.				_	ĺ .										
21 22	Total	813 393	45	24	5	$-\frac{1}{1}$	16	3	338 190		4	133	120 53	78	8	
23 24	Females	420 195 248	5 45 5	23 1	1 4 1	i	14 2	1 3 1	148 51 24		2	81 38 8	67 11 16	33 22 14	3 2 3	24 10 5
25	White	388	50	24	5	1	16	4	333		4	210	119	78	6	- 56
26 27 28	MalesFemalesDiagnosis reasonably certain. ${M \choose F}$.	413 193 242	45 5 45 5	23 1 23 1	1 4 1	1 1	14 2 14 2	3 1 3 1	186 147 50 24		2	130 80 37 8	52 67 11 16	45 33 22 14	3 3 2 3	32 24 10 5
29	Colored	12	<u> </u>		· <u> </u>	<u> </u>		·	5			4	1	·	<u>'</u> '	
30 31 32	Males Females Diagnosis reasonably certain. {M F	5 7 2 6			·¦	 			1			3 1 1	1			
3 3	KENTUCKY.	753	45	10	5	17	9	4	247		·	152	95	70	2	43
34 35	MalesFemales	279 474	37 8 37	9		13 4	7 2 7	4	118 129			73 79	45 50 7	32 38	2	17 26
36 37	Diagnosis reasonably certain. ${\mathbf{F}}$	123 294	8	1	1	13	2	4	13 12			6 6	6	i	' 	4
37 38	White	260	37	10	5	16	7	4	221 107			139	82	30	2	
39 40	Females	408 119 249	7 37 7	1 9 1	1 4	3 13 3	2 7 2	4	114 12 10			66 73 5 6	41 7 4	32 14 12	2	22 4
41	Colored	85	1		·!	1	·	<u> </u>	26			13	13	8	! <u></u> :	6
42 43 44	Males Females Diagnosis reasonably certain. $\left\{ egin{array}{l} \mathbf{M} & \mathbf{m} \\ \mathbf{F} & \mathbf{m} \end{array} \right\}$	19 66 4 45	1 i					'! '	11 15 1 2			7 6 1	9	2 6		2 4

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

ept to 0	
ept les. 0 (of
1	
1	
1	
1	
4 1	••••
3 1 11	1
3 1	
2 1 1	
1	
1	
12 3	3
9 3 3	
12 3	- 1
9 3 3 3 2 3	
5 2	2
2 5 2 3	2
4 2	2
2 2 3	
1	_
	3 4 3

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

=						DEA?	THS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	5 OF-			
		Aggre-			Buccal	avity.				Stom	ach and	liver.		Periton	eum, intend rectun	estines, 1.
	area and basis of diagnoses.	Aggre- gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- sch.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes-
	RURAL PART OF REGISTRA- TION STATES!—Continued.															
1	Total	609	29	11	6	3	8	1	225	1	3	134	87	96	4	66
2 3 4	Males Females Diagnosis reasonably certain. { M	228 381 96 212	24 5 24 5	11 ii	5 1 5 1	1 2 1 2	6 2 6 2	1 1	99 126 12 8	1	3 1	54 80 9 3	41 46 2 5	43 53 17 22	2 2	29 37 5 8
5	White	607	29	11	6	3	8	1	224	1	3	133	87	95	4	65
6	Males	227	24	11	5	1	6	1	98	1	3	53	41	43 52	2	29 36
7 8	Females Diagnosis reasonably certain. M	380 96 212	5 24 5	11	1 5 1	1 2	6 2	1	126 12 8		1 1	80 9 3	46 2 5	17 22	2	5 8
9	Colored								1	<u></u>				1		1
10 11	MalesFemales	i							1			1		1 i		1
12	Cumberland County	60	4			1	3	·····	22	·	1	14	7	7	1	4
13 14 15	Males	25 35 11 20	3 1 3 1			1	2 1 2 1		10 •12 2 1		1 1	5 9	4 3 1	3 4 2 1	i	2 2 1
16	Kennebec County	55	5	3	 		1	1	14	1	1	5	7	11	1	7
17 18	Males	29 26 17	5	3			1 1	1	10 4	1	1	3 2	5 2	8 2	1	1 6
19 20	ζ	14 54	3	1		2			23			••••••		3		2
21 22	Penobscot County Males Females	17 37	1 2	1		2			10 13			5 6	12 5 7	8 4 4		3 2
23	Diagnosis reasonably certain. $\{{}^{\mathbf{M}}_{\mathbf{F}}$.	23 23	1 2	1		2			3			2	1	2		
24	Washington County	- 54	4	2	2				23	<u></u>		14	9	5	<u> </u>	3
25 26 27	Males	19 35 7 23	3 1 3 1	2	1 1 1				12 11 2			6 8 2	6 3	1 4 4		1 2 2
28	York County	60	3	2	1	ļ			20			14	6	11		7
29 30 31	MalesFemales	21 39 10	3	2	1				7 13			5 9	2 4	6 5 3		4 3 1
32	Other rural districts	22 326	10	3	3		4		1 123		1	1 76	46	2 54	2	40
	Males	117	9	3	3		3		50	1	1	30	19		2	
33 34 35	Females. Diagnosis reasonably certain. ${M \choose F}$.	209 45 110	1 9 1	3	3		1 3 1		73 5 5			46 5 1	27	26 28 9 10		18 22 3 4
0.0	MARYLAND.	400			١.	_										
36 37	Total	160	13	2	4	1	5	3	151		1	92 50	58 25	51 21	2	33
38 39	Females. Diagnosis reasonably certain. ${M \choose F}$	279 77 186	13 8	2	4	1 1	5 5 5	1 2 2	76 75 13 13		i	42 10 6	33 2 7	30 13 14	1 1 1	12 21 4 5
40	White	380	19	2	3	2	9	3		<u></u>	1	83	48	49	2	31
41 42 43	Males. Females Diagnosis reasonably certain. $\left\{ egin{matrix} M & \\ F & \end{array} \right.$	146 234 72 154	11 8 11 8	2	3	1 1 1 1	5 4 5	1 2 1 2	69 63 13 12	,	1 1	46 37 10 6	22 26 2 6	20 29 13 13	1 1 1	11 20 4
44	Colored	59	2		1	ļ <u>.</u>	1		19			9	10	1		2
45	Males	14	2		1		1		7			4	3 7	1		1
46 47	Females	45 5 32	2		i		i		12		İ	5	7 i	1 1		1 i
48	Baltimore County	111	5		1	1	3		35		1	18	16	14		10
49	Males.		4		1	1	2		22		1	12		8		1
50 51	Females	73 22 53	1 4 1		i	1	1 2 1		13 7 3		i	6 4	9 7 2 3	11 8		1 4

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

Da-14	11						1		1										
Periton ntestin ectum	es, and —Con.		Female	genital or	gans.							Other or	gans or o	of organs	not spec	ified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
26		93		91	2		68	24	74	1	2	6	1	5	10	1	3	1	44
12				91	2			18	44 30			4 2	1	5	7	1		1	23 21
14 12 14	,	93		91	2		68 68	18	25 10	1 1	.	i		2	3 2		1	ì	19 8
26	:	93		91	2		68	24	74	<u>1</u>	2	6	1	5	10	1	3	1	44
12 14 12 14		93 93		91	2		68 68	18 6 18 6	44 30 25 10	1 1	2	4 2 1	1	2	7 3 2	1	2 1	1	23 21 19 8
			<u> </u>							<u></u>									
······						<u> </u>													
		8		8		<u> </u>	8	<u>3</u>	8		·······		<u> </u>	1	3 2				3
1		8		8			8	1 2	i 2		.			į <u>.</u>	1				i
1		8		8			8	6	10					2					8
2		' 						5	6					2					4
1 2 1		6		6			3	1 5 1	4 5 1				¦	2			•••••		3 1
3		9		8	1		8	1	. 2						1		·		1
1 2		9		8	<u>i</u>		8	1	1 1						1				i
1 2		9		8	1		8	1	1							-			i
2	<u></u>	13	<u></u>	13		<u> </u>	3	2	4	1			1	<u></u>	1				1
····· <u>2</u>		13		13		'	3	2	1 3	1		•••••	1	ļ	i				····i
2		13	: •••••••	13		· · · · · · · · · · · · · · · · · · ·	3		2	1				••••••					1
- 4 2		4	<u> </u>	4	<u> </u>	<u>'</u>	15	<u>1</u>	6	 :				•••••••		!			2
2 2		4		4			15	i	2 3			<u>.</u>							2 2
	 			1		 		11			2	3			5	1	3	1	27
6		'		i	-	.'	31			<u> </u>				2		1	2	1	
6 6 6		53 53		1			31	7 4 7	19 15 6			2			1		1	1	14 13 13 5
·			<u>"</u>		-		- -												
		69			:		60			1				3	l	2		1	
8		69	՝։ i	66	2		1 59 1	11	36 27 24	1	1	2	3	3	l l	1	3	<u>1</u>	! 16
8	1	68		li .	:		59	11	13	1		i 2	i	• • • • • • • •					
Я	i	49	1	1			1	24	-		'			3	5 R	2		1	32
8 8		49 48	1	46	2		51	11	23 21		'	2		. 1	3	i		1 1	16
8				46	1		1	11	!	1		1 		:					Į.
•••••	 	20							4	Ï	`		1		İ				4
		20		20			••••		3		!		1				1		1 3 1
4		16		15	1	_	21	4	16		1	2			1		1		
2		16					1		7		1						i		5
2	ļ		-	15	.		20 1 20		6			····· -			i				8

35030°---16-----11

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

						DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	s or-			
	AREA AND BASIS OF DIAGNOSUS.	Aggre- gate.			Buccal	avity.				Stom	ach and	liver.		Peritor	eum, int	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx,	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	RURAL PART OF REGISTRA- TION STATES —Continued. MARYLAND—continued.															
1	Baltimore County—Continued. White	104	5		1	1	3		34		1	17	16	13		9
2 8 4	MalesFemales	87 67 22 47	4 1 4 1		1	1	2 1 2 1		21 13 7 3			11 6 4	9 7 2 3	3 10 3 5		1 8 1 - 3
5	Colored	7							1	<u></u>		:		1	<u></u>	1
6 7 8	Males	1 6 6							1			1		1 1		1
9	Other rural districts	328	16	2	3	1	7	8	116		<u> </u>	74	42	87	2	23
10 11 12	Males	122 206 55 133	9 7 9 7	2	3	i	3 4	1 2 1 2	54 62 6 10			38 36 6 6	16 26	18 19 10 8	1 1 1	11 12 3 1
13 14	White	276	7	2	2	1	6	3	98			66 35	32	36	2	10
15 16	Females	167 50 107	7 7 7	2	2	1	4 2 4	2 1 2	50 6 9			31 6 6	19 3	19 10 8	1 1 1	12 3 1
17	Colored	52 13	2		1		1		18	<u> </u>		8	10	1		1
18 19	MalesFemales	89 5	2		<u>i</u>		<u>i</u> .		12			5	7			
20	Diagnosis reasonably certain. ${M \choose F}$	26							1				1		•••••	•••••
21	MASSACHUSETTS. Total	868	84	5	16	8	7	8	280		11	186	92	148	8	96
22 23	Males.	318	33 1	5	15	3	7	3	142 147		7	101	34 58	42 106	2 6	26 70
24	FemalesDiagnosis reasonably certain.	550 148 331	33 1	5	15	3	7	3	26 16		3 2	85 16 9	7 5	22 49	i	8 18
25	White	864	34	5	16	3	7	3	288		11	185	92	148	8	. 96
26 27 28	MalesFemales	316 548 147 329	33 1 33 1	5 5	15 1 15 1	3	7	3	141 147 26 16		7 4 3 2	100 85 16 9	34 58 7 5	42 106 22 49	6 1	26 70 8 18
29	Colored	4				ļ	<u> </u>		1	 	l	1				
30 31	MalesFemales	2 2							1			1				
32	Diagnosis reasonably certain. ${M \choose F}$.	1 2														
33	Bristol County	56							20			13	7	11		5
34 35 36	Males Females Diagnosis reasonably certain.{M F	21 35 11 20							10 10 3			9 4 3	1 6	4 7 2 4		3
37	Essex County	105	2	ļ! 	1	1			40	 	2	27	11	21		14
38 39	MalesFemales	41 64	2		1	1			21 19		1 1	16 11	4 7	6 15		4 10
40	Diagnosis reasonably certain. ${M \choose F}$.	10 35	2	ļ	1	1			2 2	 ::::::	1	1	1	3 10		1 5
41	Middlesex County	173	15	4	8	<u> </u>	3		61	<u> </u>	4	41	16	20	8	12
42 43 44	Males Females Diagnosis reasonably certain. {M F	68 105 32 68	15	4	8		3		30 31 3 8		3 1 1	23 18 1 5	12 1 3	6 14 2 6	8 1	8 3
45	Norfolk County	99	4		2	<u> </u>	1	1	35	<u> </u>	2	22	11	21	1	19
46 47	Males	35 64 18	3 1 3		1 1		1 i	11	17 18 5	 :::::::	2	11 11 2	7	17	i	5 14 2 2
48	Diagnosis reasonably certain. $\{F\}$	32	1	il:	li	l::	1	l	2	J	! .	2 2	1	: 1	1	1 2

 $^{^{\}rm 1}$ Exclusive of municipalities having a population of 10,000 or over in 1910.

	•					DEAT	HS FROM	CANCER	AND OTH	ER MALIC	NANT 1	UMORS	O F						
Periton ntestin ectum	neum, es, and —Con.		Female	genital or	gans.							Other or	gans or	of organs	not spec	ified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	of this	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Other of this class.
,																			
4		13	1	12			19	4	16		1	2			. 1		1		ון
2 2 2		13	1	12			1 18 1	1 3 1	7 9 6		1	2			1		····i		8
		12 3		12 3			18 2	3	š			i							
••••		3		3			<u>2</u>												
12		3 53		3 51	2		39	20	47					3		2		1	26
6		53		51	2		39	12 8	29	1	1		1 3	3	4	1 1	3 2	1	10
6				51	2		39	12 8	18	1			1	1	2		<u>-</u>	1	i
12 6		36		34	2		33	20 12	39 25		1		3	3	4	1	8	1	1
6 6		36 36		34	2		33	8 12 8	14 15 6		1		2	1	2	1	1 1	1	1
		17		17			6	<u></u>	8	1	<u></u>		1				1		
• • • • • • • • • • • • • • • • • • •		17		17			6		4 4 3 2	1			1				1	•••••	
••••				•						•							••••••	••••	•
14	1	. 126	6	117	2	1	108	17	129	- 7	12 6	1	8	11	18		7	2 2	87
29 14 29	1	126 123	6	117 117	2	<u>1</u>	107 1 107	17 17 17	46 49 18	1 6 1	6 2 2	1	1 1	4	6 1	•••••	5 2	2	37 26 24 13
43	1	126	6	117	2	1	106	34	128	7	12	1	6 2	11	18		7	2	- 64
14 29 14 29	1 1	126 123	6	117	2 2	1	105 1 105	17 17 17	82 46 48 18	6 1 6 1	6 2 2	i	4	4	16 2 6		2 5 2	2 2	36 22 24 13
							2		1	<u> </u>	<u></u>								
••••							2											•••••	1
5	1	8					$\frac{2}{6}$			2			1				1		
2									7	2			<u> </u>				1		-
3 2 3	1; i						6	1 1	3 6 1	2		••••••	1 1				1	•••••	3
		13	1	12			8	2	19	<u></u>	1	1	1	2			2		7
2 5 2			1		••••		8	1 1	11 8 2		1	1 1	1	2 1	1				8
5		13 31	1		1		19	6	1 21	1	4		2	4	1				10
3		31			·····i		1 18 1	4 2 4	12 9 7	1	2		1	4					
3	· · · · · · · · · · · · · · · · · · ·	1		29			18 10	2 2	12	1	• • • • • • •		i	2	, ,		1	•••••	5 3 5
-1									'				1	2					2 3 2 1

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

						DEA	THS PRO	M CANC	ER AND C	THER M	IALIGNA!	T TUMOR	8 o r —			
		Aggre-			Buccal c	avity.	,			Stom	ach and	liver.		Periton	eum, int	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- aer.	Total.	Perito- neum and mesen- tery.	Intestines.
	RURAL PART OF REGISTRA- TION STATES Continued.															'
	MASSACHUSETTS—continued.				}											
1	Plymouth County	99	2		-		1		34		2	20	12	14	2	7
2 3 4	Males	44 55 20 37	2		1		1 1		21 13 4 1		2	13 7 4	8	3 11 2 6	1	6 1 2
5	Worcester County	138	4		1	1	1	1	40		1	26	13	25	2	19
6 7 8	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	53 85 25 55	4		1	1	1 1	1 1	24 16 5 1		1	16 10 3	7 6 2	9 16 4 6	1	7 12 3
9	Other rural districts	198	7	1	3	1	1	1	59			37	22	33		20
10	Males	56 142	7	1	3	1	1	1	19			13 24	6	7		3 17
11 12	Females Diagnosis reasonably certain. $\left\{ \begin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$ MICHIGAN.	32 84	7	1	3	i	1	1	4 2			2 2 1	16 2 1	26 5 13		17 1 4
13	Total	1,398	77	16	11	8	35	7	574	1	7	385	181	143	13	82.
14 15 16	Males	602 796 287 488	56 21 56 21	15 1 15 1	6 5 6 5	6 2 6 2	24 11 24 11	5 2 5 2	304 270 70 46	1	5 2 1	224 161 49 26	75 106 20 19	62 81 37 39	7 6 4 4	31 51 9 11
17	White	1,391	77	16	11	8	35	7	571	1	7	384	179	142	13	81
18 19	MalesFemales	599 792	56 21	15	6 5	6 2	24 11	5 2	302 269	_i .	5 2	223 161	74 105	62 80	7 6	31 50
20	Diagnosis reasonably certain $\left\{ F \right\}$	286 486	56 21	15 1	6 5	6 2	24 11	5 2	69 46	1	ī	48 26	20 19	37 39	4	9 11
21	Colored	7							3	ļ		1	2	1		1
22 23	MalesFernales	3 4							2			1	1	i		
24	Diagnosis reasonably certain. $\left\{\begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix}\right\}$	1 2							i			1				
25	Berrien County	58	1		1				27			16	11	6		3
26 27 28	Males Females Diagnosis reasonably certain. {M. F.	22 36 10 20	1		1 1				12 15 2 3			7 9 1 2	5 6 1	2 4 2 1		3
29	Kent County	50	2	1			2		16			10	6	4		3
30 31	Males	26 24	2				2		10			6	4	3		2
31	Females Diagnosis reasonably certain. $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	24 18 17	2				2		6 5 1			4 2 1	2 3	1 1		1
33	Wayne County	63	2				2		25	<u></u>	1	16	8	7		5
34 35 36	$ \begin{array}{ccc} \text{Males} & & & \\ \text{Females} & & & \\ \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} M & \cdot \\ F & \cdot \end{matrix} \right. \end{array} $	25 38 11 25	2				2 2		13 12 1 4		1	10 6 1	2 6 1 3	2 5 1 2		1 4 1
37	Other rural districts	1,227	72	16	10	8	31	7	506	1	6	343	156	126	13	71
38 39	MalesFemales	529 698	53 19	15 1	5 5	6 2	22 9	5 2	269 237	i	4 2	201 142	64 92	55 71	7 6	28 43
40	Diagnosis reasonably certain. $\left\{egin{align*} \mathbf{M} \ldots \\ \mathbf{F} \ldots \end{array}\right.$	248 426	53 19	15 1	5	6 2	9	5 2	62 38	1	1	46 22	15 15	33 36	4	10
41	Total	1,096	38	12	5	1	16	4	554		12	432	110	134	5	82
42 43 44	Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array} \right.$	567 529 256 287	31 7 31 7	10 2 10 2	4 1 4 1	1 1	14 2 14 2	2 2 2 2 2	316 238 77 36		10 2 1	267 165 69 22	39 71 7 14	77 57 45 39	4 1 2	45 37 15 20
45	White	1,092	. 38	12	5	1	16	4	552	ļ <u></u>	12	432	108	134	5	82
46 47 48	Males Females Diagnosis reasonably certain.{M. F	566 526 256 287	31 7 31 7	10 2 10	4 1 4	1	14 2 14 2	2 2 2 2	316 236 77 36		10 2 1	267 165 69 22	39 69 7 14	77 57 45	4 1 2	45 87 15 20

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

						DEAT			at head of) ; —						
Perito intestir rectum	neum, nes. and n—Con.		Female	genital or	gans.							Other or	rgans or o	of organs	not spec	eifled.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
5		8		8			17	5	19	2	3	···········		1	2		••••		11
1 4		8		8			17	3 2 3 2	15 4	2	3			1	2				7
1 4		8		8			17	3 2	8	2	-	 		1					6 3
1	<u> </u>	20	3	17			21	6	22	2 2	1		1	1	3	<u></u>			13
3 1		20	3	17			21	2 4 2 4	8 10	2	i		i	i	1 1				8 5 6
3 13	!	19 34	2	17 32		1	21 27	12	26		1			1	5		3	2	3 14
4 9		34	i	32		····i	27	7 5	16 10		i			1	5		1 2	2	777
4 9		33		32		····i	27	7 5	9		····i				3		ĩ	2	3 3
48		194	9	181	2	2	- 130	84	196	5	6	16	7	19	. 24	1	14	2	102
24 24 24		194	9	181	2	2	4 126	56 28	120 76 64	2 3 2	5 1	8 8	5 2	19	20	1	9 5	2	50 52
24 24		190	5	181	2	2	126	56 28 56 28	64 38	2 8	3	3	ī	6	10 2		2 8	2	50 52 84 26
48		193	9.	180	2	2	129	84	195	5	6	16	7	19	24	1	14	2	101
24 24 24 24		193	9	180	2	2	125	56 28 56	119 76	2 3 2	5	8	5 2 1	19	20 4 10	i	9 5 2	2 2	49 52 34 26
24		189	5	180	2	2	125	28	64 38	3	3	3	i		2		3		
		1		1			1		1					•••••					1
· · · · · · · · · · · · · · · · · · ·		1		i			1												
3		10		1 10			5	5	4					1	2				1
2						,		4	3					1	1				1
1 2 1		10		10			5	1 1	i						1				i
1		10		10	ļ		3	7	8	1		1		ļ			1	l <u></u>	5
1		10		10			3	7		1		1					····i		- 3 2 3 1
1		10		10	\ 		3	7	. 3	i							i	' 	3 1
2		10	1	9.			6	6	-'			1			2		1		3
1 1 1		10	1	9			6	5 1 5				1			2		1 1	`	1 2 1
1		10	1	9			6	1	į					10		,			
42 20		164	8	152	2		116	66	177	2	5	14	5	18	20	1	12	-2	93 45
20 22 20 22		164 160	8	152 152	2		112 4 112	40	108 69 56 35	2 2 2 2	3	8 4 8	1 1	6		1	1 2	2	45 48 29 25
47		104	10	92	2		66	42	158	6		8		16	17	4	15	4	61
28 19		104	10	92	2		3 63	33		6	5	5 3	10	16	14	2 2 2	12 3	4	
28 19		103	9	92	2	.	63 3 63	33 9	67 30	6	i	4 2	5	5	3 9 1	ž	7	4	33 28 24 22
47	J	104	10	92	2	<u></u>	66	42	-]'	6		8	· '	15	17		·	4	60
28 19 28 19		104	10	92	2	.! 	3 63 3 63	33 9	106 50 67	6		5 8 4 2	10 5	15	14 3 9	2 2 2	12 3 7	· 4	27
28 19		103	J9·	92	, 2		63	33	87	6	1 1	1 2	5	5	9	2	. 7		24 22

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF-Peritoneum, intestines and rectum. Buccal cavity. Stomach and liver. Aggregate. Live and gall blad-der. Others of this class. neum and Intes-Total. Lip. Tongue Mouth Total. Total. VDX. RURAL PART OF REGISTRA-TION STATES -- Continued. MINNESOTA—continued. Total-Continued. Colored..... 3 Diagnosis reasonably certain. $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$ Olmsted County..... 11 17 5 ī 7 13 8i i i Diagnosis reasonably certain. $\{F, \dots, F\}$ Other rural districts..... 492 204 259 154 52 17 69 5 13 48 32 31 11 1 2 29 9 13 ··i Diagnosis reasonably certain. $\left\{ egin{aligned} \mathbf{M} \\ \mathbf{F} \end{aligned} \right.$ MISSOURI. 1, 155 666 239 379 259 27 36 108 12 17 54 25 22 3 16 3 41 6 15 2 5 2 3 7 3 3 2 3 2 4 2 1 Diagnosis reasonably certain. $\{ \mathbf{f} \}$ 19 1, 112 White.... 145 15 18 255 26 35 106 11 17 39 6 9 19 2 5 2 3 15 3 3 2 3 2 Diagnosis reasonably certain. $\{ \mathbf{F} : \mathbf{F} \}$ 23 ï Diagnosis reasonably certain $\left\{ \begin{array}{l} M \\ F \end{array} \right\}$ 73 45 48 14 10 2 27 3 11 4 2 4 7 1 **.** . ï Diagnosis reasonably certain. $\{_{\mathbf{F}}^{\mathbf{M}}$. 'n White..... 10 4 2 70 44 47 13 10 2 24 14 5 31 1 8 1 6 9 3 Diagnosis reasonably certain. ${M \choose F}$ 35 Diagnosis reasonably certain. $\{F, \dots\}$ NEW HAMPSHIRE. Total.... 23 1 4 28 2 1 39 23 32 1 4 1 Diagnosis reasonably certain. ${M \choose F}$ White 43 1 4 1 22 28 2 23 1 4 . . **.** . . . 1 | Diagnosis reasonably certain. ${M \choose F}$. $\begin{array}{cccc} & & & & & & & \\ & & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & \\ & & \\ &$ 47

 $^{^{\}rm 1}$ Exclusive of municipalities having a population of 10,000 or over in-1910.

						DEAT			AND OTH	this tab) ? —						
Periton itestin	neum, es, and —Con.		Female	genital or	gans.						··-··	Other or	gans or o	of organs	not spec	eified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros-	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.
	!																		
•••••		·		<u></u>			<u></u>		2	<u></u>				1					1
••••									1					1					1
• · • · ·																			
8		8	4	4			1	4	21	2	1	4	1	2	6		2		3
7								3 1	16	2		3 1	1	2	6		1		1
1 7		8	4	4			1	3	5 15	2	1	1 8 1	i	2	6		1		2 1
1		8	4	4	ļ		1	1	4	.	·····		• • • • • • • • • • • • • • • • • • • •				1		. 1
39		96	6	88	2		65	- 38	137	4	11	4	14	14	11	4	13	4	58
21 18 21 18		96 95	6 5	88 88	2		, 62 3 62	30 8 30 8	91 46 52 26	4	5 6 1 1	2 2 1 1	9 5 4 3	14 3	8 8 3 1	2 2 3	11 2 7	4	32 26 23 20
29		140	4	129	4	3	112	111	158	8	4	8	12	17	12	1	11		90
17 12 17		140	4	129	4	3	107	71 40 71	102 56 63 25	1 2 1	8	7 1 3	5 7	17 5	10 2 5	1	5 6 3		53 37 43 20
12		139	3	129	4	8	107	40	25	2		°	3 1		ļ		2		20
27		131	4	120	4	8	105	-109	151	8	4	8	12	17	10	1	10		86
16 11		131	4	120	4		5 100	70	98 53 61	1 2	3 1	7	5 7	17	8 2 4	1	5 5		51 35 42 20
16 11		130	3	120		3	5 100	39 70 39	61 25	1 2	. .	3	3	5	1		8 2		42
2		9	Ů	9	•	ا ا	7	2	7	_			•		2		1		4
1									4						2		<u>-</u>		
1		9		9			7	1 1	3 2				j	· • • • • • • • • • • • • • • • • • • •	i		i		2 2 1
1		9		9			7	i							ļ				
6		18	2	14	2		13	6	17		ļ	3	1	3		1		3	6
3							1		11			2	<u> </u>	3				- 8	
3		18	2	14	2		12	3 3 3 3	6			1	1	3		1		3	3 3 2
3		18	2	14	2		12	3	5			1	i	••••••					3
4		18	2	14	2		13	6	17			3	1	3		1		3	6
2 2		18	2	14	2		1 12	3 3 3 3	11 6			2 1	i-	3		i		3	3 3
2 2		18	2	14	2		12 1 12	3 3	9 5			l i	i	3				3	2
2																			
<u> </u>																			
1																			
1																			
							00	٠,		١.									••
10		50	1	47	1	1	28	12	36		2	4		3	7				18
8		50	i	47	····i	i	28	10 2	19 17	1	2	2 2		3	4 3		1		6 12 6
2 8		49		47	····i	i	28	10 2	11 8	1	1	2					1		6 12 6 7
10		50	1	47	1	1	28	12	36	1	2	4	<u></u>	3	7	ļ	1		18
2			·					10 2	19 17	1	2	2		3	4		1		6 12 6 7
8		50	1	47	1	1	28	10 2	17	i	····i	2 2	· · · · · · · · · · · · · · · · · · ·		3		·····i	;·····	12 6
8		49		47	1	1	28	2	8			1							7
	<u></u>		<u></u>													<u> </u>			
••••	• • • • • • • • • • • • • • • • • • • •		·																
• • • • •	•••••.					::::::								٠٠٠٠٠٠٠					

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

						DEAT	HS PROM	CANCER	AND OTH	ER MALIG	NANT 1	rumors (o r —						
Periton Intestin	neum, es, and —Con.		Female	genital or	gans.							Other or	gans or o	of organs	not spec	ified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
		,																	
2		12		11	1		5	1	5	ļ		2	ļ	1	1				1
<u>ż</u>		12		11	·····i		5	1	1 4			<u>2</u>		1	i				····i
<u>2</u>		i2		ii	i		5	1	·····i			i							
8		38	1	36		1	23	11	31	1	2	2		2	6		1		17
2 6 2 6		38 37	i	36 36		1 1	23 23	9 2 9 2	18 13 11 7	1	1	2	 	2	2		1 1		6 11 6 7
38		103	8	92	2	1	96	35	116	1	4	4	10	17	15	4	9	2	50
18		103			2		1	25 10	66 50		1	2 2	6	17	10	2 2	4	2	
20 18 20		98	8 4	92 91	2	1 i	95 1 95	25 10	34 27	<u>1</u>	3 1	2 1	2 2	3	5 7 1	1 2	5 1 3	2	22 28 17 17
37		98	8	87	2	1	96	35	111	1	4	4	10	17	14	8	9	2	47
18 19 18 19		98	8	87 86	2	1	95 1 95	25 10 25 10	62 49 32 26	1 1	1 3 1	2 2 1	6 4 2 2	17 3	9 5 6	1 2 1 2	4 5 1 3	2 2	20 27 16 16
1		5		5	 		ļ		5				ļ		1	1	•••••		3
i		5		5					4						1	1			2
····i	•••••	5		5					2						1				1
7		12		11		1	14	2	14				2	2	2	1	1		6
5 2		i2		ii		i	14	1	6 8				2	2	1	····i	·····i		1 5
5 2		12		····ii		i	14	1 1	2 4						1	i		•••••	1 2
3		9	1	8		<u></u>	9	3	12		1	1		3	3				4
1 2 1		9	i	8			9	3	7 5 3		i	1		3 1	1 2		••••••		2 2
2		9	1	8			9		1					·····					1
- 4 3		13	1	11	1		10	5	12			1	1	1	1	1			6 2
1 3		13	1	11	1		10 10	3 2 3 2	7 2			·····	1		i	1			2 4 2 3
1		13 5	1	11	1		10.	5	8			1	1	1	1	, ,	1	•••••	3
							2	4	3				1	1			1		
<u>1</u>		5 4	1	4			2 2	1 4 1	5			1 			1				3 2
23		64	5	58	1		61	20	70	1	3	1	6	10	7	2	7	2	31
9 14 9 14		64	5	58 57	i		1 60 1 60	14 6 14 6	45 25 27 15	1 1	1 2 1	1	3 3 2 2	10	6 1 4	1	3 4 1 3	2 2	17 14 14 9
105	3	301	10	269	17	5	310	124	336	18	12	20	14	32	39	3	19	8	171
54 51 54 51	3	301	10	269 267	17	5	3 307 3 307	82 42 82 42	200 136 138 76	15 3 15 3	8 4 4 1	12 8 7 3	6 8 2 2	32 10	27 12 15 5	2 1 1	5 14 4 7	8	85 86 72 55
105	8	299	10	267	17	5	308	124	333	18	12	20	14	32	38	2	19	8	170
54 51	8	299	10	267	17	5	3 305	82 42	198	15	8	12	6	32	26 12	1	5	8	
54 51 54 51		291	6				305 3 305	82 42 82 42	198 135 138 75	15 3 15 3	8 4 4 1	12 8 7 3	6 8 2 2	10	28 12 15 5	1 1 1	14 4 7	8	85 85 72 54

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

=					ee note s				ER AND O	THER M	ALIGNAN	T TUMOR	8 OF-			•
	AREA AND BASIS OF DIAGNOSTS.	Aggre-			Buccal c	avity.				Stom	ach and	liver.			eum, int	
	3.0 5 3	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
1	RURAL PART OF REGISTRATION STATES—Continued. NEW YORK—continued. Total—Continued. Colored	23	2				2		10			10		4		4
2 3 4	Males	10 13 2	2				2		4 6			6		2 2		2 2
5	Cattaraugus County	53 15	4	1	1	2 2			14			7	7	6		3
7 8 9	Females. Diagnosis reasonably certain. ${M \over F}$. Chautauqua County.	38 9 23	7	1	1 2	2	3		18			3	6	1 2 11		7
10 11 12	Males Females Diagnosis reasonably certain.	18 40 8 21	6 1 6	1	2	1 1	3		7 11			5 4	2 7	2 9		2 5
13	Delaware County	60 19 41	1		1				26 11 15		1	7 7	11 4 7	7 4 3		5 3 2
15 16 17	Females Diagnosis reasonably certain. $\left\{ egin{array}{l} M \\ F \end{array} \right.$ Dutchess County	8 23 63	3	1	1 2				3 2 21		1	9	1 2 11	1 1 8	2	5
18 19 20	$\begin{array}{c} \text{Males}. \\ \text{Females}. \\ \text{Diagnosis reasonably certain.} \Big\{ \begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix} \Big\}. \end{array}$	26 37 12 23	3	1	2				11 10 2 1		1	8 1 2	2 9 1	4 4	1 1	3 2
21 22 23	Erie County	71 32 39	3	1	1		1		30 14 16			16 10 6	14 4 10	10 5 5		6 4 2
24 25	Diagnosis reasonably certain. $\left\{ egin{align*} \frac{M}{F} \ldots \\ \end{array} \right.$ Monroe County	15 22 50	2	1	1		1		13			5	8	4		1
26 27 28	$ \begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \left\{ \begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix} \right. \\ \end{array} $	14 36 7 26	2	1 1			1 i		6 7			3	4	1 3 1 2		i
29 30 31	Males	78 39 39 15	3 2 1 2			1			18 16 2			11 10 2	13 7 6	16 11 5 6	1 1	9 6 3 2
32 33 34	Diagnosis reasonably certain $\left\{ egin{array}{ll} M \ldots \\ F \ldots \end{array} ight.$ Oneida County	20 74 25	3 		2		1		26 13		1	14	11 4	8		4 2
35 36 37	Females. Diagnosis reasonably certain. M. Onondaga County.	49 10 32	3	1	2		1		13 1		2	19	7	5 2 3	1	1
38 39 40	MalesFernales	26 36 13 22	2	1 1	1 1				14 12 4		1 1	11 8 4	2 3	1 2 1	1	1
41 42	Ontario County	56	1					1	22			18	4 2 2	8 5 3		2 2
43 44 45	Females Diagnosis reasonably certain $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$ Orange County	27 13 16 55	1			1		1	7 1 21			5 1 14	7	3 1 6		4
46 47 48	Males	22 33 9 17	1			1			10 11 1			6 8 1	4 3	4 2 2 1		2 2 2
49 50 51	Rockland County	28 23 19	2		1			1	18 13 5	!		13 10 3	3 2			2
52	Diagnosis reasonably certain. ${M \choose F}$	19 ' 16 .	2		i			,	6			6 1	i			i

Periton ntestin rectum	neum, es, and —Con.		Female	genital or	gans.							Other or	gans or o	of organs	not spec	cified.			
Rec- tum.	Others of this class.	Total.	Overy and fallo- pian tube.	Uterus.	Vagina and vulva.	ofthis	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros-	Blad- der.	Brain.	Bones (except jaw).	Testes.	Other of thi class
		2		٠ 2			2		3		1				1	1			
		:							2						1	1			
		2		2			2		1										
		2		10			2	5	1			1			2				
3		10		10			4		10								1		
2		10		10			4	3 2	8 2			i			2		ì		
Ž		10		10			4	3	4						1				:
2		7		6	1		9	1	5		:				1				
·····2	2	7		6	i		9	1	2 3						·····i				
2		7	' 	6	·····i		9	1	1								• • • • • • •		
2		8		8			10	1	7						2		• • • • • • • • • • • • • • • • • • • •		
1		8		8			10	i	3 4						2				
i		8		8			10	i	3										
1		8	1	7			9	4	10	. 1	3		1				2		
				<u>-</u>				3	5	1	2						2		
1		8	1	7 <u>.</u> .			9	3	5	i	1		1				·····2		
1		7		7			9	1	3		••••••	•	•				••••••	•••••	
4		4		3	1		9		11	1		1	1	2	3				:
3		4		3	1		9	2 2	8 3 4	1		i	i	2	į				
3		4		3	1		9	2	i				1	•••••					·······
3	l	9	1	6	2		7	2	13			2		2	1		1		
1 2	i	9	i	6	2		7	1 1	6 7			2		2	1		i		
1 2		9	i	6	اا	!	7	1	5 4			2		1	1				1
5		6		5	1		8	3	8		.	3		1	1		1		,
4							1	2	5			2		1	1				
4 !		6		5	1 		7	1 2	3 2			1		····i					;
j	••••••					•••••	7	1	2			• • • • • • • • • • • • • • • • • • • •						•••••	
		13					10	- 4 2	10			1	1	1	1				- 4
3		13					10	2	6 2	<i></i> '		i	i						1
3		13					10	2	4	······•		1							ŧ
1	·	5	1	4			13	3	10	<u>'</u>	1	1	1			<u> </u>	1		
i		5	i				13	2	7 3		1	1	i	1			i		1
		5	1				13	2 1	4 2								'		1
		3					10	4	. 8			2	1	2					8
3						-		2	6			1		2					
3 !					· · · · · · · · · · · · · · · · · · ·			2 2	6		' 	1	i	2				:::::	1
	ا	- !		3 6		1	10	2	!		! 		······				•••••		
							4				 ,			1	3	'			
					1		4 .	······2	7 7 7	ˈ					1	1			
		6		5			4	2	5 4	 		•••••		1	1				3
3			1	6	<u></u>		4	2	13	2		l	2	1	4		1		:
3	1	- (_		i		, .	2	8		- 1		1	1	2				

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

اً						DEAT	HS FRO	M CANCI	ER AND O	THER M	ALIGNAN	T TUMOR	5 OF			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal	avity.				Stom	ach and	liver.		Peritor	neum, int	estines, n.
	ABEA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx,	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
1	RURAL PART OF REGISTRA- TION STATES 1—Continued. NEW YORK—continued. St. Lawrence County	50	2				2		18			12	. 6	7		2
2 3 4	MalesFemales. Diagnosis reasonably certain.	21 29 11 17	2				2		11 7 2			7 5 1	4 2 1	1 6 1 5		2
5	Steuben County	69	4	2	1		1		27		1	15	11	7	1	4
8	Males	36 33 20 20	3 1 3 1	2	1		i		14 13 1 2		1	11 4 1	3 8	5 2 3 2	i 1	3 1 1 1
10 11 12	Suffolk County Males	92 26 66 8	2 2				1 i	 	3			26 13 13 3	1 7	8 9 3	1	6 6 1 2
13	Wayne County	42 59	1		1		1		23		1	1 14	8	5 10	2	4
14 15 16	$\begin{array}{c} \text{Males}\\ \text{Females}\\ \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} \textbf{M}\\ \textbf{F} \end{matrix} \right.$	13 46 8 27	1				1 1		6 17 1 4		i	3 11 1 2	3 5	3 7 3 8	1 1 1	1 3 1 1
17 18	West Chester County	106	10		4		5	. 1	28	<u></u>	<u></u>	18	10	12	1	4
19 20	Males	57 32 43	1 9 1		4		1 4 1	1	12 2 3			12 6 1 1	6 1 2	9 3 6	1	3 1 1
21 22 23 24	Other rural districts Males	1,179 445 734 221 460	36 9 36 9	9 2 9 2	7 3 7 3	5 5	15 12 3 12 3	3 1 3 1	196 236 34 30	2 2	12 2 10 1 3	135 140 23 13	57 86 9 14	59 83 34 42	18 2 16	74 28 46 5 16
25	NORTH CAROLIN \.2 Total	149	3	1			2		48		1	29	18	18	2	10
26 27 28	Males	38 111 19 76	1 2 1 2	1		j. 	2 2		21 27 6 6		1	11 18 4 4	9 9 2 2	6 12 5 4	1 1 1	2 8 1 1
29 30	White	114	2	<u> </u>	ļ <u>.</u>		2		37	<u></u>			14	17	2	10
31 32	Males	27 87 15 54	2				2		13 24 5 4		1	15 3 2	5 9 2 2	12 4 4	1	2 8 1 1
33 34 35 36	Colored	35 11 24 4 22	1 1	1					8 3 1 2			7 4 3 1 2	4	1 1		
87	оню. Total	2,072	98	23	18	12	40	5	833		12	520	301	227	16	127
38 39 40	Males	871 1,201 420 721	78 20 78 20	21 2 21 21 2	12 6 12 6	10 2 10 2	32 8 32 8	3 2 3 2	414 419 78 69	 	10 2 2	290 230 55 34	114 187 21 35	101 126 60 59	8 8 3 1	52 75 17 15
41	White	2,039	96	23	18	12	39	4	821	<u></u>	12	510	299	225	16	126
42 43 44	Males Females Diagnosis reasonably certain. {M	860 1,179 417 706	77 19 77 19	21 2 21 2	12 6 12 6	10 2 10 2	31 8 31 8	3 1 3 1	407 414 77 69		10 2 2	294 226 54 34	113 186 21 35	101 124 60 58	8 8 3 1	52 74 17 15
45 46 47 48	Colored	33 11 22 3 15	1 1 1 1 1				1	1	7 5 1			6 4 1	1 1	2		1

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

						DEATI			AND OTH				O F —						
Perito: intestin rectum	es, and		Female	genital or	gans.							Other o	rgans or	of organ	s not spe	cified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.
- 5 1		5	 	5	<u> </u>		5	2 2	11 5	1			1	1		<u> </u>	ļ i	1	7
4		5		5			5	<u>2</u>	6	i			1	i				i	. 4
4 2		5 11	 	5 11			5	9	2 10	1	ļ		1		1		1	1	1
								8	6				1		1		1	1	
2		11 11		11 11			1 1	1 8 1	5 2						i		i	····i	2 4 2 2
4		16	2	12	1	1	13	1	8					1	1				6
									3					1	1				1 8
2 2 2		16 16	2	12 12	1 1	1 i	13 13	1	5 2 4						i				5 1 4
3	1	10	<u> </u>	10		ļ	6	1	8						1		1		6
1			 				6	i	3 5						1				2 4
2 1 2	1	10		10			6	-	3 3						i		1		2 8
7		13		11	2		10	11	22	2			1	1	8	1	1	1	12
2 5		13			<u>2</u>			6 5	15 7	2				1	2	1		1	8
2 5		13		11	2		10	6 5	12 5	2			1		1 1	i	<u>1</u>	i	4 7 8
50		159	4	143	8	4	178	65	158	10	7	9	4	18	15			5	81
29 21 29		159	4	143	8	4	176 2	47 18 47	105 53 68 32	8 2 8	4 8 3	5 4 2	3 1 1	18	13 2 6		2 7 1		47 34 38 21
21	•••••	153	1	142	8	2	176	18	32	. 2	1	2	1		1		4		21
6		44	<u></u>	- 44			13	5	18		1		1		3	2	1		10
3 3		44		44			13	1 4	9		····i		·····i		2	2	1		4
3		44		44			13	1 4	6 3				i		1	2	1		2
5		30		30	<u> </u>		9	4	15		1		1	<u></u>	2	2	1		8
2 8 2		30		30		: :: ::::	9	1 3	8 7		·····i		i		1	2	1		4
3		30	 	30	 		9	3 1 3	5 2				1		ļ	2	1		4 2 1
1	{ 	14	ļ	14		<u></u>	4	1	3	<u> </u>			ļ		1				2
1	.	14		14			4	i	1 2 1						1				<u>2</u>
		14		14			4	i	i						1				····i
83	1	258	12	238	6	2	224	133	200	11	8	29	17	34	34	6	27	7	126
40 43 40	1	258	12	238	6	2	3 221	75 58	200	10	8	14 15 7	10 7 5	34	21 13	6	15 12	7	
40 43		252	8	238			221	75 58 75 58	200 99 126 42	10 1	i	7 2	5 2	13	8 3	6	6 3	7	75 51 66 31
82	1		12	229	6		220	133	295	11	8	29	17	ľ	34	6	25		124
40 42		249	12	229	6	2	217 2	75 58 75 58	197 98 125 42	10	8	14 15 7	10 7 5	34	21 13	63	14	77	73 51 65 31
40 42		243	8		6		3 217	i	42	10 1	1	2	2	13	3	8	6 3		31
1	<u> </u>	9	<u></u>	9	<u></u>	<u>'</u>	4		4	<u></u>	<u></u>		<u></u>	!	<u></u>				2
i		9		9		ːi	4		3 1								1		2
i		9		9			4									1			i

 $^{^{2}}$ Includes only municipalities having a population of 1,000 or over, but less than 10,000 in 1910.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

=			<u> </u>		lee note :				ER AND C	THER 1	(ALIGNA)	NT TUMOR	s of—			
		Aggra			Buccal	avity.				Ston	nach and	liver.		Peritor	neum, int	estines, n.
	area and basis of diagnosis.	Aggregate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	RURAL PART OF REGISTRA- TION STATES —Continued.															
	оню—continued.													_		
1	Hamilton County Males		2		1				10			16		7		2
2 3 4	Females Diagnosis reasonably certain.	31 13						i	12			7	5	4 2		2
_	ζ- 11	18 56	1 1			1		1	1 26			17	1 9	12	3	5
5 6	Tuscarawas County	26				<u>_</u>			13			11	2	7	2	3
7 8	Females	30 10 16	1			1 1			13			6 1	7 1	5 4 2	1 1	2 1
9	Other rural districts	1,962	95	23	17	11	40	4	785	<u></u>	12	487	286	208	13	118
10 11 12	Males Females Diagnosis reasonably certain.	822 1,140 397 687	77 18 77 18	21 2 21 2	11 6 11 6	10 1 10 1	32 8 32 8	3 1 3 1	391 394 74 66		2 2	270 217 51 33	111 175 21 23	91 117 54 55	6 7 2 1	47 71 15 15
••	PENNSYLVANIA.		155	28	19										40	180
13 14	Males	2,752 1,100	124	26	12	18	62 50	28	1, 141	1	16	708 373	144	331 129	13	66
15 16	Females. Diagnosis reasonably certain. ${M \choose F}$.	1,652 521 982	31 124 31	26 26 2	12 7	16 2	12 50 12	8 20 8	612 96 80	1	5	330 77 40	276 16 40	202 63 112	27 8 14	114 12 88
17	White	2, 703	152	28	19	18	60	27	1, 125	2	16	693	414	826	40	178
18 19 2 0	Males Females. Diagnosis reasonably certain. { M	1,083 1,620 516 955	122 30 122 30	26 2 26 2	12 7 12	16 2 16 2	49 11 49 11	19 8 19 8	518 607 95 79	1	11 5 3	365 328 76 39	141 273 16 40	127 199 61 110	13 27 3 14	65 113 11 38
21	Colored	49	3	ļ <u>.</u>	ļ		2	1	16			10	6	5		2
22 23	MalesFemales	17 32	2				1 1	1	11 5			8 2	3 3	2 3		1
24 24	Diagnosis reasonably certain. ${M \choose F}$.	5 27	2				1 1	i	1			1 1		2 2		î
25	Allegheny County	223	7	1		1	4	1	105	1	3	63	38	23	3	14
26 27 28	Males	80 143 32	6 1 6	1		i	4	1 1	51 54 9	1	3	35 28 7	12 26 1	6 17 2	2 1	2 12
29	Berks County	94 66	1 4		1	1	3		11 25		1	6	5 8	11 6	1	7
	Males	29	4		1		3		10		1	5	4	2	<u> </u>	1
30 31 32	Females. Diagnosis reasonably certain. $\{ \mathbf{F} \dots \}$	37 14 19	4		i		3.		15 2			11 2	4	4	1	3
33	Bradford County	68	4			1	2	1	1 16			8	1 8	10		7
34	Males	29	4			1	2	1	5			5		5		4
35 36	Females	39 19 30	4			····i	2	1	11 2 3			3 2	8 3	5 2 4		3 1 2
37	Bucks County	76	4	1	1	1	1		29		1	13	15	9	1	7
38 39	MalesFemales	26 50	3	1	i	1	1		12 17	ļ	·····i	7 6	5 10	3 6	i	8 4
39 4 0	Diagnosis reasonably certain. $\{{\bf M} : {\bf F} : {\bf C} \}$	10 29	3 1	1	i	i	1		1 1		ļ <u>.</u>	1	10	4	i	2
41	Chester County	65	6	1		1	3	1	24		1	16	7	10	2	7
42 43 44	MalesFemalesDiagnosis reasonably certain.{M	19 46 11	5 1 5	1 1		1 1	2 1 2	1	6 18 2		1	5 11 2	1 6	9	1	7
45	Clearfield County	21 50	1				1		2 25		1	2 15	9	8	1	1 6
46	Males	20							11		1	j 7	3	4		
47 48	FemalesDiagnosis reasonably certain. ${M \cdot r \choose F}$.	30 10 16	1				. 		14 3			8 2 1	6	4 2 3	1 1	2 2 1

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

			·			DEAT	es from	CANCER	AND OTH	ER MALIC	TNANT	TUMORS	o r —		·				J., 2.22	T
Peritor intestin rectum-	es, and		Female	genital or	gans.							Other or	rgans or o	of organs	not spec	cified.				
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.	
																				1
3		8	1	6	1		6	3	6	 	1		1	2	2		<u> </u>	ļ		
1	 							3	6		1		1	2	2					
2 1 2		8 8	1 1	6	1 1		6	3	3					2	1					1
4		6	<u> </u>	6	<u>.</u>		3	4	4						2				2	ľ
2 2							<u>-</u>	3	3						1				2	1
2 2		66		6			33	1 3 1	1 3 1						1 1 1				2	}
76	1	244	11	226	5	2	215	· 126	289	11	7	29	16	32	30	6	27	7	124	7
37	1		;;				212	69 57	191	10	7	14	9 7	32	18 12	6	15 12	7	73	
39 37 39		238	11 7	226 226	5 5	2	212 3 212	69 57	98 120 41	10 10	i	15 7 2	5 2	11	6 2	3	6 3	7	73 51 64 31	}
109	2	371	12	354	3	2	280	142	332	12	8	27	18	34	37	4	22	5	165	
49 60 48	1	371	12	354	3	2	277 3	97 45 97	218 114 138	9 3 9 3	5 3 3	13 14 7	.11 7 8	34	27 10 7	2 2 2 1	10 12 5	5 5	102 63 93 50	
60 106	2	364 358	6 12	354 341	3	1 2	277 271	45 142	73 329	3 12	8	6 27	1 18	33	5 36	1 4	6 22	5	50 164	1
48 58	1						3	97	216	9 3	5	13	11	33	26 10	2 2 2	10 12	5	102	-1
47 58	1	358 351	12 6	341 341	3	2 i	268 3 268	45 97 45	113 138 72	9	3 3 1	14 7 6	7 3 1	4	7 5	2 1	5 6	5	102 62 93 49	}
3		13	<u></u>	13			9		3	<u></u>	<u></u>		<u> </u>	1	1	<u> </u>			1	-
1 2		13		13			9		2 1					1	1				····i	
1 2		13		13			9		1								·	<u></u>	1)
6		37		37	•••••		24	11	16				1		4		1	1	9	-
4		37		37			24.	7	10 6				1		3 1 2		1	1	5	
4		37		37			24	7 4	8					¦	í		1	1	4 5)
1	<u> </u>	7		7	<u></u>		9	4	11	1		1		3	3	<u></u>	ļ	<u></u>	3	ļ
• • • • • •	 	7		7				.,	2	}					1			 	1 1 2	
	 	7		l		••••••	9	4	2						i				1	1
	<u> </u>	14	<u></u>	14	<u> </u>		7	6					2	1		!	·		• 4	-:
2				14			7	6 6	9 2 5			1	2		1				4	Į.
2		14		14	ļ		7	ļ					ļ						4	ì
1		12	<u> </u>	11	<u> </u>	1	10	4					1	·——		<u> </u>			3	-:
i		12		11				4	3 5				ji	1	i	• • • • • • •	1		1 2	
		11		1	·····			•••••	3					į		·····		• • • • • • • • • • • • • • • • • • • •	1 2	}
1		8		7	1		6	2	9	<u> </u>	ļ		<u></u>	1		<u></u>			4	-
		8		7	i		6	1 1	6 3					1	1		1		3 1	1
1		1		7	i		6	1	3								i		3	}
1		8	1	7	<u> </u>	<u></u>	1	3	4	1				<u></u>					1	-1
				7			i	1	3						 				i	
i	J	8.	·····i	7	l::::::	i:l	i	2	3 1	1	1	<u> </u>		<u> </u>	1		:		i	1

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

						DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	S OF-			- *
		Aggre-			Buccal	cavity.				Ston	ach and	liver.		Peritor	neum, int	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw,	Others of this class.	Total.	Phar- ynx.	Esophagus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes-
	RURAL PART OF REGISTRATION STATES —Continued.		2						32							
2 3	Males Females M. M. M. M. M. M. M. M. M. M. M. M. M.	27 47 12	1 1 1	1					16 16 3			19 11 8 1	5 8 2	4 1 3		
5	Diagnosis reasonably certain. ${M \choose F}$.	31 67	7	1		3	2	1	17		*******	11	6	5		1
6 7 8	Males. Females. Diagnosis reasonably certain. ${M \choose F}$.	24 43 16 30	7	1 i		3	2	1 1	8 9 3	******		6 5 2	2 4 1	2 3 2 2		i
9 10	Fayette County Males	67 31	3		1		1	1.	30 15			20 13	10 2 8	8	1	3 2
11 12 13	Females Diagnosis reasonably certain. $\binom{M}{F}$. Jefferson County	36 10 18 51	1 2		1	2	1 3	1 1	15 1 1 23			i	1 8	1 1		
14 15 16	Males Females. Diagnosis reasonably certain.	30 21 16	6			2	3	1 i	14 9 3			15 12 3 3	2 6	3		2
17	Lancaster County	90	6		********	2	3	1	37			23	14	11		8
8 9	Males. Females Diagnosis reasonably certain. $\left\{ egin{array}{l} M_{-} \\ F_{-} \end{array} \right\}$	37 53 17 29	4 2 4 2			2	2 1 2 1	1 i	20 17 2 3			12 11 2 2	8 6	7 2 2		2 6
21 22 23	Luzerne County Males Females	99 45 54	6 4 2	1 1	1		2		49 25			36 22	13	14	1	- 8
H 15	Diagnosis reasonably certain. ${M \choose F}$. Montgomery County	16 29 95	2 5	1 1	1		1	1 1 2	24 2 3 38	*****	1	14 2 1	2	8 2 6		4
16 27 28	Males Females. Diagnosis reasonably certain.	48 47 27 28	4 1 4 1	1 i	1	>	1	1 1 1	20 18 5		1	12 10 4	7 8	9 6 6	1 1 1 1	4 1 1
29	Northampton County	54	3				2	1	27			16	11	3	3	
31	Females. Diagnosis reasonably certain. ${M \choose F}$.	30 4 17	3	******	********		2	1 1	12 15 3			8 8	4 7	1 2 1	1 2 1	
33 34 35	Schuylkill County Males. Females.	54	5 1	2			3 2 1	1	37 16 21		1	9 13	14 6 8	10 4 6		1 3
36 37	Diagnosis reasonably certain. ${M \dots \{F_{-}\}}$ Washington County		5 1 2	2			1	1	6 3 42		1	5 2 29	1 1 12	3 4 3	1	i
18 19 10	Males Females Diagnosis reasonably certain. ${M \choose F}$	34 41 17 21	2	2					20 22 7 5		1	15 14 7	8	3	·····i	2
11	Westmoreland County	110	8 7	1	3	1	3		45 23		1	3 21 12	2 23 10	1 14 5	2	7 2 5
13 14 15	Females. Diagnosis reasonably certain. ${M \choose F}$. York County	65 28 37 64	1 7 1 5	1	1 2 1	1	3	1	22 8 20			9 6	13 2 11	9 4 4 9	2 2 2	5 1
16 17 18	$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \begin{array}{c} M \\ F \end{array}. \end{array}$		4 1 4 1			1	2 1 2 1	1 1	9 11 3 1	******		5 4	4 7 1 1	4 5 1 4	2	3 1
69 50 51	Other rural districts	1, 269 495 774	70 54 16	15 14 1	11 6 5	5 4 1	24 19 5	15 11 4	520 236 284	1	5 2 3	329 172 157	185 62 123	165 65 100	20 7 13	88 33 55 7

 $^{^{\}rm 1}$ Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

						DEAT	ES PROM	CANCER	AND OTH	ER MALIG	NANT T	UMORS O) r						
Periton ntestin	neum, nes. and .—Con.		Female g	genital org	ans.	 						Other or	gans or	of organs	s not spe	cified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin,	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.
4		9	<u> </u>	9			16	2	8	1	1	1	1	<u> </u>			1		3
3 1 3		9		9			16	1 1 1	5 3 4	1	i	1	1				i		2 1 2
1		8		8			16 12	1 3	1 15			2	1	1	1		2		1 8
2 2		8		8			12	2	5 10		 	2	1	1	1	<u> </u>	l		2 6
2 2		8		8			12	1	7	<u> </u>	i	i			: 		1		2 5
		8		8			4	$\frac{3}{2}$	9	 	1	$-\frac{1}{1}$	2	1			1	1	3
1 1 1		8		8			4	1 2 1	5 1				1				1	i	1 3 1
1	1	5	1	4			2	2	10		1	2		2	1				4
····i		5	i	4			2	2 2	8 2 5		1 i	1 1		2	1				3 1 2
3		4 10		4 9	1		2 12	5	1 9		<u>-</u> -				3	2	1		1 3
2 1		10		9			111	4	4 5						1 2	1 1	1		1
2 1		10			1 1		11	1	4						í		1		1 1
4	-	6	1	5			9	7	8	1		1	2				 	<u></u>	4
2 2 2	1	6	i	5			9	6 1 6	4 2	i		i	i			·			3 1 2
2 8		6 7	1	5 7		.' .	11	7	12	1 2	' 	1	1	4	1				4
4 4		7		7			····ii	5 2	10 2	2		i		4	1				3 1
4		7		7			11	5 2	7 2	2		i		1	1		¦		3
		7		7			4	1	8			1	1	3	2 2		1	 	1
		7					4	1 i	. 1										1 1
6		I			1		8	5	il		ļ	l		ļ <u></u>	1		3		i
3		10		10		: ::	8	5	10 3 8	¦	·				. 1	<u>:</u>	2	ļ	1
3		li					8	3	il				1	2		ļ	1	1	8 1 4
	.	<u> </u>					6	3	9	1	ļ			2	1	:	1		' -
		8					6	3	5	1					· · · · · · · · · · · · · · · · · · ·		! 	1	3 1
		19	1		·¦	.i	9	1								-	2	<u>'</u> -	8 7
3		119	'	.]		 .	9	1 1	8				.	· • • • • • • • • • • • • • • • • • • •		. 1	·		
3		11	li .				10	2	7	·	1	1	! 1		· ·	! <u></u>		ı	4
2		11				.	10	1 1	4 3 3		1	1				.	 	` 	2 2 2
2 56		10		10		1	10		2 147	4			¦	- 14	·			2	2 1 85
24 32			7	168	1	i	119			2 2 2 2	1 2 1 1	8 7	3 2	14	. s	11	4	2	51 34 44 27

35030°—16——12

;

MORTALITY FROM CANCER.

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

						DEAT	HS FROM	CANCER	AND OTH	er malig	NANT T	UMORS () r —						
Periton Intestin	es. and		Female	genital or	gans.							Other or	gans or o	of organs	not spec	cified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain,	Bones (except jaw).	Tes-	Others of this class.
8		15	1	14			18	3	15			4	2		 				7
5 3 5 3		15	i 1	14			18	1 2 1 2	9 6 4 1			3	1		1				4 3 4 1
5 3 5		15	1 1	14			18	1 2 1	9 6 4			3 1	1 1		1 1				7 4 3 4
3		15	1	14			18	2	1	i									1
2		12		11		1	8		14 10 4			1 1		3		1	1		5 2 5 2 5
2		12		11		1	8 8		14		¦ 	1 2		3		1	1 1		7
2		12 12	' '	11		1 1	8		10 4 7 4			1 1 1		1		1	1 1		5 2 5 2
20		60	2	55			23	15 9 6	64	2	3	7 2 5	4	9	4		3 2	1	31
6 14 6 20		59 60	1 2	55 55 55	3		23	6 9 6	25 22 15 64	2 2 2	2 1 ! 3	5 2 7	3 4	9	1		1 1 3	1	12 17 7
14 6 14 6		60	2	55 55	3		23	9 6 9 6	39 25 22 15	2	1	2 5 2	3	9	4		2 1 1	1	19 12 17 7
19		158	2	153	3		77	56	126	3		8	7	8	14		5	1	73
11 8 11 8		156	2		3		77 77	34 22 34 22	83 43 47 17	3	3	4 4 1 1	3	2	1	1	2 3	1	42 31 33 14
17 10 7 10		90	1	87	2		56	32 19 32	98 66 32 37	1	3 1	3 3 1	3 1 1	7 7 2	8 3 1	2	1 3	1 1	37 21 29 9
7 2		89 68	1 1	86 66	1		56	32 19 5	12 28			1 2	3	1	1	1	1		9 15
1 1 1		68	1		i i			2 3 2 3	17 11 10	2		1 1	3	1	<u>'</u>	1	1		5 10 4 5

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF-Peritoneum, intestines, and rectum. Buccal cavity. Stomach and liver. Aggre-gate. AREA AND BASIS OF DIAGNOSIS. Liver and gall blad-Total. Lip. Tongue Mouth Total. RURAL PART OF REGISTRA-TION STATES 1—Continued. WASHINGTON. _____i 15 13 9 177 94 117 9 6 3 24 6 8 1 5 1 1 3 1 3 2 3 1 3 1 Males.....Females..... 32 15 Diagnosis reasonably certain ${M \choose F}$. ï White..... ____i 39 25 7 63 31 15 24 6 8 15 13 9 9 6 3 175 93 115 Males. Females 3 1 3 1 7 7 Diagnosis reasonably certain. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$ 'n 2 2 11 Diagnosis reasonably certain ${M \choose F}$ WISCONSIN. 1, 273 Total.... 640 243 352 1 16 1 267 67 42 1 2 168 56 21 97 9 21 68 45 31 44 12 11 1 1 1 4 1 15 i Diagnosis reasonably certain. $\{ \mathbf{M} \cdot \mathbf{F} \}$ 1,266 White..... 68 45 31 Males.....Females..... 1 16 1 5 18 5 266 67 42 1 2 168 56 21 96 9 21 44 12 11 634 19 8 44 8 1 8 1 1 1 5 4 1 ï Diagnosis reasonably certain. $\begin{Bmatrix} \mathbf{M} \\ \mathbf{F} \end{Bmatrix}$ ----i 6 235 Diagnosis reasonably certain. $\left\{ egin{aligned} \mathbf{M} \\ \mathbf{F} \end{aligned} \right.$ ï ï Milwaukee County 2..... Males... Females... 27 18 25 11 5 4 1 1 3 1 ï ï Diagnosis reasonably certain. $\{{}^{M}_{F}$ ï 1,214 Other rural districts..... 6 16 6 5 4 1 622 217 341 9 41 9 1 15 1 1 1 93 6 19 67 42 30 40 16 13 163 52 20 31 Males..... 1 8 1 258 i Diagnosis reasonably certain. ${M \choose F}$

 $^{^{\}rm 1}$ Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

Peritor	neum.																		
ntestin rectum	es. and		Female	genital or	gans.							Other or	gans or o	of organs	not spec	ified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	8kin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.
•				:				•] !						1				
13		43	2	41		ļ'	31	16	53	1	4	7	2	8	4	1	3	1	22
7 6		43	2	41			30	12 4 12	38 15 23	i	4	5 2	2	8	1 3 1	1	1 2	1	13 9
7 6		43	2	41			30	4	9	i	2	5		3		1	1	1	10
13		41	2	39			31	16	52	1	4	7	2	8	4	1	2	1	22
7 6 7 6		41 41	2	39			30 1 30	12 4 12 4	37 15 23 9	1	2	5 2 5 1	2	8 3	3 1 1	1 1	2 1	1 1	13 9 10 6
		2		2	·	ļ			1	 		ļ 	ļ ¦		· • • • • • • • • • • • • • • • • • • •	 	1		
		2							1				; 				1		
• • • • • • •		2		2								 							
48		119	9	102	6	2	102	57	146	2	5	12	12	24	11.	3	9	3	65
29 19 29 19		119	9	102	6	2	102	30 27 30 27	98 48 57 27	2	1	8 4 4 2	6 6 4	21 8	7 4 3 3	1 2	8 1 1	3	35 30 32 21
48	 	118	9	101	6	2	99	57	146	2	5	12	12	24	11	3	0	3	65
29 19 29 19		118	9	101	6	2	99	30 27 30 27	98 48 57 27	2	1	8 4 4 2	6 6 4 1	24 8	7 4 3 3	1 2	8 1 1	3	35 30 32 21
	ļ	1	ļ	1			3	 	<u> </u>	 		ļ	ļ		ļ			ļ	
		1		i			3								1				
• • • • • • •		·····i		i			3											•••••	
3		6	1	4	1			2	13				1	2					10
3		6	1	4	1			2	11 2 10 1				1	<u>2</u>					9 1 9 1
45		113	8	98	5	2	102	55	133	2	5	12	11	22	11	3	9	3	55
26 19					5		100	28	87	2	4	8	6	22	7	1	8	3	26
26 19		113	8	98	5	2	102	28 27 28 27	46 47 26	2	1	4 4 2	5 4 1	7	4 3 3		1	3	29 23 20

² Includes National Military Home.

TABLE 3.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA NATIVITY OF

				DEAT	HS FROM	CANCER A	ND OTHE	R MALIGNA	NT TUMO	RS AT AG	E OF-	
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
1	REGISTRATION AREA.	52, 420	49	42	61	43	42	237	122	92	174	294
2	Males	21, 282	21	20	33	27	17	118	70	54	86	147
3	Females	31, 138	28	22	28	16	25	119	52	38	88	147
1	White	20, 717	21	19	60 32	27	40	230	118	84 48	167	269 140
6	Males Females	29, 798	26	22	28	15	16 24	115 115	49	36	81	129
7	Native	31, 288	46	39	60	42	39	226	113	76	141	213
8	Males Females	11,586 19,702	21 25	18 21	32 28	27 15	16 23	114 112	66 47	44 32	72 69	111 102
lo	Both parents native. $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$	6,342	.8	10	19	19	.7	63	35	28	38	61
11	One or both parents foreign $\frac{M}{F}$	11,306 3,144 5,365	13 13 11	16 8 4	14 12 14	7 8 8	16 8 7	66	29 27 17	19 16 12	40 33 29	54 45 40
2	Parentage unknown	2, 100 3, 031	i		1		i	44 2 2	4	12	1	5
13	Foreign	18,775	1	2			1	4	3	8	25	55
14	Males	8,871		1				1	1	4	14	29
15	Females	9,904	1	1			1	3	2	4	11	26
16	Unknown	452 260							2 2		1	1
8	Males Females	192							2		1	1
19	Colored	1,905	2	1	1	1	2	7	4	8	7	25
0 1	Males Females	565 1,340	2	1	1	i	1	3 4	1 3	6 2	7	7 18
2	Negro	507	<u>.</u> .	1	1		1	3	1	4		7
3	Indian	1,317	2			1	1	4	2	2	7	18
4	Chinese	15 37 3							1	· · · · · · · · · · · · · · · · · · ·		
5	Japanese	12 5										
18	Other colored	2								1		
-	registration states.											
7	Total	47, 986	45	39	56	36	40	216	110	87	165	243
8 9	MalesFemales	19, 474 28, 512	18 27	19 20	30 26	22 14	16 24	105 111	62 48	52 35	81 84	124 119
ю	White	46, 549	43	38	55	35	38	209	106	79	160	231
1 2	Males	19,047 27,502	18 25	18 20	29 26	22 13	15 23	102 107	61 45	46 33	81 79	120 111
3	Native	29, 192	42	36	55	35	37	205	101	73	135	184
4	Males	10, 842	18	17	29	·	15	101	58	42	68	96
5	Females	18, 350	24	19	26	22 13	22	104	43	31	67	88
6	Both parents native $\left\{\begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix}\right\}$	6,020 10,649	7 12	10 14	18 13	7	7 15	59 61	31 27	27 19	36 38	54 48
7	One or both parents foreign	2,883 4,953 1,939	11	7 4	10 13	6	7 7 1	40 41 2	23 15 4	15 11	31 29 1	38 34 4
8	Parentage unknown	2,748	i	1	-			2	i	1	1	ė
19	Foreign	16,936	1	2	<u> </u>		1	4	3	6	24	46
10	Males Females	7,967 8,969	·····i	1 1			i i	1 3	1 2	4 2	13 11	24 22
2	Unknown	421			ļ	i • • • • • • • • • • • • • • • • • • •	ļ		2	:	1	1
3	Males	238 183							2			i
15	remaies	1,437	2	1	1		2	7	. 4	. 8	5	12
6	Males	427	<u>*</u>	1	<u>'</u>		1	3	1		<u> </u>	4
	Females	1,010	2			. 1	1	4	3	2	5	8
7	M.,	381 989	2	1	1	. 1	1 1	3 4	1 2	4 2	5	4 8
- 1	Negro $\left\{ egin{array}{ll} m{M} \\ m{F} \end{array} \right.$				1			.1		1	1	
18	Indian	14				·		<u> </u>	1	¦		
18	Indian					·			1			
17 18 19 50 51	Indian	14 29							1			

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

AND THE REGISTRATION STATES, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1914.

25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at un- known age.
587	1,064	2, 119	3, 325	4, 632	6, 131	6, 663	6,909	6,780	5, 893	4,033	2, 213	828	225	34	8	57
222 365	323 741	566 1,553	967 2,358	1,502 3,130	2, 323 3, 808	2,741 3,922	3,071 3,838	3, 134 3, 646	2,754 3,139	1,757 2,276	966 1,247	352 476	94 131	9 25	4	22 35
541	976	1,935	3, 129	4,373	5,838	6, 454	6, 708	6, 629	5, 788	3,964	2,185	816	221	31	7	52
211 330	304 672	528 1,407	919 2, 210	1,441 2,932	2,232 3,606	2,666 3,788	2,995 3,713	3,077 3,552	2,714 3,074	1,736 2,228	960 1,225	351 465	92 129	22	3	20 32
385	687	1,325	2,070	2,686	3, 573	4,053	4,010	3,844	3,415	2,378	1,368	521	152	15	5	32
137 248	201 486	305 1,020	515 1,555	707 1,979	1, 164 2, 409	1, 498 2, 555	1,631 2,379	1,656 2,188	1,519 1,896	975 1,403	571 79 7	224 297	59 93	5 10	2 3	10 22
77 143	108 275	153 540	245 803	321 1,025	558 1,190	698 1,364	883 1,377	997 1,394	927 1, 252	613 940	348 523	139 190	43 59	4 5	<u>.</u>	3 16
50 79 10	85 175 8	121 371 31	220 591 50	298 714 88	458 904 148	582 841 218	450 605 298	306 377 353	207 280 385	116 167 246	60 78 163	17 29 68	2 7 14	2	1 2	2 2 5
26	36	109	161	240	315	350	397	417	364	296	196	78	27	3	• • • • • • • •	4
153 73	281 97	594 214	1,034	715	2, 214 1, 034	2,349 1,140	2,634 1,326	2,712 1,378	2,328 1,167	741	796 375	286	65 33	16	2 2	11 4
80 3	184	380	639 25	945 27	1, 180	1, 209 52	1,308	1,334	1, 161 45	804 41	421 21	162	32	12	· · · · · · · · · · · · · · · · · · ·	9
1	6	9	9	19	34	28	38	43	28 17	20	14	3				
2 46	2 88	184	16 196	259	17 293	24 209	26 201	30 151	105	21 69	7 28	6 12	4	3	1	3
11 35	19	38 146	48 148	61 198	91 202	75 134	76 125	57 94	40 65	21 48	6 22	111	2 2	3	i	2
11	18	34	44	55	77	68	63	54	38	21	6		1			2
35	67	143	148	196	199 2 1	131 1 2	123 1 2	90	64	47	22	10 1	2	3	1	3
••••••	i	2	2	3	8 2	5	12	2	2							
	1	1	1 1	3 2	4	1		1								
508	927	1,872	2, 969	4,128	5,500	6,064	6, 330	6,310	5, 545	3,797	2, 121	786	217	33	7	51
194 314	278 649	503 1,369	860 2,109	1,340 2,788	2,066 3,434	2, 473 3, 591	2, 809 3, 521	2,898 3,412	2, 583 2, 962	1,659 2,138	931 1, 190	335 451	90 127	8 25	4 3	19 32
479	864	1,738	2,833	3,945	5, 295	5,905	6, 162	6, 180	5, 458	3, 735	2,097	775	214	30	7	47
190 289	267 597	475 1, 263	828 2,005	1, 296 2, 649	2,004 3,291	2,418 3,487	2, 746 3, 416	2, 848 3, 332	2,547 2,911	1,641 2,094	926 1, 171	334 441	88 126	8 22	4 3	17 30
344	609	1, 191	1,884	2,471	3,278	3,756	3,742	3, 643	3, 281	2, 272	1,323	501	149	15	5	30
127 217	177 432	278 913	468 1,416	656 1,815	1,057 2,221	1,382 2,374	1,525 2,217	1,566 2,077	1, 461 1, 820	933 1,339	557 766	215 286	58 91	5 10	2 3	10 20
72 131	94 249	144 487	231 740	302 957	519 1, 107	646 1, 280 544 777	840 1, 294	953 1,331	893 1, 208	593 904 107	340 506	137 183	42 57	5	2	15
46 68 9	76 154 7	104 330 30 96	196 541 41	279 649 75	411 833 127	544 777 192	412 567 273	1,331 296 358 327	1,208 196 270 372	100	506 60 75 157	183 15 29 63 74	2 7 14	2 1	1 2	18 2 2
18	29 248	96	135 924	209 1,451	281	317 2, 101	356 2,363	388	342 2, 133	233 275	185 754	74 265	27 61	3 15	2	8
63	85 163	190	351 573	623 828	913	1,011	1, 187	1,245	1,059	1,422	356	116	30	3	2	
70 2	163	343	573	828	1,054	1,090	1, 176 57	1, 227	1,074	734 41	398	149	31 4	12		8
	5 2	7 7	9	17	34	25 23	34	37	27	20 21	13	3				5
2 29	63	134	16 136	183	16 205	23 159	23 168	28 130	17 87	21 62	7 24	6	3	3		4
4 25	11	28 106	32 104	44	62	55	63	50	36 51	18	5	1	2			2 2
4	52 11	25	30	139 39	143 51	104 50	105 51 103	80 47	35 50	18	19 5	10	1	3		2
25	50 1	103	104	137	142 1	101 1 2	103 1 2	76		43	19	9	1 1	3		2
• • • • • • • • • • • • • • • • • • • •		2		3	6	4	11	2	1	1		1				
• • • • • • •		1	1	2 2	4									1		

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY

		•					DEATH	S AT AGE () r —			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE BUCCAL CAVITY.							•				
1	Total	2,086	1	· 1		1	4	7	6	8	9	3
2	Males	1,724 362		i		1	2 2	3	4	6 2	5	3
•	Females	2,045	1			1	4	7	2	6	9	3
5	Males.	1,696				1	2	3	3	5	5	3
3	Females	349	1	'1			2	4	i	ĭ	4	
7	Native	1,246	1	1		1	4	7	4	6	6	
3	Males Females	1,003 243	·····i	i		1	2	3 4	3	5 1	3	
)	Both parents native $\begin{cases} M & \dots \\ F & \dots \end{cases}$			i		1	2 2	3 3	2	3	2 2	
L	One or both parents foreign $\left\{\begin{array}{ll}M \\ F\end{array}\right\}$	247 65	1					1	1	²	i	
3	Parentage unknown $\left\{egin{array}{ll} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{M} \end{array}\right\}$	221 42							1			• • • • • • • • • • • • • • • • • • • •
3	Foreign	765		······					<u></u>		3	1
ļ	MalesFemales	660 105									2	
3	Unknown	34										
,	Males	33										
3	Females	1										
)	Colored	41		•••••					2	2		••••••
	Males Females	28 13							1 1	1		
	Negro $\left\{ egin{aligned} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{aligned} \right.$	25 11					 		1	1		
	Indian F. Chinese M.	2 3										
	Cancer of the lip.											
•	Total	354							2			
•	MalesFemales	328 26		<i>z</i>			l		1			
3	White	352							1			
,	Males	327							1			
•	Females	25										
	Native	218							1			
	MalesFemales	206 12							1			
L	Both parents native	111 8 39		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·			1			
5	one of both parents foreign	1 56										
3	Parentage unknown $\{F\}$	3		· · · · · · · · · · · · · · · · · · ·						 		
7	Foreign	128										
3	MalesFemales	115 13				.				! !		
)	Unknown'M	6										
	Colored	2		i 					1	l		
,	Negro	1							!			
	·	1		` 					1			• • • • • • • • • • • • • • • • • • • •
•	Cancer of the tongue.	547	1	 ••••••			li	1			2	
	Males	465									1	
	Females	82						1			1	
	White	537	1					1			2	
3	MalesFemales	458 79	1					1		¦	1 1	
)	Native	295	1	 			l	1		l	2	
)	Males	235									1	
2	Females	60 113				.		1			1	,
3	One or both parents foreign ${M \over F}$	35 76		.					,	'	1	• • • • • • • • • • • • • • • • • • • •
4	Parentage unknown	14 46	1					1	1			

Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

Deaths							-	T AGE OF-	DEATHS A							
at un- known age.	100 years and over.	95 to 99 years.	90 to 94 years.	85 to 89 years.	80 to 84 years.	75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	85 to 89 years.	80 to 84 years.	25 to 29 years.
		1	20	58	155	228	299	307	272	236	192	125	86	42	20	12
		1	14	43 15	118	172 56	247 52	266 41	228 44	217 19	165 27	108 17	65 21	34 8	14 6	11 1
		1	20	58	154	226	297		267	230	187	121	83	40	19	. 12
		1	14 6	43 15	117 37	171 55	246 51	261 40	226 41	212 18	161 26	105 16	62 21	33 7	14 5	11 1
		1	13	37	98	141	168	189	150	141	117	60	60	27	11	8
		1	8 5	28 9	78 20	101 40	130 38	159 30	126 24	125 16	101 16	49 11	44 16	21 6	8	8
		1	2 , 4 1 :	19 7 3	20 38 10 8	61 26 13 6 27	38 68 24 20 8 42	30 97 19 31 6	68 11 31	59 9 46	47 7 36	18 3 27	26 7 14	9 2 9	3 1 5	7
• • • • • • • • • • • • • • • • • • • •			1 5	6	32		8 42	31	6 27	46 5 20 2	36 7 18	7	8 4 1	2 3 2	2	·····i
• • • • • • • • • • • • • • • • • • •			7	2 19	6 53	8 83	6 123	5 110	7 113	,2 82	2 67	1 57	23	13	7	4
			6	13	36 17	68	110	100	96 17	80 2	58	52	18	12	5 2	3
			1	6 2	3	15 2	13	10 2	4	7	3	5 4			1	
				2	3	2	6	2	4	7	2	4			1	
					1	2	2	6	5	6	5	4	3	2	1	
•••••					1	1	1 1	5 1	2 3	5 1	4 1	3 1	3	. 1	i	
• • • • • • • • • • • • • • • • • • •					1	i	i i	5 1	1	5 1	4 1	2 1	3	1 1	·····i	· · · · · · · · · · · · · · · · · · ·
• • • • • • • • • • • • • • • • • • • •									2 2			i				
		1	7	22	57	48	47	48	44	26	24	11	8	4	3	2
		1	5	18	47	44	45	47	43	26	24	11	8	4	2	2
		1	7	22	57	48	47	47	44	26	24	11	8	4	3	2
		1	5 2	18	47	44	45	46	43	26	24	11	8	4	2	2
· · · · · · · · · · · · · · · · · · ·		1	5	13	10 32	30	2 22	1 30	1 28	21	15	8	6	1	3	2
		1	3 2	12	28	28 2 17	21	29	28		15	8	6	1	2	2
• • • • • • • • • • • • • • • • • • •		1	<u>2</u>	8	14	1	12 12	1 16 1	17	8	5	3	5	1	1 1 1	2
• • • • • • • • • • • • • • • • • • •			3	3	2 1 12	4	1 3	6 7	5	8	5	4			1	
• • • • • • • • •					2	1	6		6	5	5	1	1			
			2	9	24 18	18	22	17	15	5	9	2	<u>2</u>	3		
• • • • • • • • •				3	6	2	1		1			2			,	· · · · · · · · · · · · · · · · · · ·
•••••••••					1		3	1	1			1				،ا ا
								1								
•••••			'ا ا		•••••	••••••	•••••		• • • • • • • • • • • • • • • • • • • •			 !	······			• • • • • • • • • • • • • • • • • • • •
			4	8	24	50	71	81	79	75	61	44	24	17	4	2
			3 1	6 2	17 7	37 13	61 10	71 10	68 11	72 3	55 6	38 6	17 7	15 2	3	. 1
			4	8	24	50	69	79	78	74	61	42	22	17	4	2
			3 1	6 2	17 7	37 13	60	69 10	68 10	71 3	55 6	37 5	15 7	15 2	3	1 1
			3	6	17	23	39	41	38	37	37	15	18	15	2	1
		,	2	4 2	11 6	13 10 8	31 8	34 7	31 .7	34	33 4	12	13 5	13 2	2	1
• • • • • • • • • • • • • • • • • • •			i	2 2 2	5 1 1	8 8 2	17 4 5	20 5 5 1 9	15 4 10	14 3 14	13 1 16	4 2 8	·7	6	2	1
					2 5	3 2	9	1 9	10 2 6	6	3 4	î	2 2	ΪĮ		

Table 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

i						,	DEATH	B AT AGE () r —			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
-	CANCER OF THE BUCCAL CAVITY—continued.											
	Cancer of the tongue-Continued.									!		
	White—Continued. Foreign	238			ļ							
	Males.	219									1	
	Females.	19	-									
İ	Unknown	4	¦	 			.				·	· · · · · · · ·
ľ	Colored	10		·····		<u></u>						
l	Males	7 3		ا .								
	Negro	7 2										
	Indian	1										
	Cancer of the mouth.	010					2					
	Total	216		'		'	1	2			1	
l	Females.	45					1	1			!	
	White	215					2	2		1		
	Males Females	171 44					1	1		1		
ŀ	Native	136	i				2	2		1		
	Males.	105						1		1 1		
ı	Females	31 71						i				
	Both parents native	20 15					i	i		··········		
	One or both parents foreign $\left\{\begin{array}{ll} M \\ F \end{array}\right\}$	13 4 19									¦	
	Parentage unknown $\left\{egin{align*} M\dots \\ F\dots \end{array}\right.$	7	¦			;						
l	Foreign	71	¹ <u></u>	<u></u> .		<u></u>	<u></u>	ļ <u></u>				
l	MalesFemales	58 13										
	UnknownM.	8	1								.]	
١,	Colored—NegroF.	1	1									
	Cancer of the jaw.	•				l	!					
	Total	785	; 	1		1	2	4	4	7	5	
	Males	618				1			3	5	3 2	
ì	Females	762		1		1	1 2	2	3	5		
	Males	601		1	<u> </u>	1		4	- 3	!	·	
	Females.	161		i		!	i	2	í	1 1	2	· · · · · · ·
	Native	482		1		1	2	4	3	5	2	
	Males Females.	367 115				1	1	2 2	2	4	1	
	Both parents native. $\left\{ \begin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	188 56				1	1	2 2	i	2	<u>-</u> -	
	One or both parents foreign $\dots $	95 40								2	1 1	
	Parentage unknown $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	84 19										
l	Foreign	265			1		! !			l	3	
	Males	220									2	
	Females	45	•••••								ī	
	Unknown	15									<u> </u>	
	MalesFemales	14 1										
1	Colored	23								2		
	Males								\	1		
1	Females	Ä					:			1		
1	Indian	5								l ī	1	

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a populaton of 1,000 or over in 1910 are included in the registration area.

							DEATHS A	AT AGE OF							•	Deaths
5 to 29 years.	80 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
1	1	2	4	27	23	36	39	38	30	27	7	2	1		<u> </u>	
i	i	2	2 2	25 2	21 2	36	36	35 3	29 1	24 3	6	2	1			
• • • • • • • • • • • • • • • • • • •	1		2	2	1	1	1	2	2						 	
			2	1		1		2	1							
			2	1 1		i	1	2	1 1							
• • • • • • •				- -			1		ļ							
1		1	8	9	15	25	31	35	35	26	18	6	2			
1		i	5 3	9	13	22 3	26 5	29 6	28 7	17 9	13	3 3	2			
1		<u>-</u>	8	9	15	25	30	35	35	26	18	6	2			
1		i	5 3	9	13	22 3	26 4	29 6	28 7	17 9	13	3 3	2			
1		1	6	5	8	16	15	24	22	19	11	3	1			
1			4 2	5	7	13 3 7	12 3	20	16	12	9	2	1			
i		1 1	2 1	i	1 4	7	10	17 3	6 11 5	7 8 5	4 2	1 2	1			
			2	3	2	4		1	1	1 2	ī					
	` 			1	1	2 1	2 2	2	1	3	4	i				
			2	4	7	7	13	10	12	6	6	3	1			
			1	4	6	7	12	8 2	11	4 2	3 3	1 2	1			
						2	2	1	1	1	1					
• • • • • •							1				ļ			ļ		
6	8	17	38	49	76	92	92	121	115	83	· 44	20	3			
6	6 2	12 5	29 9	38 11	62 14	80 12	71 21	101 20	90 25	60 23	32 12	15 5	2 1			
6	8	15	37	48	73	87	90	118	115	81	43	20	3			
6	6 2	11 4	28 9	· 37	59 14	76 11	70 20	99 19	90 25	59 22	31 12	15 5	2			
3	5	8	25	26	50	55	58	80	64	50	29	13	2	 	 	
3	3 2	5 3	17 8	18 8 7	41 9	46	46	64	47 17	36	22 7	9	1 1			
2	ĩ	1 1	10 3 6	7	23	25 5	46 12 20 6	64 16 · 39 8	21 9	14 18 7	9 5	7 3	i			
	2 2	2	6	9	11	15 3	14	15 5	8 6	16	1		<u>.</u>			
1		2	1	2 1	7	6 1	12 2	10 3	18 2	. 12 5	9	2 1	1			
3	3	7	12	19	21	29	32	37	49	30	13	5	1			
3	3	6 1	11	16 3	17 4	27 2	24 8	34 3	41 8	22 8	8 5	4	1			
	 	 	.	3	2	3	<u> </u>	1	2	1	1	2		 	ļ	
				3	1 1	3		1	2	1	1	2				
· · · · · · · · · · · · · · · · · · ·		2	1	1	3	5	2	3		2	1					
		1	1	1	·	4	1	2		1	1					
• • • • • • • • • • • • • • • • • • •		1 1	i	i	.]	1 4	1	2		1						
		1			· ·····	1	1	1		1	·····		-		J	

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

1							DEATHS	S AT AGE C	r	•		
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	s years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE BUCCAL CAVITY—continued.											
	Others of this class.					•						
1	Total	194							i		2	1
2	MalesFemales	142 42									1	, 1
4	White.	179							-			
*											1	
5 6	MalesFemales	139 40									i	
7	Native	115	١		ļ						2	1
8	Males	90					,		;		1	1
9 10	Females. M . Both parents native. $\begin{cases} M \\ F \end{cases}$	25 52			'						1	ii
	One or both parents foreign $\begin{cases} F \\ F \end{cases}$	17 22			!						1	
11		6 16			1							
12	Parentage unknown $\left\{egin{align*} M \dots \\ F \dots \end{array}\right.$	2										
13	Foreign	63										
14	Males.	48										
15	Females	15								•••••		
16	Unknown	1									•••••	
17	Colored	5									•••••	
18 19	Males. Females.	3 2										
20	Negro	1							1			
21	Chinese	2 2										
	CANCER OF THE STOMACH AND LIVER.								ł			
22	Total	18, 285	7	6	5	4	4	26	9	6	17	32
	Males	9,236	2		• 2	3	1	10	7	4	6	
23 24	Females.	9,049	5	4	3	i	3	16	2	2	1ĭ	13 19
25	White	17,806	7	6	5	4	4	26	9	6	17	28
26 27	MalesFemales	9,004 8,802	2 5	2 4	2 3	3 1	1 3	10 16	7 2	4 2	6 11	12 16
28	Native.	9,773	7	5	5	4	4	25	8	6	13	23
29	Males											9
30		4.584	2	2	2	3	1	10	- A	4		
	Females	4,584 5,189	2 5	3	2 3	3 1	1 3	10 15	6 2	4 2	5 8	
31	Females	5, 189 2, 483 2, 994						15 9 7	2 3 1	4 2 2 1	5 8 1 5	
	Females. Both parents native. One or both parents foreign. M. F. M. F. M. F. M. F. M. F. M. M. M. M. M. M. M. M. M.	5, 189 2, 483 2, 994 1, 257 1, 337		3	3 2	1	3	15	2 3 1 2 1	4 2 2	5 8 1	
32	Females	5, 189 2, 483 2, 994 1, 257		3 2 1	3 2 1	1 3 1	3 1	15 9 7	2 3 1 2	4 2 2 1 2	5 8 1 5	
32 33	Females M	5, 189 2, 483 2, 994 1, 257 1, 337 844 858	5 1 4 1	3 2 1 2	3 2 1	1 3 1	3 1	15 9 7 1 7	2 3 1 2 1	4 2 2 1 2	5 8 1 5	
32 33 34	Females M	5, 189 2, 483 2, 994 1, 257 1, 337 844 858 7, 859	5 1 4 1	3 2 1	3 2 1	1 3 1	3 1	15 9 7 1 7	2 3 1 2 1	4 2 2 1 2	5 8 1 5 4 3	14 7 7 1 8 1 2
32 33 34 35	Females M	5, 189 2, 483 2, 994 1, 257 1, 337 844 858	5 1 4 1	3 2 1 2	3 2 1	1 3 1	3 1	15 9 7 1 7	2 3 1 2 1	4 2 2 1 2	5 8 1 5 4 3	14 7 7 1 8 1 2 5
32 33 34 35 36	Females M	5, 189 2, 483 2, 994 1, 257 1, 337 844 858 7, 859	5 1 4 1	3 2 1 2	3 2 1	1 3 1	3 1	15 9 7 1 7	2 3 1 2 1	4 2 2 1 2	5 8 1 5 4 3 3	14 7 7 1 8 1 2 5
32 33 34 35 36 37 38	Females M	5, 189 2, 483 2, 994 1, 257 1, 337 844 858 7, 859 4, 308 3, 551 174	5 1 4 1	3 2 1 2	2	1 3 1	3 1	15 9 7 1 7	2 3 1 2 1 1	4 2 2 1 2	5 8 1 5 4 3 3	14 7 7 1 8 1 2 5
32 33 34 35 36 37 38 39	Females M	5, 189 2, 483 2, 994 1, 257 1, 337 844 858 7, 859 4, 308 3, 551 174	5 1 4 1	3 2 1 2	2	1 3 1	3 1	15 9 7 1 7	2 3 1 2 1 1	4 2 2 2 1 2 1	5 8 1 5 4 3 3	14 7 7 1 8 1 2 5
32 33 34 35 36 37 38 39	Females M	5, 189 2, 483 2, 994 1, 257 1, 337 844 858 7, 859 4, 308 3, 551 174	5 1 4 1	3 2 1 2	2	1 3 1	3 1	15 9 7 1 7	2 3 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 2 2 2 1 2 1	5 8 1 5 4 3 3	14 7 7 1 8 1 2 5
32 33 34 35 36 37 38 39 40	Females M	5, 189 2, 483 2, 994 1, 257 1, 337 844 858 7, 859 4, 308 3, 551 174 112 62 479 232	5 1 4 1	3 2 1 2	2	1 3 1 1	3 1	15 97 11 7 1 1	2 3 1 2 1 1 1	4 2 2 2 1 2 1	5 8 1 5 4 3 3	14
32 33 34 35 36 37 38 39 40 41 42	Females M	5, 189 2, 483 2, 994 1, 257 1, 337 844 858 7, 859 4, 308 3, 551 174 112 62 479 232 247 201	5 1 4 1	3 2 1 2	2	1 3 1 1	3 1	15 9 7 1 7 1 1	2 3 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 2 2 1 2 1	5 8 1 5 4 3 3	14
32 33 34 35 36 37 38 39 40 41 42 43	Females M	5, 189 2, 483 2, 994 1, 257 1, 337 844 858 7, 859 4, 308 3, 551 174 112 62 479 232 247 201 238 33	5 1 4 1	3 2 1 2	2	1 3 1 1	3 1	15 9 7 1 7 1 1	1	4 2 2 1 2 1	5 8 1 5 4 3 3	1477711 5512 55 33 22 55 33 22 55 33 22 55 33 22 55 33 22 55 33 22 55 35 35 35 35 35 35 35 35 35 35 35 35
32 33 34 35 36 37 38 39 40 41 42 43 44	Females	5, 189 2, 483 2, 994 1, 257 1, 337 844 858 7, 859 4, 308 3, 551 174 112 62 479 232 247 201 238	5 1 4 1	3 2 1	2	1 3 1	3 1	15 9 7 1 7 1 1	2 3 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 2 2 1 2 1	5 8 1 5 4 3 3	11/2 5 5 3 3 5 3 5 3 5 3 5 3 5 5 5 5 5 5 5
32 33 34 35 36 37 38 39 40 41 42 43 44 45 46	Females	5, 189 2, 483 2, 994 1, 257 1, 337 844 858 7, 859 4, 308 3, 551 174 112 62 479 232 247 201 238 3 6 20 7 3	5 1 4 1	3 2 1	2	1 3 1	3 1	15 9 7 1 7 1 1	2 3 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 2 2 1 2 1	5 8 1 5 4 3 3	11/2 5 5 3 3 5 3 5 3 5 3 5 3 5 5 5 5 5 5 5
32 33 34 35 36 37 38 39 40 41 42 43	Females	2, 483 2, 994 1, 257 1, 337 844 858 7, 859 4, 308 3, 551 174 112 62 479 232 247 201 238 3 6 6 20 7	5 1 4 1	3 2 1	2	1 3 1	3 1	15 9 7 1 7 1 1	2 3 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 2 2 1 2 1	5 8 1 5 4 3 3	11/2 5 5 3 3 5 3 5 3 5 3 5 3 5 5 5 5 5 5 5
32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47	Females	5, 189 2, 483 2, 994 1, 257 1, 337 844 858 7, 859 4, 308 3, 551 174 112 62 479 232 247 201 238 3 6 20 7 3 1	5 1 4 1	3 2 1	2	1 3 1	3 1	15 9 7 1 7 1 1	1	4 2 2 1 2 1	4	11/2 5 5 3 3 5 3 5 3 5 3 5 3 5 5 5 5 5 5 5
32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47	Females	5, 189 2, 483 2, 994 1, 257 1, 337 844 858 7, 859 4, 308 3, 551 174 112 62 479 232 247 201 238 3 6 6 20 7 3 1	5 1 4 1	3 2 1	2	1 3 1	3 1	15 9 7 1 7 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 2 2 1 2 1	4	11/2 5 5 3 3 5 3 5 3 5 3 5 3 5 5 5 5 5 5 5
32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47	Females	5, 189 2, 483 2, 994 1, 257 1, 337 844 858 7, 859 4, 308 3, 551 174 112 62 479 232 247 201 238 3 6 20 7 3 1	5 1 4 1	3 2 1	2	1 3 1	3 1	15 9 7 1 7 1 1	1	4 2 2 1 2 1	4	11/2 5 5 3 3 5 3 5 3 5 3 5 3 5 5 5 5 5 5 5
41 42 43 44 45 46 47 48 49 50	Females	5, 189 2, 483 2, 994 1, 257 1, 337 844 858 7, 859 4, 308 3, 551 174 112 62 479 232 247 201 238 3 6 20 7 3 1 50 41 9	1	3 2 1	2	1 3 1	3 1	15 9 7 1 7 1 1	1 1 1 1 1 1	1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	4 1 3 3	14 77 77 71 55 12 25 53 22
32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48	Females	5, 189 2, 483 2, 994 1, 257 1, 337 844 858 7, 859 4, 308 3, 551 174 112 62 479 232 247 201 238 6 20 7 3 1 50 41	1	3 2 1	2	1 3 1	3 1	15 9 7 1 7 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 2 2 1 2 1	4	1477711 5512 55 33 22 55 33 22 55 33 22 55 33 22 55 33 22 55 33 22 55 35 35 35 35 35 35 35 35 35 35 35 35

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

		1	,				DEATHS AT		1	1	 			1		Death at un-
5 to 29 years.	80 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.
1	5	3	8	12	16	18	26	22	31	21	12	2	4			
1	3 2	3	6 2	12	11 5	17	20	18	23 8	14	9	1 1	2 2			
1	4	3	8	11	14	18	25	22	31	21	12	2	4			
1	3	3	6 2	11	. 10	17 1	19 6	18 4	23 8	14 7	0 3	1 1	2 2			
1	1	2	5	В	7	12	11	14	21	19	9	2	2			
1 1	1 i	2 1	1 1 2	6	5 2 2	11 1 5	9 2 6	12 2 5	15 6 7	12 7 10	8 1 6	1	1 1			
 .		i	2	3	2 2	5	2	5 2 4	5 3	5	ï	1				
			1		,i	1	1 2	3	1 5	2 2	2	·····i	1			
	3	1	3	5	7	5	14	8	10	2	3		2			
	2	1	2	5	5 2	5	10	6 2	8 2	2	1 2		1 1			
						1										
	1			1	2		1									
	·····i			1	1 1 1		1							• • • • • • • • • • • • • • • • • • • •		
	1			1	i		1								• • • • • • • • • • • • • • • • • • •	
113	212	487	804	1,316	2,060	2,429	2,755	2,819	2, 441	1,631	822	226	52	6	1	21
52 61	92 120	233 254	402 402	671 645	1,112 948	1, 278 1, 151	1,455 1,300	1,441 1,378	1,217 1,224	747 884	374 448	94 132	20 32	6	1	14
108	200	455	384	1,256	1,987	2,372 1,249	2,677	2,762	2,410	1,607	812	224 94	18	5	1	18
57	112	236	393	610	1,071 916	1, 123	1,412 1,265	1,411 1,351	1,204 1,206	739 868	372 440	130	31	5		. 12
72	119	258	423	649	1,041	1,324	1,468	1, 475	1,339	893	458	133	34	1	1	10
36 36 18	51 68	107 151	184 239	291 358 130	506 535	645 679	735 733	714 761	639 700	384 509	192 266	52 81	10 24	i	1	3 7
25 14	31 41 18	46 79 49	89 114 76	185 123	247 262 199	294 348 267	402 396 196	436 490 124	390 465 96	239 339 51	119 174 31	30 41 2	10 10			4
9 4 2	21 2 6	49 58 12 14	102 19 23	132 38 41	207 60 66	253 94 78	201 137	124 154 147	102 163	69 94 101	24 42 68	15 20 25	1	1	1	1 2 2
2 35	79	192	23 346	597	914	1,031	136 . 1,187	1,255	133	701	345	88	13 15	4		5
15 20	36 43	107 85	196 150	346 251	541 373	592 439	662 525	677 578	557 498	349 352	176 169	41	8 7	4		1 4
1	2	5	. 8	10	32	17	22	32	16	13	9	3				3
i	1 1	5	4	9	24 8	12 5	15 7	20 12	8 8	6 7	4 5	1 2				. 2
5	12	32	27	60	73	57	78	57	31	24	10	2	3	1		3
1 4	8	14 18	18 9	25 35 21 34	41 32 31	29 28 25	43 35	30 27 28 25	13 18	8 16	2 8	2	2 1	i		1 2
1 4	7	13 16	16 9	21 34	31 32 1	25 27 1	36	28 25	13 17	8 15	8	2	1 1	1	• • • • • • • • • • • • • • • • • • • •	1 2
· • • • • • • • • • • • • • • • • • • •	1	1		2 2	6	3	7	2 1	1	1						
]	i	1	1	3	1		1						• • • • • • • • • • • • • • • • • • • •		
		-	-													
		1	2	4	6	. 13	5	5	5	4	1	1				······
	·	1	1	4	6	11 2	5	5	3 2	3	1	1				
	¦	1	1 1	3	6	13	4	4	2 2	1 3	1	1				
		1					4	-1			1					

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

_	•						DEATH	S AT AGE ()F—			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE STOMACH AND LIVER—contd.											
	Cancer of the pharynx—Continued.									1		ĺ
	White—Continued.	27		}	1				1		1	
1 2		20							1			
3	MalesFemales	7 6									1	
4	Both parents native $\left\{\begin{matrix} \mathbf{m} \\ \mathbf{F} \end{matrix}\right\}$	4					[
5	One or both parents foreign $\{M, \dots, M\}$.	11 3 3							1		i	
6	Parentage unknown			·····	·····							
7	Foreign	19										
8 9	MalesFemales	17 2									1	
10	Colored—NegroM	4										
	Cancer of the esophagus.									ł	1	
11	Total	534	 	 	 						 	
12	Males	413										
13	Females	121										
14	White	519	•	<u></u>				<u></u>				
15 16	MalesFemales	404 115			•		· · · · · · · · · · · · · · · · · · ·					
17	Native	176		l	<u>.</u>							
18	Males	122										
19	Females	54 52			••••							
20	Both parents native	36 49										
21	One or both parents foreign $M = M \cdot M$	13 21										
22	Parentage unknown $\left\{egin{array}{ll} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array}\right\}$	5	•••••		•							
23	Foreign	337		 	<u></u>							• • • • • • • • • • • • • • • • • • • •
24	MalesFemales	277					•••••					
25		60			·····		•					
26	Unknown	6										
27 28	MalesFemales	5 1			••••	• • • • • • • • • • • • • • • • • • •						
29	Colored	15				•••••						
30	Males	9										
31 32	Females. M . Negro. $\{M, \dots, M\}$	6 6			• • • • • • • • • • • • • • • • • • •		•					
33	Japanese	6 3	·····	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	•					
	Cancer of the stomach.			}								
34	Total	11,733		3	.	1	1	5	2		6	20
35 36	Males	6, 405		1		1	1	3	1		3	
	Females	5,328	•••••	2			•••••	2	1		3	15
37	White		}	3		· 1	1	5	2		- 6	16
38 39	Males	6, 249 5, 168		1 2		1	1	3 2	1		3 3	12
40	Native	6,027	 	2	<u> </u>	1	1	4	2		5	14
41	Males	3, 112		1		1	1	3	1		3	3
42 43	Females. (M	2, 915 1, 662		1		i	1	1 3	1		8	11 3
	F.	1,648 871	.	<u>-</u> -		• • • • • • • • •					3	6
44	One or both parents foreign $\binom{M}{F}$.	772 579	.	1				1	1		2	4
45	Parentage unknown $\left\{egin{array}{c} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array}\right.$	495					•		·····			1
46	Foreign	5, 271		1				1			1	2
47 48	Males Females.	3, 059 2, 212	· · · · · · · · · · · · · · · · · · ·					i			i	1
49	Unknown.	119		i		:		- 1			•	i
50	Males	78	ļ 									
51	Females	41	¦					l::::::::			1	

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

							DEATHS	S AT AGE O) r							Deaths
5 to 29 years.	80 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over	at un- known age.
																-
		1	2	1	6	7	. 3		3	1		1				
		1	1	1	6	5 2	3		1 2	i		1			ļ	
				i	2	2	1								ļ	•••••
		ı	i		3	3	2		1	1						
					·····i	1			1			i		<u> </u>		
				2	. 	: i 6	1	4	1	3	1					.
				2		6	1	4	1	1	1					
							.	-		2	- -					
•••••	•••••	•••••		1			1	1	1			 				
2	2	13	24	46	77	76	82	78	63	40	21	9	1			
2	1	9	17 7	36 10	64 13	67 9	65 17	58 20	47 16	31 9	14 7	6 3	1			
2	2	12	22	42	72	76	79	78	63	40	21	9	1			<u></u>
2	1	4 8	15 7	33 9	60 12	67 9	65 14	58 20	47 16	31 9	14 7	6	1		• • • • • • • • • • • • • • • • • • • •	
2	1 2	4	11	18	22	27	20	24	16	16	7	6	1	••••		
2	1 1	4	6	13 5	18 4	19 8	15 5	18 6	9	11 5	5 2	4 2	1			
2	·····i	·····i	1 4	3 4	7	9	4 3	9 4	4 6	6 4	4 2	2 2	1			
• • • • • • • • • • • • • • • • • • • •	ī	3	5 1	8	9	8	7	7	2 1	2	•••••	• • • • • • • • • • • • • • • • • • • •				
	••••••		•••••••••••••••••••••••••••••••••••••••	2	2	2	4	. 2	3	3	i	2	•••••			
•••••	•••••		• • • • • • • • • • • • • • • • • • • •	1	1		1	1		1	•••••	• • • • • • • • • • • • • • • • • • • •	•••••	• • • • • • • • •		• • • • • • • • • • • • • • • • • • • •
	••••••	8	11	23	49	48	58	53	47	23	14	3	•			•••••
	• • • • • • • • • • • • • • • • • • • •	4	9 2	19 4	41 8	47 1	49	40 13	38	19 4	9 5	2 1				
				1	1	1	1	1		1						
	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	1	1	1	1	1		1			 	 		
		1	2	4	5		3									
			2	3	4											
		1		1	1 2		3						• • • • • • • • • • • • • • • • • • • •			
		i	2	2 1	1		3							• • • • • • • • •		
•••••	• • • • • • • • • • • • • • • • • • • •	•••••	•••••	1	2				• • • • • • • • • • • • • • • • • • • •	•••••		•••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		
72	134	323	516	829	1,313	1,544	1,778	1,809	1,587	1,060	544	141	37	3		10
35 37	65 69	162 161	282 234	461 368	789 524	889 655	1,015 763	1,007 802	833 754	520 540	257 287	60 81	14 23	3		6
69	127	306	499	787	1,263	1,509	1,727	1,772	1,565	1,044	536	139	34	3		8
34 35	62 65	156 150	271 228	444 343	760 50 3	870 639	986 741	986 786	823 742	515 529	255 281	60 79	12 22	3		4
45	76	162	246	384	647	804	912	912	840	561	306	78	24	• • • • • • • • • • • • • • • • • • • •		5
21	38 38	70 92	121 125	191	358 280	440 364	503 409	493 419	438 402	255 306	134	32 48	6 18			3
7	25	25	53	81	183	196	272	297	252	160	80	19	6			1
12	12	35	52	85	133	178	141	93	253 75	27	23	23				2
21 24 7 18 12 6 2	38 38 25 19 12 18	70 92 25 50 35 36 10	121 125 53 61 52 55 16	191 193 81 94 85 73 25 26	358 289 183 147 133 114 42 28	440 364 196 181 178 134 66	503 409 272 208 141 120 90 81	493 419 297 270 93 72 103	438 402 252 253 75 65 111 84	255 306 160 196 27 44 68	134 172 80 113 23 19 31 40	32 46 19 23 2 7	1			<u>2</u> 1
	ī	6	9	26	28	49	81	77	84	66	40	16	10			Ĭ
23	49	140	247	398	596	693	800	837	716	474	221	59	10	3		1
13 10	23 26	82 58	146 101	248 150	385 211	422 271	473 327	478 359	381 335	255 219	117 104	28 31	6	3		1
1	2	4	6	5	20	12	15	23	9	9	9	2				2
	1 1			5	17	8	10 5		4 5	5 4	4 5			I		1 1

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

Males Females 156 160	6 6 6 5 4 1 2 5 5 6 4 4 4 1 3 2 3 1 1 1 2	99 2 7 7 9 2 5 1 5 1 5 1 1 5 1	years
Cancer of the stomach—Continued. 316	6 6 6 6 5 1 2 5 6 6 4 1 2 3 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	9 2 7 9 2 7 7 7 2 5 1 1 1	1
Males	6 6 6 6 5 1 2 5 6 6 4 1 2 3 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	9 2 7 9 2 7 7 7 2 5 1 1 1	1
Males	6 6 6 6 5 1 2 5 6 6 4 1 2 3 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	9 2 7 9 2 7 7 7 2 5 1 1 1	1
Females	6 6 6 5 4 1 2 5 6 6 4 4 4 1 3 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	9 2 7 9 2 7 7 7 2 5 1 5 1	1
Negro	6 6 6 5 4 1 2 2 6 6 6 5 1 2 5 5 6 4 1 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	9 2 7 9 2 7 7 2 5 1 5 1 1 2	1
Indian	6 6 6 5 4 1 2 2 6 6 6 6 5 1 2 2 5 5 6 4 1 2 2 3 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1	9 2 7 9 2 7 7 2 5 1 5 1	
Chinese	6 6 6 5 1 2 6 6 6 5 1 2 5 6 6 4 1 2 3 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	9 2 7 9 2 7 7 2 5 1 5 1	
Total	6 6 6 6 5 4 1 2 2 5 6 6 4 4 4 1 3 2 2 1 1 1 2 1	9 2 7 9 2 7 7 2 5 1 5 1	
Total	5 4 1 2 6 6 6 5 4 1 2 5 6 4 4 1 3 2 3 1 1 1 2	2 7 7 9 9 2 7 7 7 2 5 1 1 5 1 1	
Males	5 4 1 2 6 6 6 5 4 1 2 5 6 4 4 1 3 2 3 1 1 1 2	2 7 7 9 9 2 7 7 7 2 5 1 1 5 1 1	
Females	1 2 6 6 6 5 4 1 2 5 6 4 4 4 1 2 3 2 1 1 1	9 27 7 7 25 11 51	
White. 5.821 7 3 5 3 3 21 Males. 2,314 2 1 2 2 7 7 Females. 3,510 5 2 3 1 3 14 Native. 3,543 7 3 5 3 3 21 Males. 1,330 2 1 2 2 3 1 3 14 Both parents native. [M. 763 1 1 2 2 3 1 3 14 Both parents foreign [M. 763 1 1 1 1 7 1 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 3 6 1 1 1	5 4 1 2 5 6 4 4 1 3 2 3 1 1 1 2 	2 7 7 7 2 5 1 1 5 1 1	
Females	1 2 5 6 4 4 4 1 2 3 3 2 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1	7 7 7 2 2 5 1 5 1 5 1 1	
Native	5 6 4 4 4 1 2 3 2 1 1 1 1 2	7 2 5 5 1 5 1	
Males 1,330 2 1 2 2 7 Females 2,213 5 2 3 1 3 14 Both parents native [F.] 1306 4 1 1 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1	4 4 1 2 3 3 2 1 1 1 1 2 1	2 5 1 5 1 1	
Females	1 2 3 2 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1	5 1 5 1 1	
Total parents parents Total 1	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. 2	
Parentage unknown M 241 358 1	1	. 2	
Foreign	1	. 2	.
Males 955 Females 1.277 Unknown 49 Males 29 Females 20 Colored 144 Males 63 Females 81 Norms M. 51	1		.
Females		2	
Unknown 49			
Males 29 Females 20 Colored 144 Males 63 Females 81 Norm JM. 51			
Females			
Males 63		· ····	
Females. 81			
Norte [M. 51]			
F. 77			
Indian F 4 Chinese M 11		:	
Other colored 1			
RECTUM.			
	17 10		
Females	7 1		
	7 9		ļ
	7 8		
	6 8	18	;
	10 7		
Poth paranty native JM., 897 1 1 1 2	6 5	6	[
One or both parents (grains Mr. 445 1 2 1 1 5	4 1 2	: 7	1
Parantaga uni noum	2		
320	1 1	2	
Foreign 2,236 1 1 1 1 Males 1,056	1	_	
	i'	1	-
Unknown			
Males 17			.
Colored 126 1 1 1	1		.
Males 41 1 1	1	-	
Femules S5			:
Negro			:

THE BODY AFFECTED, IN THE REGISTRATION STATES, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

							DEATHS A	T AGE OF-	-							Deaths
25 to 29 years.	80 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
3	7	17	17	42	50	35	51	37	22	16	8	2	3	,	 	2
1	3	6	11	17		19		21	10	- 5	2		2			
2 1 2	4 3 4	11 6 10	6 10 6	25 14 24	29 21 23 21	16 18 15	29 22 26 22	16 20 15	12 10 11	11 5 11	6 2 6	22				2 2
• • • • • • •				2	4	1	3	1	·····i				1			
· · · · · · · ·		1	1	1 1	i	ı		1								
39	76	150	262	437	664	796	890	927	786	527	256	75	14	3	1	11
15 24	26 50	66 84	102 160	170 267	253 411	311 485	370 520	371 556	334 452	195 332	102 154	27 48	5 9	3	1	3 8
37	71	136	254	424	646	774	867	908	778	519	254	75	14	2	1	10
15 22	25 46	58 78	97 157	166 258	245 401	301 473	357 510	363 545	332 446	192 327	102 152	27 48	5 9	2	1	2 8
25	41	91	164	246	366	486	533	539	480	. 315	145	48	9	1	1	5
13 12	12 29 6 21	36 55	56 108	86 160	124 242	181 305 77	214 319	203 336 130	191 289	118 197	53 92 35 59	15 33 9	3 6	i	1	1 4
13 12 9 7 2 3 2	21 5	36 55 21 28 13 19 2	56 108 35 48 18 46 3	45 87 30	124 242 55 114 54 91	162 78	125 185 46	216	289 124 205 19 35 48 49	73 138 22	35 59 8	16	3 3			2 1
3 2	3 1 5	19	46	30 59 11	15	114 26 29	46 80 43 54	24 51 49	35 48	138 22 25 23 34	5 10	8 6 9		1	1	1
12	30	44	88	14 174	37 269	284	328	69 361	291	201	28 109	26	3 5	1		1
2 10	13 17	21 23	41 47	77 97	115 154	117 167	139 189	155 206	137 154	74 127	49 60	11 15	2 3	i		4
		1	2	4	11	4	6	8	7	3		1				1
		1	<u>2</u>	3 1	6 5	3	4 2	5 3	4 3	3		1				1
2	5	14	8	13	18	22	23	19	8	8	2			1		1
2	1 4	8 6 7	5 3	4 9	8 10	10 12	13 10	8 11	2 6	3 5	2			i		1
2	1 3 1	7 5 1	3	9	10	7 12	9 10	7 10 1	6	3 4 1	2			i		1
 		i	1		2	3	4	i								
96	151	218	336	483	631	777	873	858	799	536	249	83	23	2		4
48 48	65 86	80 138	151 185	201 282	263 368	339 438	400	375	336 463	220 316	96 153	37	8 15			1
94	144	201	327	472	619	762	473 858	483 847	788	529	246	82	23			3 4
47 47	63 81	76 125	148 179	196 276	. 260 . 359	332 430	397 461	372 475	332 456	217 312	95 151	37 45	8 15	i		1 3
61	101	136	222	309	386	484	524	490	466	331	166	51	16	1		3
29 32	44 57	43 93	87 135	114 195	147 239	211 273	219 305	207 283	202 264	124 207	63 103	23 28	4 12	····i		1 2
29 32 17 20 12 10	26 34 18	43 93 25 45 12 40 6	45 53	195 52 104 53 76 9	77 122	115 153	114	128 161	131 176	207 79 134	103 42 71	23 28 15 26 2	2 9	1		i
	20	40 6	135 45 53 34 71 8 11	76 9	239 77 122 59 86 11 31	273 115 153 79 88 17 32	67 83 38 43	207 283 128 161 39 65 40 57	264 131 176 24 45 47	134 14 28 31	3 9 18 23	6	1 2			i
32	3 42	8 64	11 102	15 161	31 233	32 274	43 328	57 352	43 320	45 195	23 79	2 31	2			
18 14	19	32 32	59 43	80	113	121	175	161 191	128 192	91	31	14	4			
14	23 1	32	43	81	120	153	153	191 5	192	104	48	17	2			1
		1	2	2			3	4	2	2			<u> </u>			
1 2	1 7	17	9	11	12	15	3 15	11	11	7	3	1	1	1		
<u>-</u>	2 5	4	3	5	3	7			4	3	1	<u> </u>				
1 1 1	5 2 4	13 3 13	6 3 6	6 5 6	9 2 9	8 7 7	3 12 2 12	3 8 2 8	7 4 7	4 3 4	1 1 2			1 i		
		l			l	<u>-</u>	î					ļ .	١			

35030°—16——13

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

							DEATHS	AT AGE O	-	-		
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years	20 to 2 years.
	CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM—continued.											
	Colored—Continued.			}	1	,						
	$\begin{array}{cccc} \textbf{Chinese}. & & \textbf{M} \\ \textbf{Japanese}. & & \textbf{SM} \\ \textbf{F}. & & \textbf{F}. \end{array}$			-								
	Other colored	1								·····i		
ļ	Cancer of the mesentery and peritoneum.											
١	• •	447		١.	١.	١,		_				
١	Total		2	2	2	1		7	5	3	8	
l	Males		2	1 1	2	1		2 5	3 2	3	7	
I	White	. 441	2	2	2	1		7	5	2	8	
1	Males			1	<u> </u>	1		2	3	2	7	
	Females	276	2	ī	2	. .		5	2	-	i	ļ
1	Native	282	2	2	2	1		7	4	2	6	
1	Males			1		1		2	3	2	5	
	Females	175	2	1	2			5	1 2	2	1 1	l
ı	Both parents native $\begin{cases} \mathbf{M} \\ \mathbf{F} \\ \mathbf{F} \end{cases}$. 109	1					1 2] <u>.</u> .	ļ		
1	One or both parents foreign $\cdots $		i	1	2	1		3	1		i	
İ	Parentage unknown $\left\{ \begin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	13		i				·····i				
١	Foreign			-				-	1		2	l
1	-											<u> </u>
	MalesFemales								·····i		2	l
١	UnknownF						,		_			
١												l
ı	Colored					•••••				1		
	MalesFemales	. 3								1	ļ	
١	N	1 i										
	Negro	. 3		l								
١	Other colored	1								1		
	Cancer of the intestines (except rectum).			!						ł		
.]	Total	. 3, 768	1	2	2		4	9	12	5	10	,
,	Males	1,533		2	1		2 2	5	7	5	6	
1	Females	2, 235	1		1		2	4	5		4	
ł	White	3, 693	1	2	2		3	8	12	5	10	
١	<u>M</u> ales			2	1		1	4	7	5	6	
	Females	2, 181	1	·····	1		2	4	5		4	
١	Native	2, 292	1	2	2		2	7	12	5	10	
ł	Males	. 883		2	1		1	4	7	5	6	
l	Females	511	1	·····i			1	2	5 4	3	4	
١	Both parents native	817 239	1	·····;·			1 1	2 2	4 3	2	2 2	
ı	One or both parents foreign $\mathbb{R}^{\mathbf{M}}$	390			1			ĩ	ĭ		2	
1	Parentage unknown $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	133										
1	Foreign	1,380		<u> </u>	1		1	1				
١	Males	<u> </u>				-	l					
١	Females						1	1				
	Unknown	21		 	 	 						
	Males		l	1	1	l			 			
	Females.				[
	10111100		il .	1	l	 	1	1	 			
١	Colored	. 75						. 1				
	Colored						1	,				
	Colored	21 54					1	1				
	Colored	21 54 20 53					1	1				

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

	Death							-	T AGE OF-	DEATHS A							
מי	at un- known age.	100 years and over.	95 to 99 years.	90 to 94 years.	85 to 89 years.	80 to 84 years.	75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	85 to 89 years.	80 to 84 years.	25 to 29 years.
									1		•••••	i			1	1	
<u></u>																	
1	. 1				5	12	42	43	43	55	64	50	27	28	19	13	13
i	i				5	2 10	11 31	11 32	11 32	18 37	23 41	22 28	11 16	10 18	11 8	8 5	9
1	1				5	12	42	43	43	55	63	49	27	27	18	13	13
i	·····i				5	2 10	11 31	11 32	11 32	18 37	22 41	21 28	11 16	10 17	11 7	8 5	9
					2	7	31	28	22	39	40	30	15	17	12	5	8
• •		· · · · · · · · · · · · · · · · · · ·			2	1 6	7 24 2	8 20 5	6 16 4	13 26 7	12 28 8	14 16 5	6 9 2	8 9 5	6 6 5	4 1 3	5 3 2
					2	4	21 2	16 1	8	14 4	18 4	9 8	4 3	5 2	3 1	Ĭ I	2 3
						1 1	3 3	3 2 1	6 1 2	9 2 3	9 1	5 1 2	1 1	1 1 2	3		i
1	1				3	5	11	15	21	16	22	19	12	10	6	8	5
·i	·····i				3	1 4	4 7	3 12	5 16	5 11	10 12	7 12	5 7	2 8	5 1	. 4	4
••											1						• • • • •
<u></u>											1	1		1	1		• • • • • • • • • • • • • • • • • • • •
									••••••		1			1 i	1 1		•••••
												i					•••••
_		İ														_	
2				15	49	163	131	184	533	540 231	183	366	303	201 95	133	79 32 47	54 27 27
2				10	20 29 48	107	331	288 464	316 527	309 530	183 277 452	226 355	181	106	123	76	27 52
. ;				5 10	20 28	56 107	129 202	181 283	215 312	230 300	180 272	138 217	120 178	93 103	49 74	32 44	26 26
2	İ			10	32	110	208	274	297	329	273	217	197	128	81	53	30
.;				3 7	12 20	37 73	73 135	114 160	118 179	130 199	111 162	72 145	70 127	47 81	28 53 15	22 31	14 16
i	i			2 5	8 19 1	26	54	75	76	61 117	52	41	35	24 31	15 27	14 17 8	10 10
i 	j			1 1	3	53 2 6 9	84 6 23 13 28	108 13 25 26 27	98 18 39 24 42	117 43 56 26 26	94 49 49 10	72 26 50 5	71 29 47 6	31 18 44 5	27 8 23 5	12	6
••		ļ·····		1	2 16	14 52	28 121	27 190	42 226	26 197	19 177	23 138	100	6 65	3 41	2 22	 21
<u>:-</u>				2	8	18 34	54 67	67	94	98	69 108	66 72	49	44	20 21	10	12
••				2	8	34	67 2	123	132	99	108	72	51	21 3	21	12 1	9
<u></u>						1	2		3	2 2			1	2	1		
••				1	1		5	8	1	2 10	2 8	11	5	1 5	10	1 3	1 2
-							2 3	3	2	1				2 3	2 8		1
• • •					1		3 2 3	5 3 5	1 1	9 1 9	3 5 3 5	2 9 2 9	2 3 2 3	3 2 3	8 2 8	3 2	1 1 1

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

							DEATH	S AT AGE () F —			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE PERITONEUM, INTESTINES, AND BECTUM—continued.											
	Cancer of the rectum and anus.											
1	Total	1,992	1	1			1	3		2	2	14
3	MalesFemales	982 1,010	1	·····i			·····i	1 2		1 1	2	6 8
4	White	1,949	1	1			1	3		2	2	13
5 6	Males	965 984	1	i			1	1 2		1 1	2	6 7
7	Native	1,252	1	1			1	3		1	2	12
8	MalesFemales	582 670	1	1			i	1 2		i	2	6
10	Both parents native $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$	328 372								<u>-</u> -	1	3
11	One or both parents foreign $\binom{M}{F}$.	166 199	1	1			····i	1 2			i	3
12	Parentage unknown	89 99				<u> </u>	[ļ				- -
	(r	690		•••••						1		,
13	Foreign									1		
14 15	MalesFemales	378 312	[•••••						1		i
16	Unknown	7			ļ	' 						
17	<u>Males</u>	5										
18	Females	2		• • • • • • • •				• • • • • • • • • • • • • • • • • • • •				•••••
19	Colored	43										1
20 21	MalesFemales	17 26										i
22	Negro	15 25										·····i
23	Indian	1										
24	Japanese	ĺ										
	Others of this class.		İ									
25	Total	27										
26 27	MalesFemales	7 20										
28	White	25										
29	Males	7										
30	Females	18		• • • • • • • • •		·····					•••••	
31	Native	16				<u>'</u>						
32 33	Males Females	4 12		· · · · · · · · · · · · · · · · · · ·								
34	Both parents native	3 8										
3 5	One or both parents foreign $\dots \qquad \begin{cases} M \\ F \end{cases}$	1 1										
36	Foreign	8	İ									
37	Males	3										
38	Females	5		••••••								
39	UnknownF	1	ļ		ļ		·····	•••••	ļ			
40	Colored—NegroF	2	ļ	• • • • • • • • • • • • • • • • • • • •	ļ	·····	j				····	
	CANCER OF THE FEMALE GENITAL OBGANS.		}									
41	TotalF	7,247	1		<u> </u>	1	1	3	2	5	6	36
42	WhiteF	6,824	1			1	1	3	2	5	6	34
43	NativeF	4,906	1			1	1	3	2	4	3	26
44 45 46	Both parents nativeF. One or both parents foreignF. Parentage unknownF.	2,823 1,351 732	1			1	1	3	2	2 2	1 2	16 9 1
47 48	Foreign F. Unknown F.	1,871 47					 j			1	3	7 1
49	Colored	423					l	ļ				2
50	NegroF.	419										2
51 52 53	Indian F. Chinese F. Japanese F.	1 2 1										

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

							DEATHS A	T AGE OF-	-						•	Deaths
5 to 29 years.	80 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
27	58	62	107	151	213	251	273	277	282	156	74	29	8	2		1
12 15	25 33	16 46	46 61	68 83	101 112	133 118	149 124	146 131	139 143	78 78	38 36	17 12	3 5	2		1
27	54	56	104	146	213	245	269	272	279	154	71	29	8	1		1
12 15	23 31	14 42	45 59	65 81	101 112	130 115	147 122	145 127	138 141	77 77	37 34	17 1 2	3 5	i		1
22	42	41	77	96	138	169	154	169	162	90	49	17	6	1		1
10 12	18 24	8 33	32 45 16 17 14 25 2	38 58	61 77	88 81	75 79	83 86	78 84	44 46	25 24 16	11 6	1 5	i		1
10 12 5 7 5	18 24 9 16 9	8 33 5 15 2 13	10 17 14	38 58 15 29 21 24 2 5	61 77 31 40 25 31 5	88 81 55 39 26 30 7	75 79 45 47 20 18 10	83 86 48 54 20 19 15	78 84 49 52 10 17 19	44 46 23 27 6 5 15	14	7 6 1	4	1		1
4		13 1 5	25 2	24 2	31	30 7	18 10	19 15	17 19	5 15	1 2 8	8	1			
1 5	1 12	15	27	49	75	75	14	102	115	63	8 22	12	2			
2 3	5 7	6	13 14	26 23	40 35	42 33	71 43	61	58 57	33	12	6	2			
3	7	9	14	1	85	33	1	41	2	1	10	6				
				1			1	1	2							
· · · · · · · · · · · · · · · · · · ·	4	6	3	5		1 6	4	5	3	1 2	3			1		
	2	2	1	3		ļ		1			1					
	2 2 2	i	1 2	3 2		3 3 3 2	2 2 1 2 1	i	1 2 1 2	1 1 1	1 2					
.	-					<u></u>	Ī			-	<u>-</u>			<u>-</u>		
••••••	·····	1.						•••••								·····
2	1	4		2	2	2	. 5	5	2	2						
2	·····i	2 2		2	2	2	2 3	1 4	2	2						
2	1	4		1	2	2	4	5	2	2						
2	<u>ı</u>	2 2		i	2	2	2 2	1 4	2	2						
1	1	2		1	1	2	2	2	2	2	<u> </u>					
<u>i</u>	1	1	.	i	1	2	1	2	2	2						
·····i				:	1	2	1	1	2	2						-
••••••	i	i		i				1						 		:
1		1			1		1	3								
1	······	i	-		1			2	••••••							
······			·····	1		· · · · · · · · · · · · · · · · · · ·	1					· · · · · · · · · · · · · · · · · · ·	•••••			
•				•												
114	265	560	853	982	1,084	933	800	616	442	274	134	47	· 15	3		7
99	237	508	787	917	1,019	956	762	596	428	261	133	46	15	3		7
78	183	374 205	563 314	353	731 365	703 388	559 340	418 273	283	169	70	28	8			6
26 9	67 13	120 49	183 66	214 93	266 100	194 121	128 91	67 78	41 48	22 36	18	1 7	2			
21	54	128 6	215 9	256 · 1	283 5	248 5	200	171	142 3	88 4	35 1	9	7	3		
15	28	52	66	65	65	43	38	20	14	13	1	1	••••••			1
15	28	51	66	64	64	42	38	20	14	13	1	1				
••••••	·····	1		ı .	·····i	1		• • • • • • • • • •						- 		

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

						DEATH	S AT AGE.) -			
SEX, COLOB, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF THE FEMALE GENITAL ORGANS	-contd.										
Cancer of the ovary and fallopian tube			l								
Total	F 406		 			1	1		3	3	10
White	F 399					1	1		3	3	10
Native	F 293		ļ			1	1		2	2	,
Both parents native	F 151					1	1				- :
One or both parts foreign	F 111								2	2	
Foreign	F 105				 				1	1	
Unknown.											
Colored—Negro	F 7										
Cancer of the uterus. Total	F. 6,629				1		1	2	. 2	3	2
White					<u> </u>		<u> </u>			3	2
Native	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				1		1	2	2	1	1
					- i					1	1
Both parents native One or both parents foreign Parentage unknown.	F 1,202				- -				- -		•
Foreign					· · · · · · · · · · · · · · · · · · ·					2	
Unknown											
Colored	F 409										
Negro.	F 405										
Indian Chinese	F 2										
Japanese									• • • • • • • • • • • • • • • • • • • •		
Cancer of the vagina and vulva. Total	F. 170										
White	F. 163										
Native	F. 117										
Both parents native											
One or both parents foreign Parentage unknown	F 30										
Foreign	F. 44							1			
Unknown											
Colored—Negro	F 7		-								
Others of this class.	_			ŀ							
Total		1					1				
White	F 42	1					1				
Native		1					1				
Both parents native One or both parents foreign	F 21 F 8	1					1				
Parentage unknown						i					
Foreign	F 9								• • • • • • • • • • • • • • • • • • • •		
CANCER OF THE BREAST. Total	5,052					i			•	4	
Males	·										
Females.										4	
White	4,897									4	
MalesFemales											
Native										4	
Males					1						
Females										4	
Both parents native	F. 2,086			l .		· .				1	
One or both parents foreign	35.01						1			3	
Parentage unknown	{M 9				·····						
Foreign				.	١	ļ		ļ			
Males	29										
Females	F 1, 231					i · · · · · · · ·					1

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

					 -		DEATHS A	T AGE OF-	<u>-</u>							Deaths at un-
to 29 years.	80 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.
												į				
16	13	37	58	46	61	50	53	25	14	10	4	2				
16	13	35	56	45	60	50 36	52	25	14	10	3	2	.			···•
13	8	29	20	32 12	44	16	36	21	8	5	3	1				
6 5 2	4	10 2	20	15	22 19 3	13	22 11 3	10 4	i	1 2		1				
3	5	5	12	. 13	16	14	16	4	5	5	1	1				
•••••		1					······				·····	·····		· · · · · · · · · · · · · · · · · · ·		•••••
•••••		2	2	1	1		1						••••			•••••
97	242	516	783	916	1,007	926	724	564	401	244	117.	38	11	3		7
82	216	467	720	852	945	883	688	544	387	231	116	87	11	3		7
64	167	342	513	612	678	650	504	877	255	153	85	28	5			6
36 21	94 60	187 108	290 162	334 192	340 241	363 175	301 116	246 58	176 36	101 19	60	21 1	5			6
7	13	47	61	86	97	112	87	58 73	43	33	16	6				
18	49	121	198 9	239 1	262 5	228 5	181	161 6	129 3	74 4	30 1	8 1	6	3		i
15	26	49	63	64	62	43	36	20	14	13	1	1	 		ļ	
15	26	48	63	63	61	42	36	20	14	13	1	1				
••••••		1		ii	1	1										
•••••				•					•••••							•••••
	8	5	9	14	13	18	16	24	24	15	13	7	3		 	
• • • • • • • • • • • • • • • • • • • •	6	4	8	14	11	18	15	24	24	15	13	7	3			
	6	2	5	11	6	12	14	18	16	8	9	7	2			
	3	<u>2</u>	4	3 6	3 3	7	12 1	10 5	10 3	5 2	7	7	1			
•••••			1	2		1	1	3	3	1	2	······	1			•••••
• • • • • • • • • • • • • • • • • • •		1	3	3	5	6	1	5 1	8	7	4		1			
	2	1	1		2		1									
						_	_		_	_						
1	2	2	3	6	3	5	7	3	3	5			1			
1	2 2	2	3	6 5	3	5	5	2	3	3			1			
1	2	1					5	2		3			<u>_</u>			
	-		1	1	3	2 2 1		ļ .	1 2				i			
		1	2	1		 	2	1		2						
											ł					
44	101	301	460	646	671	658	551	529	435	311	207	93	23	6		6
1 43	99	298	4 456	639	659	650	12 539	13 516	9 426	6 305	205	92	22	6		······6
40	94	284	447	624	644	640	541	509	429	307	204	90	23	5		6
1 39	2 92	3 281	4 443	7 617	12 632	632	12 529	13 496	9 420	6 301	202	1 89	1 22	5		6
34	74	218	337	453	485	488	382	346	323	213	158	63	19	3		4
1	2	2	4	4	8	6	6	7	6	3	1	1	1			
33 1	72	216 1	333 3	449 1	477	482	376	339 5	317 4	210	157 1	62	18 1	3		4
21	37	114	189	236 3	240	262 3	234	227	211	148	102	40	16	2		4
10	30	86	121	168	182	170 1 50	85 2 57	52 2	44 2 69	17	18	7 1				
2 6	5 20	16 65	23 108	45 169	55 158	148	153	159	62 104	45 91	37 46	15 26	1 2	1 2		1
		1	100	3	4	2	6	6	3	3	1					
6	20	64	108			146			101	88	45	26	2	2		i

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

							DEATH	S AT AGE C)F			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 2 years.
CANC	ER OF THE FEMALE GENITAL ORGANS—contd.											
	CANCER OF THE BREAST—continued.	ļ	i.].		1				
Colore	sd	155			ļ							
Ne	egro <u>F</u>	152										
In	dianF	3									·····	
	CANCER OF THE SEIN.											
'	Total		5	1	3	2	5	16	3	4	2	
	MalesFemales		1 4	1	1 2	1	3	10	3	3	2	
White		1,816	4	1	3	2	5	. 15	3	3	2	
	Males	1,169	1 3	1	1 2	1	2 3	6 9	3	2	2	
NT.	Femalesative	1	3	1	3	1 2	_	-		_	2	Ì
148	Males	<u> </u>			1	$-\frac{2}{1}$	5	14	3	3	2	
	Females	422	2		2	Ī	3	8	3	ī	.	
	Both parents native	252		1	1 2	1	1 2	. 4	2	2 1	2	
	One or both parents foreign	77	2			i	1	4	ı			
	Parentage unknown $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	93					1	<u>.</u>				
Fo	oreign	512	1					1			••••	
	MalesFemales	298 214	i					1				
	nknown	35	•					1				
	Males											
	Females.	:: fi										
Colorec	d	22	1					1		1		
Nε	egro	. 8	i					i		1		
1	CER OF OTHER ORGANS OR OF ORGANS NOT		1					1				
	SPECIFIED.											
1	Total	ļ	27	26	44	27	21	145	73	54	107	11
	MalesFemales		14 13	13 13	26 18	16 11	9 12	78 67	41 32	30 24	53 54	
White	······	7,053	26	25	43	26	20	140	71	50	102	10
	Males		14	12	25	16	9	76	41	27	53	
37.	Females	1	12 26	13 24	18	10 26	11 20	139	30 68	23 46	49	
Na	Males	2,780	14	11		16	9	75	39	24	89	- 1
	Females	1,768	12	13	25 18 14	10 10 12	11	64 40	29 20	22 15	45 44	
	Both parents native	1.052	5	12 5	10	5	3 9 6	41	18 17	13	27 27 17	
	One or both parents foreign	487	7	ĭ	8	3	2	34 23 1	10 2	8	, 17	
	Parentage unknown $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	229			<u>.</u> .			ļ	ī	1		
Fo	oreign	2, 433		1				1	2	4	12	:
		1,616		1				1	1	3	8	
	MalesFemales			l						•	•	
	Females	817									1	
	Femalesnknown.	72							1		1	
	Females	72							1		1	
Un	Femalesnknown	817 72 52 20	1	1	1	1	1	5		4		
Un	Females	817 72 52 20 191		1	1		` 	2	2	3	1 5	
Un	Females	817 72 52 20 191 118 73	1			1	1	2 3 2	2	3 1 2	5	
Un Colorec Ne	Females	817 72 20 191 118 73 111		1	1		` 	2 3	2 2	3	1 5	
Un Colored Ne Inc	Females			1	1	1	1	2 3 2	2	3 1 2 1	5	
Un Colored Ne Inc	Females			1	1	1	1	2 3 2	2 2	3 1 2 1	5	
Ur Colored Ne Ind Ch	Females	817 72 52 20 191 118 73 111 72 2 15		1	1	1	1	2 3 2	2 2 1	3 1 2 1	5	

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

							DEATHS A	T AGE OF-	-							Deaths
25 to 29 years.	80 to 84 years.	\$5 to \$9 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
4	7	17	13	22	27	18	10	20	6	4	3	3		1		
4	7	17	13	22	27	18	10	18 2	6	4	3	2 1		1		
5	11	14	30	70	124	127	178	222	274	273	242	158	59	10	5	7
4	6 5	10 4	14 16	53 17	84 40	93 34	119 59	160 62	183 91	168 105	139 103	88 70	31 28	4 6	2 3	6 1
5	11	13	28	69	121	125	176	221	272	272	238	157	59	10	5	7
4	6 5	10 3	13 15	53 16	82 39	91 34	119 57	160 61	182 90	167 105	139 99	88 69	31 28	6	2 3	6 1
4	6	11	20	52	84	94	130	148	191	181	158	110	41	6	4	3
3	3	8	8 12	41 11	59 25	70 24 37	91 39 57	108 40	131 60	114 67	100 58 67	68 42	25 16	2	1 3	3
2 1	3 2	4 2 4	4	27 5 12	25 29 11 19	37 16 23	57 22 18	62 30 18 5	81 40 14	69 42 11	67 36 4 5	68 42 46 23 5	19 7 1	1 2	2	1
i			6	4 2	8	10	13 16	28	9 36 11	8 34 17	5 29 17	17	3 5	1 1	1 1	2
1	1 5	1 2	7	2 17	6 37	29	38	5 69	11 76	17 82	17 78	15 46	17	1 4	1	2
1	3	2	4	12	23	20	23 15	49	46	47	38	20	6	2	1	1
	2		3	5		9	15 8	20	30 5	35 9	40	26 1	11	2		1 2
<u> </u>			1				5	3	5		1		1			2
						1	3	1		6 3	1	1	1			•••••
		1	2	1	3 2	2 2	2	1	1	1	4	1				
		1	1	1	ī	- -	3	1	i	. .	4	1				
124	167	250	400	506	738	838	901	959	855	544	312	121	25	5	1	6
78 46	99 68	143 107	224 176	300 206	430 308	538 300	595 306	643 316	591 264	346 198	202 110	72 49	16 9	3 2	1	5 1
121	159	237	384	486	718	820	881	944	834	533	310	118	25	5	1	5
76 45	94 65	134 103	217 167	289 197	418 300	526 294	580 301	631 313	574 260	341 192	201 109	71 47	16 9	3 2	1	4
87	115	167	259	288	434	522	529	577	511	344	188	71	18	3		4
50 37	69 46	97 70	141 118	157 131	236 198	325 197	348 181	371 206	353 158	2 07 137	123 65	43 28	10 8	2		3
27 22	31 31	59 40	64 59	74 71	116 100	149 104	198 112	225 131	229 98	143 104 17 10	73 43 14 6	27 18	8 5	2		2
22 19 12 4 3	31 33 14 5	40 29 24 9	59 67 50 10	71 61 48 22 12	100 94 77 26 21	104 126 63 50	112 97 51 53 18	131 74 39 72 36	98 42 21 82 39	4/	6 36 16	3 2 13 8	2 3			1
	1	6	9	12 194	ľ	30 289	18 344	36 356	39 313	23 182	ţ	ł	3 7	1 2		1
26 8	22	69	74 49	130	275	196 93	225 119	252 104	215		118 74	28 18	6		1	
8	22 19	36 33	[64	101		l		98	130 52	44	1	1	· 1		
'	3	1	2	4	8	5	8 7	11 8	10	7	4	1				1
	• • • • • • • • • • • • • • • • • • • •		•••••	2	1	4	1	3	4	3		1				••••••••••••••••••••••••••••••••••••••
3	5	13	16 7	20	20	18	20 15	15		11 5		3				1
2 1 2	3 5 3	4 8	9	11 9 11	12 8 12 8	6 11	5 13	12 3 12	16	6 5	i	2				1
<u>1</u>	3	4	9	9	8	6	5	3	4	6	1	2 1				
•••••••	••••••	1	••••••			1	2		1							
			_	_							_					
3	1	10	17	24	45	43	55 44	51	29	21	8	4	<u>1</u>			
3	1	5 5	13 4	19 5	38 7	40 3	11	44 7	25 4	19 2	7	2 2	 	1		• • • • • • • • • • • • • • • • • • • •

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

- 1							DEATHS	AT AGE O	?-			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF OTHER ORGANS OB OF ORGANS NOT SPECIFIED—continued.											
	Cancer of the larynz—Continued.		ļ	İ			1					
1	White	308	1	1	1			3	1		1	
3	MalesFemales	255 53	_i -	i	i		'	3	1		·····i	
4	Native	150	1	1	1		1	3	1		1	
	Males	121		<u>-</u>	-				1			
6	Females	201	i	i	1			3			1	
7	Both parents native $\left\{ \begin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	55 20		i	i			2			i	
8	One or both parents foreign $\{_{\mathbf{F}}^{\mathbf{M}}$	43	1 · · · · · · · · · · · · · · · · · · ·				!	1				
9	Parentage unknown $\left\{ egin{align*} M \dots \\ F \dots \end{array} \right.$	23							1			
10	(153										
	Foreign											
1 2	MalesFemales	129 24										
13	UnknownM	5		l	 							
14	Colored	10										
"												
15	Negro $\left\{egin{array}{ll} \mathbf{M.} \\ \mathbf{F.} \end{array}\right.$	6 4										
	Cancer of the lung and pleura.	i i										}
16	Total	333				 	1	1	2	4	6	1:
17	Males	187					1	1	1	3	4	11
18	MalesFemales	146							i	ĭ	ż	1
9	White	328					1	1	2	4	6	17
20	Males	185					1	1	1	3	4	11
21	Females	143				ļ			1	1	2	•
22	Native	174					1	1	1	3	4	10
8	Males	91					1	1		2	2	•
23 24 25	Females M . Both parents native F .	83 47							1	1 2	2 2	3
26		50 30					·····i	·····i		1		1 1
	One or both parents foreign $\dots \begin{cases} M \\ F \end{cases}$	24 14							1		2	3
27	Parentage unknown $\left\{egin{align*} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	19										
28	Foreign	154							1	1	2	7
29	Males	94				 				1	2	5
30	Females	60							ļ	- -		Ž
31	Colored	5						[]]	[
32	Negro	2										
~	\F	3					• • • • • • • • • • • • • • • • • • • •		j			
33	Cancer of the pancreas.	617							1	1		,
ı	Males	325							<u> </u>	!		
34 35	Females	325 292							i	1		1
36	White	599	' 					' 	1	1		
37	Males	314				1				·		· 1
38	Females.	285							1			î
39	Native	384			١				. 1	1		2
ю	Males	188				i				1		1
11	Females	196 106							1			1
12	F	116 48		ļ					1			į
3	F	47			·							j
4	Parentage unknown	34 33				<u> </u>						· · · · · · · · · · · · · · · · · · ·
5	Foreign	210				l		:				
- 1	Males.	121								i———		
6	Females	121 89										
8	UnknownM	5	 	I.		1						
~ 9	Colored	18		i					 			
- :												i
•	Males	11			• • • • • • • • • • • • • • • • • • • •							·
50 51	Females	10								,		

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

							DEATHS .	AT AGE OF	_							Deaths at un-
5 to 29 years.	80 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	69 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.
	,				,											
8	1	10	14	23	44	43	53	51	27	21	8	3	1	1		
3	i	5 5.	12 2	18 5	38 6	. 40	42 11	44 7	23 4	19 2	7	1	1	1		
1		6	9	7	16	22	28	27	13	8	4	2	, 1	1		
1		3 3 2	8 1 3	6 1	14 2 5	21 1 7	21 7 10	23 4 13	11 2 7	7 1 3	3 1 2		1	1		
		1	1 5	1 1	1 7	10	6 8	3 4	2	1		1	1			
		2			2	1	3	6	4	3	l					
					1		1	1			1			1	•••••	
2	1	4	5	16	27	21	24	24	12	12	4	1				
2	1	2 2	1	12	23	19 2	20 4	21 3	10 2	11	4	1				
•••••				ļ	1		1		2	1		ļ			ļ	•••••
•••••			3	1	1		2		2			1	<u></u>			
•••••			1 2	1	·····i		2		2			·····i				
					1			1								
14	11	19	22	33	43	49	47	27	24	9	3	1	1			
8 6	7	9 10	12 10	21 12	23 20	28 21	27 20	13 14	13 11	7	2		1			
13	11	18	21	32	42	49	47	27	24	9	3	1	1			
8 5	7	9	11 10	21 11	22 20	28 21	27 20	13 14	13 11	2 7	2	1	1			
7	7	12	13	15	21	20	22	16	13	7	2					
3	4	7	6	6	10	10	15	8	8	1	2	-				
<u>.</u> .	3 2	5 5	7	3	11 5	10 3 7	8	8	5 7	6	····i					
3 2	1	i	8 5	5 2 4	3	3	6 5	2 2 2	3	6	i					
1	1	1 1	. 3 1 1	i	2	1 4 2	1 2		1 1							
6	4	6	8	17	21	29	25	11	11	2	1	1	1			
5	3	2	5	15	12	18	12	5	5	1		1	1			
1	1	4	3	2	9	11	13	6	6	1	1					
1		1	1	1	1								' 			
1		i	ļ <u>.</u>	1	···········											
5	11	25	! 40	53	77	93	97	85	68	44	9	6		.		
4	3	14	26	32	37	50	58	45	32	17	2	3				
5	8	24	38	50	75	91	39 95	84	36	43	9	· ——				
	3	13	25	30	36	48	57	44	30	17	·	: 		i		
ī	6	îĩ	13	20	39	43	38	40	36	26	7	3				
4	6	17	27	28	46	62	62	45	45	29	6		·	ļ		
3 1	1 5	8	18	14	26	31 31	36 26	22 23	23 22	9 20 7	6	1 2		' ;		
2 i	4	4 7 3	10 5 5	6 9 4	10 14 6	17 16 10	21 15 9	22 23 14 11 5 7	23 22 13 15 2	12	4	2		 		
•••••	î	2 1	4 3	2	11	10	7 6	7 3	1 8	i	1					
1		·····-		3	i	5	4	5	6	7	1	······		i		
1	3	7		·		28	32	38	21	14	· 	·		·		
1	2	5 2	. 6	16 6	15 13	16 12	20 12	21 17	7 14	8	1	1				
	ļ	ļ	1		. 1	1	1	1	! ,•••••	· · · · · · · · · · · · · · · · · · ·	ļ				 	
	2	1	2	3	2	2	2	1	2	1	!	1	ļ			
	2	1	1 1	2	1	2	1 1	1	1	i						
	.	1	i	2	1	2	i	1	j 1		'					

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

							DEATH:	AT AGE O	r-			
	SEX, COLOB, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 2
-	CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—continued.											
	Cancer of the kidneys and suprarenals.		3									
	Total	467	7	8	20	9	6	50	22	4	8	
	Males	239	3	- 5	. 13	5	3	29	15	1	4	
	Females	228	4	3	7	4	3	21	7	3	4	
	White	452	6	8	20	9	6	49	21	4	8	
	Males	230 222	3 3	5 3	13 7	5 4	3	29 20	15 6	1 3	4	
ł	Native	324	6	7	20	9	6	48	21	4	5	
l										!		
	MalesFemales	156 168	3	3	13	5	3 3	28 20 13	15 6	1 3	2 3	
١	Both parents native $\left\{ egin{aligned} \mathbf{M} \dots \\ \mathbf{F} \dots \end{aligned} \right.$	86 96	3	3	7 3	3 2	3	14	7 3	1 2	1	
	One or both parents foreign $\{M, \dots, M\}$	55 50	3	1	6	2 2	3	15 6	7 3	······i	1 2	
	Parentage unknown $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	15 22							1			
	Foreign	126		1				1			3	
		72				-		1			2	
1	Males	54									î	
	UnknownM	2								[
	Colored	15	1		 			1	1	<u> </u>		
1	Name Of	9				 	<u> </u>					
l	Negro	6	1					i	1			•••••
ļ	Cancer of the prostate.			}						İ	·	
1	TotalM	716										
	White	701										
	Native	458	ļ	 								
	Both parents native	287										
	One or both parents foreign	· 86										
	Foreign	237							 	 		
1	Unknown	6						i				
1	Colored	15					ļ .	l				
	Negro	. 14										
١	Cancer of the bladder.	1										•••••
,	Total	915	1		i		1	3			2	
	Males	1	1		1		<u>-</u>	2			2	
	Females	267	ļ				1	í				
1	White	897	1		1		1	3			2	
.	Males	633	1		1			2			2	
	Females.	264					1	1				
1	Native	561	1		1		1	3			2	
	MalesFemales	386 175	1		1		·····i	2			2	
,	Both parents native. M	213									1	
,	One or both parents foreign $\begin{cases} F \\ F \end{cases}$	103	i		1		1	1 2				
İ	Parentage unknown M .	. 70									1	
	ν	1	h				i					
	Foreign	330				.'	ļ					
	MalesFemales	243 87				·· ···						
	Unknown	6	ļ					 				
١	Males					,	\ <u>\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \</u>	ļ				
	Females.	4 2				.;	.;					
	Colored	. 18	ľ				J					
	Males											
)	Females	. 3										
0 1 2	Females	3										

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

		г -	<u>, </u>		,		DEATHS A	AT AGE OF	-		,					Deaths at un-
5 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
9	14	21	28	36	43	55	38	49	38	28	12	5				ļ
4 5	5 9	11 10	16 12	19 17	22 21	31 24	19 19	19 30	19 19	14 14	5 7	2 3				
8	13	18	27	35	42	54	37	49	37	27	12	5				
3 5	4 9	10 8	15 12	18 17	21 21	30 24	18 19	19 30	19 18	14 13	5 7	2 3				
6	9	12	18	19	21	38	27	31	28	21	8	4	<u></u>			
2 4 1	3 6 2	6 6 3	10 8 7	10 9 4	9 12 5	17 21 6	14 13 9	10 21 9	12 16 6	9 12 7	3 5 3	2 2				
2	3 1	3	4	3 4	6 2 4	11 8 7	9	14 1 2	7 4 3	10 2	3	1				
1	2 1	3	4	4 2 2	2 2	7 3 3	4 2	5	3 2 6	1 1	! 1 ! 1	2 1				
2	4	6	9	16	20	15	10	18	9	6	4	1				
1 1	1 3	4 2	5 4	8 8	11 9	12 3	4 6	9	7 2	5 1	2 2	i				
. .					1	1			•••••						•••••	
1	1	3	1	1	1	1	1		1	1	<u></u>					
1	1	1 2	1	1	1	1	1		1	i						
	4	6	10	17	27	74	110	157	149	103	42	12	3		1	1
	4	6	9	17	26	73	107	156	145	100	42	11	3	•••••	1	1
	3	5	<u>6</u>	10	7 7 9	18		107	63	70 56	32 18	5				1
	2	2 2	3	3 1	9 1	18 7	18 11	16 26	8 15	10	3 11	i				
	1	1	3	7	9	29 1	35	47 2	57 2	29 1	10	5	3		1	
			1		1	1	3	1	4	3		1				
			1		1	1	3	1	4	3		i				
4	12	21	36	51	105	101	139	138	134	97	44	20	4			3
	8	12	19	27 24	78	75	104	102	103	68	30	13	2			3
4	12	20	17 35	49	101	26 99	35 139	136	130	29 96	44	20	<u>2</u>			2
4	8 4	11 9	19 16	26 23	74 27	74 25	104 35	100 36	99 31	67 29	30 14	13	2 2			2
4	8	16	25	28	60	65	80	88	84	56	24	13	3			2
4	7	10	13 12 4	12 16 7 6	42 18	47 18	60 20	58 30	66 18	38 18	17 7	8 5	2			2
3	1	7 4	8	7 6	18 20 8 17 7	47 18 17 10 21 5 9	20 32 8	58 30 35 18 12 7	44 13 10	38 18 25 14 2 2	12 5	5 3	2 1			1
i	6	2 2 1	8 2 1	4 8 1	7 5	5 9	19 11 9	12 7 11 5	1 12	11	5	3				1
	4		2 10	2 21	5 3 40	34	1	5 47	4	39	5 2 20	2 7	•••••••	••••••	•••••	
	$\frac{4}{1 \atop 3}$	1	6	14	31	27	42	41	45 33	29 10	13	5				
	3	3	4	7	9	7	15 2	6	12 1	10 1	7	2	1			
	<u>'</u>				1		2	1								
•••••			1	2	4	2		2	1	1						1
		<u>1</u>		1	4	; 1		2	4	1						1
		. 	1	1 1	4	Ĩ.		2	4							1

Table 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

							DEATH	S AT AGE () ;			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—continued.								,			
1	Cancer of the brain.	123		1		1		2	3	2		
2	Males .	66		1	1			2	3	1	8	3
3	Females.	57							i	i	6	2
4	White	120		1	. 1			2	3	2	8	4
5 6	MalesFemales	63 57		1	1	-	<u>-</u>	2	2	1	2 6	2 2
7	Native	84		1	1			2	3	2	7	4
8	Males	44		1	1			2	2	1	2	2
9 10	Females Both parents native	40 29		i	·····i			2	1	1	5 2	2
11	One or both parents foreign $\begin{cases} \mathbf{F} \\ \mathbf{M} \end{cases}$	21 12							1	1 1	3	1
12	Parentage unknown	15 3							· · · · · · · · · · · · · · · · · · ·		2	1
	\	4	······	······		·····	•••••					
13	Foreign	36		ļ							1	
14 15	Males	19 17									·····i	
16	Colored—NegroM.	3								 		1
	Cancer of the bones (ercept jaw).								l			
17	Total	448	2	4	2	4	2	14	14	15	27	20
18 19	Males Females	229 219	2	1 3	1 1	2 2	2	10	8	8 7	15 12	13 7
20	White	433	2	4	2	4	2	14	14	14	25	19
21	Males	220		1	1	. 2		4	8	7	15	13
22	Females	213	2	3	1	2	2	10	6	7	10	6
23	Native	311	2	4	2	4	2	14	13	13	24	17
24 25	Males Females.	160 151	2	1 3	1 1	2 2	2	10	7 6	6 7	15 9	11 6
2 6	Both parents native $\{^{M}_{\mathbf{F}}$.	92 93	i	1 2		1 1	2	2 6	3 5	5	8 5	6
27	One or both parents foreign $\binom{M}{F}$	49 45	i	·····i	1	1 1		2 4	4	1 2	7	4 2
28	Parentage unknown $\left\{ egin{align*} M. \\ F. \end{array} \right.$	19 13	••••				.	•••••	1	i		1
29	Foreign	116						ļi		1	1	2
30	Males	56						 ,		1		2
31	Females.	60	· • • • • • • • • • • • • • • • • • • •	•••••	· · · · · • · · · · ·		• • • • • • • • • • • • • • • • • • • •				1	•••••
32	Unknown.	6				•••••	•••••	·····	1			
33 34	Males Females.	4 2				· · · · · · · · · · · · · · · · · · ·	• • • • • • • •		1		• • • • • • • • • • • • • • • • • • •	
35	Colored	15								1	2	1
36	Negro	9								1		
•	,	6	···•···	· · · · · · · · · · · ·	•••••	• • • • • • • • •	•••••	••••••		••••••••	2	1
37	Cancer of the testes. Total	111	.		1		1	2		3	2	10
38	White M	111			<u>-</u>			2		3	2	10
39	Native. M	84	••••		1		1	2		3	1	9
60		52						1		2		5
41 42	Both parents native	30		• • • • • • • • • • • • • • • • • • •			1	î !		ī		4
13	Foreign	25									. 1	1
44	Unknown	2			· · · · · · · · · · · ·							
	Others of this class.											
45	Total	3, 196	16	12	18	14	10	70	30	25	53	51
46 47	Males	1,784 1,412	10	6 6	9	5	6	38	14 16	13 12	24 29	36 15
48	White	3, 104	16	11	17	13	9	66	29	22	50	50
49	Males	1,736	10	5 6	8 9	8	4 5	36 30	14 15	11	24	35 15

							DEATHS A	T AGE OF-	-							Deaths
to 29 years.	30 to 34 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
8	10	12	10	17	16	13	5	9	3							
3 5	7 3	4 8	7 3	11 6	10 6	7 6	2 3	5 4	3							
8	10	11	10	17	16	12	5	9	3							
3 5	7 3	3 8	. 7	11 6	10 6	6 6	2 3	5 4	3			,				
6	7	7	9	9	10	10	4	3	1							
3	5 2	2 5	7 2	4 5	5 5	5 5	2 2	2 1	i							
3	2 2 2	2 1	3	3	4 2 1	4 2 1	2 1	1								
i	1	3	1	1 1	3	2	1	1								
•••••		1		1		1			1							
2	3 2	4	1	7	5	1	1	3	2						·····	
2	ī	1 3	1	i	ĭ	i	1	3	2							
••••••		1		• • • • • • • • • • • • • • • • • • • •		1		•••••			• • • • • • • • • • • • • • • • • • • •					
19	19	15	34	28	47	41	41	45	40	17	8	1	2			1
10	10	9	17 17	10 18	22 25	24 17	20 21	27 18	· 21	6 11	3 5	1				1
19	17	14	33	28	47	40	39	45	38	15	8	1	2			1
10	. 9	8 6	16 17	10 18	22 25	23 17	19 20	27 18	19 19	5 10	3 5	1	2			1
15	13	10	22	15	29	27	26	27	28	11	4	1	2			
8 7	7 6	5 5	11	.5	15 14	16 11	13	15	15	4 7	2 2	1	2			
6	3 4	5 3	11 6 3	10 2 5 1	8 7	9	13 8 7	15 12 7 9 5	13 11 10	2 7	2	1	1			
2 2	3 2	2	3 4 7	1 5 2	6 5	4 5	5 3	2	• • • • • • • • • • • • • • • • • • • •		1		••••••			
••••••	1	•••••	1	2	1 2	3	3	3 1	3	2	1		1			••••••
4	3	4	11	12	18	11	13	18	10	4	4					
2 2	1 2	3	5 6	5 7	7 11	6 5	6 7	12 6	4 6	3	1 3		•••••			•••••
<u></u>	1			1		2				<u></u>					! 	1
•••••	1			·····i		1	•••••									1
	2	1	1			1	2		2	2					<u></u>	
	1	1	1			1	1		2	1						
10	١,	١.,	٠.,	١.,	_			_	_							
10	9	13	12	13	5	5	6	7	7		3					
9	9	11	10	12		4	3	3	3	1	1					
5 4	5 4	6 5	7 3	7 5	2	4	2 1	2 1	2	1						
•••••	-				1				i		*					i I
1	ļ	2	2	1	2	1	3	4	3	3	1					
, 52	76	108	191	234	330	364	363	391	363	221	183	72	14	4		
36	46	60	92	131	168	204	205	224	222	113	108	38	9	3		1
16 51	73	103	185	103	162 320	160 354	158 353	167 380	357	108	75 181	71	5 14	1 4		1
35 16						199	198 155		219	113	107 74	38	9 5	l		-

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

							DEATH	S AT AGE	o r—			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—continued.											
	Others of this class—Continued.											1
1	White—Continued. Native	2,018	16	11	17	13	9	66	28	20	45	43
2	Males	1, 092 926 596	10	.5	8 9	9	4 5	36 30	14 14	10 10	21 24	30 13
4	Both parents native $\left\{ egin{aligned} \mathbf{M} \\ \mathbf{F} \end{aligned} \right.$	553	1	6	5 6	2	3	22 18	8	5 5	12 17	16 8
5	One or both parents foreign $\dots {M \cdot K}$	323 256	5 5	4	2 3	1 2	1 2	13 12	5 6	5 5	9 7	13 5
6	Parentage unknown $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$	173 117			i			1				ĭ
7	Foreign	1,046		.		· · · · · · · · · · · · ·			1	2	4	7
8	Males	620 426							1	1	3	5 2
0	Unknown	40									1	• • • • • • • • • • • • • • • • • • • •
1 2	Males Females	24 16									····i	
3	Colored	92		1	1	1	1	4	1	3	3	1
4 5	Males	48 44		1	1	i	1	2 2	i	2 1	3	1
6	Negro	44 43		1		i	1	2 2		1	3	1
7	Indian	1				•••••				ī ļ		
8	Chinese	3							,			

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

							DEATHS A	AT AGE OF	-				•	٠		Deaths at un-
25 to 29 years.	80 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.		55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.
35	53	71	120	145	211	231	205	230	210	141	107	42	12	2		1
21 14 11 6 9 6	30 23 15 15 13 8	40 31 24 17 12 10	52 68 21 34 27 29	78 67 35 39 33 24 10	101 110 50 55 43 43 8	131 100 64 52 51 32	112 93 63 60 29 24 20	123 107 73 74 27 18 23 15	129 81 76 48 18 15 35	68 73 42 54 6 6 20	63 44 37 29 7 4	24 18 14 11 3 2	7 5 5 5 3	2		1
2 16	18	31	5 64	74	12	16 119	144	15 143	18 143	13 73	11 71	28	2 2	2	 	1
14 2	11 7	15 16	38 26	45 29	59 45	67 52	83 61	89 54	89 54	43 30	41 30	14 14	2	1 1		
• • • • • • • • • • • • • • • • • • • •	2	1	1	3	5	4	4	7	4	4	3	1				
	2	1	1	2	4 1	1 3	3 1	4 3	1 3	2 2	3	i				
1	3	5	6	12	10	10	10	11	6	3	2	1			;	
1	3	1 4 1	1 5 1 5	6 6 6	6 4 6	5 5 4 5	7 3 5 3	8 3 8 3	3 3 3 3	3	1 1 1 1	i i				
••••••						i i	2									

35030°—16——14

TABLE 5.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, IN THE REGISTRATION STATES, OF SINGLE, MARRIED, WIDOWED, AND DIVORCED PERSONS, AND OF THOSE OF UNKNOWN CONJUGAL CONDITION, BY SEX, AGE, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914.

) !					DI	EATHS AT	AGE OF							Desti
SEX, COLOR, AND NATIVITY.	All deaths.	Under 25 years.	25 to 84 years.	25 to 29 years.				55 to 59 years.				75 to 79 years.		85 to 89 years.	90 years and over.	at un
SINGLE.																
Total	5, 572	736	361	2:0	371	514	672	603	603	481	424	285	132	40	24	
MalesFemales	2,570 3,002	402 334	192 169	125 164	150 221	228 316	290 382	273 330	305 298	227 254	203 221	104 181	51 81	11 29	8 16	
White	5, 405	707	338	270	361	531	657	586	584	470	421	2×2	129	40	22	
MalesFemales	2, 494 2, 911	389 518	186 152	115 155	145 216	221 310	284 373	27 0 316	288 296	221 219	202 219	104 178	50 79	11 29	7 15	
Native	3,794	637	241	196	260	366	446	410	392	278	264	176	76	32	16	<u> </u>
MalesFemales	1,537 2,257 712	316 291 193	125 116 60	70 126	84 176	125 241	162 284 58	160 250 60	165 227 78	110 168 59	104 160	49 127 31	26 50 16	7 25 5	12 3	
Both parents native $\left\{\begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix}\right\}$	1, 203 595	167 142	61 59	29 63 31	35 79 42	38 116	143 72	118	134 49	114 26	47 116 19	88 3	34 2	17	10	
One or both parents $\{F : Y : F \}$	830 230	117 11	51 6	58 10	88	73 109 14	126	77 115	78 38	29 25	28 38	19 15	7 8	3 2	1 1	
Parentage unknown. $\{F\}$	164	7	4	5	9	16	32 15	23 17	15	25	16	20	9	5	1	
Foreign	1,505	67	92	68		160	197	166	178	177	147	98	48	4	5	
Males Females	890 615	41 26	58 34	40 28		92 68	112 85	102 64	114 64	103 74	93 54	50 48	21 27	3 1	3 2	
Unknown	106	3	5	6	4	5	14	10	14	15	10	8	5	4	1	
Males Females	67 39	1	3 2	5 1	3	1	10	8 2	9 5	8 7	5 5	5 3	3 2	1 3	i	
Colored	167	29	23	19	10	13	15	17	19	11	3	3	3		2	
Males Females	76 91			10	5 5		6	3	2	6	1 2	3			1 1	
% ()	60 89 3	11 15 1	17	9	5	6	9	14 14		6	2	3	1 2		1	
Indian	2					······i	1	i		1	i				•••••	
Chinece																
(F)	2			· · · · · i							!			·		
Japanese	2	1		1	1		1									
Japanese	2	1		1			1									
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	•••••	78	1.010	1.424			1								20	
Japanese	27,711	` !		1, 424	1	3,017 1,001	1							152		3
Japanese	27,711 12,770 14,941	78	1,010 266 744	1, 424	2, 284 643	3.017 1.001 2.016	3,894	4.031 1.842 2.189	3.839	3,490	2.568 1.586	1,373	561 416	152	20	3
Japanese. M F Other colored. M F MARRIED. Total Males Females.	27,711 12,770 14,941 26,917	78 20 58	1,010 266 744	1. 424 352 1.072	2, 284 643 1, 641	3.017 1.001 2.016	3, 824 1, 548 2, 276	4.031 1.842 2.189	3. \$39 2.018 1. \$21	3,490 1,995 1,495	2.568 1.586 982	1,373 921 452	561 416 145	152 129 23	20 22 7	3 1 2 2
Japanese	27,711 12,770 14,941 26,917 12,503 14,414	78 20 58 71	1,010 266 744 952 258	1, 424 352 1,072 1,329 339 990	2, 284 643 1, 641 2, 186	3.017 1.001 2.016 2.895	3,824 1,548 2,276 3,706	4.031 1.842 2.189 3.938 1.796	3.839 2.018 1.821 3.764	3, 490 1, 995 1, 495 3, 425 1, 959	2.568 1.586 982 2.535 1.567	1.373 921 452 1.350	561 416 145 557	152 129 23 151	29 22 7 29	3 1 2 2 2
Japanese	27,711 12,770 14,941 26,917 12,503 14,414 16,832	78 20 38 71 19 52 56	1,010 266 744 952 258 694 674	1. 424 352 1. 072 1. 329 339 990 901	2,284 643 1.641 2,1%6 620 1,566 1,434	3.017 1.001 2.016 2.895 970 1.925 1.798	3,824 1,548 2,276 3,706 1,501 2,205 2,261	4.031 1.842 2.199 3.938 1.798 2.140 2.499	3.839 2.013 1.821 3.764 1.988 1.776 2.289	3, 490 1, 995 1, 495 3, 425 1, 959 1, 466 2, 068 1, 106	2,568 1,586 982 2,535 1,567 968 1,554	1,373 921 452 1,350 909 441 809	561 416 115 557 413 144 350 253	152 129 23 151 129 22	29 22 7 29 22 7 21 17 4	3 1 2 2 1 1 1
Japanese	27,711 12,770 14,941 26,917 12,503 14,414 16,832	78 200 58 71 19 52 56 17 39 12	1,010 266 744 952 258 694 674 171 573 101	1, 424 352 1,072 1,329 339 990 901 197 704 110	2, 284 643 1, 641 2, 186 630 1, 566 1, 434 347 1, 087 180	3,017 1,001 2,016 2,395 970 1,925 1,798 485 1,313 242	3,824 1,548 2,276 3,706 1,501 2,205 2,261 789 1,472 414	1,542 2,189 3,938 1,798 2,140 2,499 1,028 1,471 506	3.839 2.013 1.821 3.764 1.988 1.776 2.289	3,490 1,995 1,495 3,425 1,466 2,068 1,166 962 705	2,568 1,566 982 2,535 1,567 968 1,554 930 624 574	1,373 921 452 1,330 909 441 809 522 285 347	561 416 145 557 413 144 350 253 97	152 129 23 151 129 22 97	29 22 7 29 22 7 21 17	3 1 2 2 1 1
Japanese. M. F. Other colored M. F. MARRIED. Total Males Females White Males Females Native Males Females Native Males Females Native Males Females Native Males Females Native Males Females Native Males Females Native Males Females Roth parents native . F. One or both parents F.	27,711 12,770 14,941 26,917 12,503 14,414 16,832	78 20 58 71 19 52 56	1,010 266 744 952 258 694 674 171 970 101 101 101 101 101 101	1,424 352 1,072 1,329 339 990 901	2, 284 643 1, 641 2, 186 620 1, 566 1, 434 347 1, 087 180 580 188 401	3.017 1.001 2.016 2.395 1.925 1.798 485 1.313 242 720 139	3,824 1,548 2,276 3,706 1,501 2,205 2,261	4.031 1.842 2.199 3.938 1.798 2.140 2.499 1.028 1.471 506 803 349	3.839 2.013 1.821 3.764 1.988 1.776 2.289 1.102 1.197 634 745 747 273	3, 490 1, 995 1, 495 3, 425 1, 959 1, 466 2, 068 1, 106 962 705 632 197 153	2.568 1.586 982 2.535 1.567 968 1.554 930 634 574 449 127 99	1,373 921 452 1,350 909 441 809 522 257 347 154 62 57	561 416 145 557 413 144 350 253 97 155 70 29	152 129 23 151 129 22 97 85 12 56 5	29 22 7 29 22 7 21 17 4 12	3 1 2 2 1 1 2
Japanese. M. F. Other colored M. F. MARRIED. Total Males Females White Males Females Native Males Females Native Males Females Native Males Females Native Males Females Native Males Females	27, 711 12, 770 14, 941 26, 917 12, 503 14, 414 16, 832 7, 058 9, 774 4, 050 5, 618 1, 862	78 20 58 71 19 52 56 17 39 12 21 25	1,010 266 744 952 258 694 674 171 973 101 209 60	1, 424 352 1,072 1,329 339 990 901 197 704 110 350 71	2, 284 643 1, 641 2, 186 620 1, 566 1, 434 347 1, 087 190 580	3.017 1.001 2.016 2.895 970 1.925 1.796 485 1.313 242 720	3,894 1,548 2,276 3,706 1,501 2,205 2,261 789 1,472 414 738	1,842 2,189 3,938 1,798 2,140 2,499 1,023 1,471 506 833	3.839 2.013 1.521 3.764 1.988 1.776 2.289 1.102 1.187 634 7257	3. 490 1. 995 1. 495 3. 425 1. 959 1, 466 2. 068 1. 106 962 705 632 197	2.568 1.586 922 2.535 1.567 968 1.554 930 634 449 127	1.373 921 452 1.350 909 441 809 522 257 347 154	561 416 145 557 413 144 350 253 97	152 129 23 151 129 22 97 85 12 56 5	29 22 7 29 21 1 1 1 1 1 1 1 1	2 2 2 1 1 2
Japanese. M. F. Other colored M. F. MARRIED. Total Males Females White Males Females Native Males Females Native Males Females Native Males Females Native Males Females Native Males Females Roth parents native . F. One or both parents F.	27, 711 12, 770 14, 941 26, 917 12, 503 14, 414 16, 532 7, 058 9, 774 4, 050 5, 618 1, 962 2, 781 1, 146	78 200 58 71 19 52 56 17 39 12 21 5 12	1,010 266 744 952 258 694 674 171 299 60 165	1,424 352 1,072 1,329 339 990 901 197 704 110 350 71 237 16	2, 284 643 1, 641 2, 186 620 1, 566 1, 434 1, 087 1	3.017 1.001 2.016 2.895 970 1.925 1.798 485 1.313 242 2720 189 435 54	3,894 1,548 2,276 3,706 1,501 2,205 2,261 789 1,472 414 758 299 515 76	4.031 1.842 2.159 3.938 1.756 2.149 1.028 1.471 1.471 1.506 823 389 445 133	3.539 2.015 1.521 1.988 1.776 2.299 1.102 1.197 227 227 213 119	3, 490 1, 995 1, 495 3, 425 1, 466 2, 068 1, 106 962 705 632 197 153 204 177	2,568 1,586 982 2,535 1,557 968 1,554 930 624 571 409 929	1,373 921 452 1,350 909 441 809 522 257 347 154 62 37 113	561 416 145 557 413 144 350 233 97 155 70 29 5	152 129 23 151 129 22 97 85 12 56 5 6	29 22 7 21 1 1 1 1 4	2 2 2 1 1 2
Japanese. M. F. Other colored M. F. MARRIED. Total Males. Females. White. Males. Females. Native. Males. Females. Native. Males. Females. Native. Males. Females. Native. Males. Females. Native. M. Females. Parentage uninown M. F.	27,711 12,770 14,941 26,917 12,509 14,414 16,532 7,058 9,774 4,050 5,618 1,962 2,781 1,146 5,375 9,956	78 20 58 71 19 52 56 17 39 12 21 5 12	1,010 266 744 952 258 694 674 171 573 101 229 60 165 170 170 170 170 170 170 170 170	1,424 352 1,072 1,329 339 990 901 197 704 110 350 711 287 16 87	2, 284 643 1, 641 2, 186 620 1, 566 1, 434 347 1,067 1,90 1,50 1,50 1,50 1,50 1,50 1,50 1,50 1,5	3.017 1.001 2.016 2.895 1.925 1.798 485 1.313 242 720 1.99 435 54 1.55	3,824 1,548 2,276 3,706 1,501 2,205 2,261 789 1,472 414 789 515 76 199	4.031 1.842 2.199 3.938 1.758 2.140 2.499 1.025 1.471 506 539 445 133 203	3. \$39 2.013 1. \$21 1.988 1.776 2.289 1.187 273 273 191 1.99	3, 490 1, 995 1, 495 3, 425 1, 466 2, 068 1, 106 962 705 632 197 153 204 177	2, 568 1, 556 982 2, 535 1, 567 968 1, 554 930 624 574 409 127 99 229 116	1.373 921 452 1.350 909 441 809 522 257 341 62 37 113 66	561 416 145 557 413 144 350 253 97 153 99 5 60 22 202	152 129 23 151 129 97 85 12 56 6 223 5	29 27 7 29 1 27 1 1 1 1 1 1 4 2 2	2 2 1 1 2 2
Japanese. M. F. Other colored. M. F. MARRIED. Total. Males. Females. White. Males. Females. Native. Males. Females. Note or both parents foreign. Parentage uninown. F. Foreign. Males.	27,711 12,770 14,941 26,917 12,509 14,414 16,532 7,058 9,774 4,050 5,618 1,962 2,781 1,146 5,375 9,956	78 20 55 71 19 52 56 17 39 12 21 12 3	1,010 266 744 952 258 694 674 101 299 60 165 105 39	1.424 352 1.072 1.329 930 990 991 197 794 110 350 71 16 57 422	2.284 643 1.641 2.186 620 1.566 1.434 347 1.067 1.90 580 1.06 1.28 401 2.9 1.06 7.37	3.017 1.001 2.016 2.895 970 1.925 1.798 485 1.313 2422 720 189 435 1.58 1.086	3,894 1,548 2,276 3,706 1,501 2,205 2,261 789 1,472 414 755 155 76 199 1,429	4.031 1.842 2.159 3.938 1.756 2.149 1.028 1.471 5.06 833 389 445 133 203 1.419	3.839 2.018 1.821 1.988 1.776 2.299 1.102 1.187 2.73 1.187 2.73 1.189 1.459	3,490 1,995 1,495 3,425 1,999 1,466 2,068 1,106 962 705 632 197 153 34 177 1,342	2, 568 1, 586 982 2, 535 1, 567 968 1, 554 930 624 4027 999 229 2116 969	1,373 921 452 1,350 909 441 809 522 257 347 153 66 533	561 416 145 557 413 144 350 253 97 153 170 29 5 60 22 202	152 129 23 151 129 22 97 85 12 56 5 6 2 2 3 5 5	29 22 7 29 22 7 21 17 4 12 1 1 1 4 2 8 8	2 2 1 1 2 2
Japanese. M. F. Other colored. M. F. MARRIED. Total. Males. Females. White. Males. Females. Native. Males. Females. M. F. One or both parents foreign. Parentage uninown F. Foreign. Males. Females.	27,711 12,770 14,941 26,917 12,503 14,414 16,832 7,088 9,774 4,050 1,146 1,375 9,956	78 20 58 71 19 52 56 17 19 52 12 21 13 14	1,010 266 744 952 258 694 674 171 101 299 600 160 39 276	1.424 3.52 1.072 1.329 9.90 9.01 197 704 110 3.50 71 287 142 140 253	2.284 643 1.641 2.186 620 1.566 1.434 347 1.087	3.017 1.001 2.016 2.895 1.995 1.798 485 1.313 2420 189 435 435 1.586 1.086	3, 824 1, 548 2, 276 3, 706 1, 501 2, 205 2, 261 789 1, 472 414 725 704 725 16 8	4.031 1.842 2.199 3.938 1.756 2.140 2.499 1.028 1.471 506 539 445 133 203 1.419 762 657	3.839 2.018 1.521 3.764 1.988 1.176 2.289 1.102 1.105 1.197 2.17 2.17 2.17 2.17 2.17 2.17 2.17 2.1	3,490 1,995 1,495 3,425 1,999 1,466 2,068 1,106 962 705 632 197 153 34 177 1,342	2,568 1,566 982 2,535 1,567 968 1,554 930 624 574 949 127 999 116 969	1.373 921 452 1.350 909 441 809 522 287 347 162 57 113 66 535 333	561 416 145 557 413 144 350 253 97 155 60 29 50 22 203	152 129 23 151 129 22 97 85 12 56 6 6 2 23 5 5 5 43	29 22 7 29 22 7 21 17 4 12 1 1 1 4 2 8 8	3 1 2 2 1 1 2
Japanese. M. F. Other colored M. F. MARRIED. Total. Males. Females. White. Males. Females. Native. Males. Females. Native. Males. Females. Roth parents native. M. F. One or both parents F. Arreign. Parentage uni nown F. Foreign. Males. Females. Unknown. Males.	27, 711 12, 770 14, 941 26, 917 12, 500 14, 414 16, 532 7, 058 9, 774 4, 050 5, 618 1, 962 2, 781 1, 146 1, 375 9, 956 5, 139 1, 1969 5, 1969 1, 1979	78 20 55 71 19 52 56 17 39 12 21 5 12 14	1,010 266 744 952 258 694 674 171 573 101 229 60 165 165 179 276	1.424 3.52 1.072 1.329 930 901 197 704 110 350 71 287 422 140 223 6	2. 284 643 1.641 2. 186 620 1. 566 1. 434 347 1.067 190 580 106 737 271 466 15	3.017 1.001 2.016 2.895 970 1.925 1.798 485 1.313 242 720 435 1.586 479 607 11	3, 824 1, 548 2, 276 3, 706 1, 501 2, 205 2, 261 789 1, 472 414 725 704 725 16 8	4.031 1.542 2.159 3.938 1.756 2.140 2.499 1.025 1.477 506 \$23 203 1.419 762 657 20	3.839 2.018 1.821 3.764 1.988 1.776 2.289 1.102 1.102 1.103	3, 490 1, 995 1, 495 3, 425 1, 959 1, 466 2, 068 1, 106 962 705 632 197 133 914 177 1, 342 495 15	2, 568 1, 586 982 2, 535 1, 567 968 1, 554 930 634 409 129 116 969 630 339 12	1,373 921 452 1,350 909 441 809 522 287 164 66 535 353 152 6	561 416 145 557 413 144 350 253 97 15 5 60 22 202	152 129 23 151 129 97 85 12 56 6 6 2 23 5 5 43 9	29 22 7 29 22 1 17 4 12 1 1 1 4 2 8 8 5 3	2 2 1 1 2 2
Japanese. M. F. Other colored. M. F. MARRIED. Total. Males. Females. White. Males. Females. Native. Males. Females. M. Females. Note or both parents foreign. Parentage uninown. F. Foreign. Males. Females. Unknown. Males. Females.	27, 711 12, 770 14, 941 26, 917 12, 503 14, 414 16, 832 7, 68, 9, 774 4, 630 1, 94, 64, 650 1, 94,	78 20 55 21 19 52 56 17 21 21 21 21 21 21 11	1.010 266 744 952 258 694 674 171 101 299 60 165 10 276 276 276 28 55	1.424 3.52 1.072 1.329 990 990 991 197 794 110 350 71 267 422 140 253	2.284 643 1.641 2.186 620 1.566 1.434 347 1.087	3.017 1.001 2.016 2.895 970 1.925 1.798 485 1.312 720 435 435 1.58 1.086 479 607	3,824 1,548 2,276 3,706 1,501 2,205 2,261 789 1,472 414 725 76 199 1,429 74 775 16	1.4031 1.842 2.199 3.938 1.756 2.140 2.499 1.028 1.471 503 389 445 133 203 1.419 762 657 93 449	3. \$39 2.013 1. \$21 3.764 1.988 1.776 2.289 1.102 1.187 247 247 247 247 247 247 247 247 247 24	3, 490 1, 995 1, 495 3, 425 1, 959 1, 466 2, 068 1, 106 902 197 153 204 177 1, 342 15 6 9 65 36 36 96 97 97 97 98 97 98 98 98	2.568 1.586 982 2.535 1.567 968 1.554 930 634 4027 999 229 2116 969 630 339 12	1.373 921 452 1.350 909 441 809 522 257 347 113 66 533 333 152 6	561 416 145 557 413 144 350 253 97 153 153 153 153 202 202 202	152 129 23 151 129 22 97 85 12 56 6 5 6 2 2 2 3 3 9	29 22 7 29 22 1 17 4 12 1 1 1 4 2 8 8 5 3	1 2 2 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1
Japanese. M. F. Other colored. M. F. MARRIED. Total. Males. Females. White. Males. Females. Native. Males. Females. Native. Males. Females. Roth parents native. M. F. foreign. Parentage un. nown. M. F. Foreign. Males. Females. Unknown. Males. Females. Unknown. Males. Females. Unknown. Males. Females. Native. Males. Females. Native. Males. Females. Native. Males. Females. Native. Males. Females. Native. Males. Females. Native. Males. Females.	27, 711 12, 770 14, 941 26, 917 12, 503 14, 414 16, 832 7, 68, 9, 774 4, 630 1, 94, 64, 650 1, 94,	78 20 55 27 19 52 56 17 39 12 21 5 12 14 2 12 1 1	1,010 266 744 952 258 694 674 171 570 101 299 60 165 100 276 276 276 28	1.424 3.52 1.072 1.329 930 930 991 197 701 110 380 71 16 77 140 222 422 4 95	2.284 643 1.641 2.186 620 1.566 1.434 347 1.067 1.38 401 2.186 6737 466 15	3.017 1.001 2.016 2.395 970 1.925 1.798 435 1.313 2422 720 435 54 11.086 479 607 11 6 5	3, 894 1, 548 2, 276 3, 706 1, 501 2, 205 2, 261 789 1, 472 474 755 76 199 1, 429 704 725 16 8 8 115	4.031 1.542 2.189 3.938 1.798 2.140 2.499 1.028 1.471 506 823 3415 133 203 1.419 762 657 20 83	3.839 2.013 1.821 3.764 1.988 1.776 2.289 1.102 1.103 1.157 273 151 159 1.459 15 15 15 30 45 244	3, 490 1, 995 1, 495 3, 425 1, 959 1, 466 2, 068 1, 106 962 705 632 117 1, 1342 547 495 15 6 9 65	2.568 1.586 982 2.535 1.567 968 1.554 930 634 409 229 630 339 12 7 5 33	1.373 921 452 1.330 909 441 809 522 237 154 62 535 66 535 333 152 6 4 2 23	561 416 145 557 413 144 350 253 97 153 70 29 5 60 22 202 156 46 5	152 129 23 151 129 22 97 85 12 56 2 2 3 5 5 5 2 2 3 1 1 1	29 22 7 29 22 7 21 17 4 12 1 1 1 4 2 2 8 5 3	2 2 2 1 1 1 2 2 2 1 1 1 1 1 1 1 1 1 1 1
Japanese. M. F. Other colored M. F. MARRIED. Total Males Females White Males Females Native Males Females Native Males Females Roth parents native M. F. foreign Parentage uninown F. Foreign Males Females Unknown Males Females Unknown Males Females Unknown Males Females Native Males Females Unknown Males Females Negro Males Females Negro Males Females	27, 711 12, 770 14, 941 26, 917 12, 503 14, 414 16, 532 7, 658 9, 774 4, 650 1, 561 1, 562 2, 781 1, 146 4, 570 1, 570 794 59 70 794 567 557 9, 91 514 26	78 20 55 27 19 52 56 17 39 12 21 5 12 14 2 12 1 1 6 6 6 6	1,010 266 744 952 258 694 674 171 171 190 105 299 600 105 276 \$7 1:90 2 2 58 50 50 48	1.424 3.52 1.072 1.329 900 901 197 701 100 380 71 140 242 422 4 95 13 79	2, 284 643 1, 643 1, 566 1, 566 1, 434 347 1, 067 190 106 737 211 266 15 23 75 23 75	3.017 1.001 2.016 2.305 970 1.925 1.798 485 1.313 2422 720 145 54 155 1.086 479 607 111 6 5 122 31 91 29	3, 824 1, 548 2, 276 3, 706 1, 501 2, 205 2, 261 789 1, 472 414 725 16 \$ \$ \$ 115 47 714 715	1, 542 2, 189 3, 938 1, 798 2, 140 2, 499 1, 028 1, 671 833 339 445 133 233 1, 419 657 87 87 87 87 87 87 87 87 87 87 87 87 87	3.839 2.018 1.821 3.764 1.988 1.776 2.289 1.102 1.103	3, 490 1, 995 1, 495 3, 425 1, 959 1, 466 2, 068 1, 106 962 705 632 197 133 91 177 1, 342 495 15 66 99 65 36 29 34	2.568 1.586 982 2.535 1.567 968 1.554 930 624 409 229 116 969 630 339 12 7 5 33 19 14 19 13	1.373 921 452 1.330 909 441 809 522 237 134 66 535 333 132 66 4 2 23 11 11 11	561 416 145 557 413 144 350 253 97 155 60 22 202 156 46 4 1	152 129 23 151 129 22 97 85 12 56 6 2 2 2 3 4 3 9 2 1 1	29 22 7 29 22 7 21 17 4 12 1 1 1 4 2 8	3 1 2 2 1 1 1 2
Japanese. M. F. Other colored. M. F. MARRIED. Total. Males. Females. White. Males. Females. Native. Males. Females. Native. Males. Females. Roth parents native. M. F. foreign. Parentage un. nown. M. F. Foreign. Males. Females. Unknown. Males. Females. Unknown. Males. Females. Unknown. Males. Females. Native. Males. Females. Native. Males. Females. Native. Males. Females. Native. Males. Females. Native. Males. Females. Native. Males. Females.	27, 711 12, 770 14, 941 26, 917 12, 503 14, 414 16, 532 7, 658 9, 774 4, 650 1, 561 1, 562 2, 781 1, 146 4, 570 1,	78 20 58 71 19 52 56 17 39 12 2 14 2 12 1 1 6	1,010 266 744 952 258 694 674 171 171 190 105 299 600 105 276 \$7 1:90 2 2 58 50 50 48	1.424 3.52 1.072 1.329 9.90 9.01 197 704 110 3.50 57 1422 140 2.57 4.22 4.23 6.6 9.5 13.3 9.5 11.7 9.5	2, 284 643 1, 643 1, 643 1, 566 1, 434 347 1,067 1,90 106 73; 271 466 15 2 13 96 23 77 227 75	3.017 1.001 2.016 2.895 1.925 1.798 485 1.313 2422 720 1.995 4455 1.086 479 607 11 65 122 31 91 27 27 27	3.824 1.548 2.276 3.706 1.501 2.205 2.261 789 1.472 414 725 76 1.509 74 725 16 \$ \$ \$ 118	4.031 1.842 2.199 3.938 1.798 2.140 2.499 1.028 1.471 506 503 349 1.419 762 657 20 93 41 41 41 47 23	3.839 2.018 1.821 3.764 1.988 1.776 2.289 1.102 1.103 1.103 1.103 1.103 1.105	3, 490 1, 995 1, 495 3, 425 1, 959 1, 466 2, 068 1, 106 962 705 632 1177 1, 334 1177 1, 342 495 15 6 9 65 36 29 34 28 11	2.568 1.586 982 2.535 1.567 968 1.554 930 634 409 127 5 33 19 14 19 13	1.373 921 452 1.350 909 441 809 522 237 154 62 535 66 535 3*3 152 6 4 2 23 111 112 11	561 416 145 557 413 144 350 253 97 155 60 22 202 156 46 5	152 129 23 151 129 22 97 85 12 56 5 5 5 5 2 2 3 3 1 1 1	29 22 7 29 22 7 21 17 4 12 1 1 1 4 2 8	2 2 2 1 1 1 2 2 2 1 1 1 1 1 1 1 1 1 1 1

Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

TABLE 5.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, IN THE REGISTRATION STATES, OF SINGLE, MARRIED, WIDOWED, AND DIVORCED PERSONS, AND OF THOSE OF UNKNOWN CONJUGAL CONDITION, BY SEX, AGE, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

,							DI	ATHS AT	P AGE OI	'						Death
SEX, COLOB, AND NATIVITY.	All deaths.	Under 25 years.	25 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.		70 to 74 years.		80 to 84 years.	85 to 89 years.	90 years and over.	at un-
WIDOWED.	10.000			100	270	400					0.400			***		
Total	13,893	5	38	123	258	488	896	1,325	1,775	2, 242	2,469	2,081	1,398	5%5	202	
MalesFemales	3, 698 10, 195	1 4	4 34	14 109	44 214	85 403	172 724	303 1,022	413 1,362	615 1,627	738 1,731	598 1,483	448 950	189 396	71 131	
White	13, 452	5		108	235	444	827	1,278	1,705	2, 191	2, 422	2,047	1,381	575	198	
Males Females	3,630 9,822	1 4	4 25	12 96	42 193	79 365	164 663	296 982	399 1,306	609 1,582	725 1,697	592 1,455	447 934	188 387	70 128	
Native	8,066	3	23	69	155	256	503	782	992	1,239	1,415	1,251	877	366	131	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2,026 6,040 1,139	1 2 1	3 20	6 63 4	28 127 11	34 222 14 99	79 424 37	165 617 65	220 772 109	319 920 170	397 1,018 254 671	342 909 206	269 608 164 394	119 247 72	43 88 31	1
(3,609 396	1	13	33	62 15	99 14	188 31	321 74	415 73	573 60	671 48	622 39	394 28	161 9	53 1	
One or both parents ${\mathbf{F} \\ \mathbf{F}}$ foreign. Parentage unknown . ${\mathbf{F} \\ \mathbf{F}}$	1,269 491	` 1	4	27 1 3	48 2 17	93 6 30	173 11 63	204 26 92	73 212 38 145	172 89 175	140 95 207	102 97 185	28 62 77 152	23 38 63	8 11 27	
Foreign	1,162 5,266	2	5	38	78	185	314	485	696	928	992	774	496	206	65	
MalesFemales	1,549 3,717	2	5	6 32	13 65	42 143	78 236	126 359	174 522	277 651	320 672	244 530	174 322	68 138	27 38	
Unknown	120		1	1	2	3	10	11	17	24	15	22	8	3	2	
MalesFemales	55 65		1	1	1 1	3	7 3	5 6	5 12	13 11	8 7	6 16	4	1 2	2	
Colared	441	 	9	15	23	44	69	47	70	51	47	34	17	10	4	
Males	68		9	2	2	6 38	8	7 40	14	6	13 34	6	1	1 9	1 3	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	373 66		9	13 2	21 2	6	61 8	7	56 13	45 6	13	28 6	16		1 3	•••••
Indian F $\begin{cases} M \dots \\ F \end{cases}$	366		ļ y	13	21	38	61	39	55	43	33	27	16	8		
Chinese. $\begin{cases} \mathbf{Y} \\ \mathbf{Y} \end{cases}$.	6			¦					1	2	1	1		1		
Japanese $\begin{cases} \mathbf{r} \\ \mathbf{M} \\ \mathbf{r} \end{cases}$						·				• • • • • • • •		'				
Other colored ${M \choose F}$	1					,		1								•••••
DIVORCED. Total	403	1	11	23	32	51	62	62	58	43	31	19	7	. 2	1	
Males	172		' <u>1</u>	4	8	11	30	24	35	21	19	13	3	2		
Females White	392	1	10	19	30	40	61	38 62	23	43	29	19	7	2	1	
Males	168		1	2	7	11	30	24	35	21	18	13	3	2	1	
Females Native	224 299	1	9	18 19	23	38	31 44	38 45	23 43		11 18	6 15	3	2	1	
Males		<u>-</u> -	1		6	7	17	15	·	16	11	11	1		1	
Females	113 186 59	ı	8	17 1	22	31 5	27	30	23 20 9	17	7	4 5	2	2		
Both parents native $\begin{cases} M \\ F \end{cases}$.	114	1	5	10	15	17	16	14	15	10	6	3	2			
One or both parents F :	22 46		2	6	1 4	9	5 10	11	3	3 2	1	1 <u>.</u> .				
Parentage unknown. $\{F\}$	32 26		ì	i	3	5	3	3 5	11 4	5	4	5 1			1	· · · · · · · ·
Foreign	85		1	1	2	11	14	17	12	9	11	3	4			
Males Females	49 36		i	·····i	1	4 7	10	9 8	10 2	5 4	7	1 2	2 2			
Unknown	8				<u></u>	<u> </u>	3		3	1		1				
Males Females	6 2						3		2	i		1			!	
Colored	11		1	3	2	2	1		1	<u> </u>	2			<u></u>		
MalesFemales	4 7		i	· 2	1 1		1				1.					
Negro $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	7		i	2 1	1	2	·····i				1					
Indian F								• • • • • • • •								
Chinese $\left\{egin{array}{ll} M & \cdots \\ F & \cdots \end{array}\right\}$								• • • • • • • • • • • • • • • • • • •								
Japanese ${M \choose F}$							• • • • • • • • • • • • • • • • • • • •									
Other colored $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right]$								_)	1	1			1	- 1	

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

MORTALITY FROM CANCER.

TABLE 5.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, IN THE REGISTRATION STATES, OF SINGLE, MARRIED, WIDOWED, AND DIVORCED PERSONS, AND OF THOSE OF UNKNOWN CONJUGAL CONDITION, BY SEX, AGE, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF-														Deat hs
		Under 25 years.	25 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	at un-
UNKNOWN.																
Total	407	1	15	13	24	28	46	43	55	54	53	39	23	7	1	8
MalesFemales	264 143	1	9	8 5	15 9	15 13	26 20	31 12	38 17	40 14	37 16	23 16	13 10	4 3	i	i
White	353	1	14	11	21	26	44	41	51	51	51	37	23	7	1	4
MalesFemales	252 131	1	8 6	7	14 7	15 11	25 19	30 11	36 15	38 13	35 16	23 14	13 10	4 3	·····i	3
Native	201	. 1	6	6	7	13	24	20	26	25	30	21	17	4		1
$\begin{array}{c} \text{Males}. \\ \text{Females}. \\ \text{Both parents native}. \left(\begin{matrix} M \\ F \end{matrix} \right) \\ \text{One or both parents} \\ \text{foreign}. \\ \text{Parentage unknown}. \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \end{array}$	108 93 60 45 8 27 40 21	1	4 2 4 2	3 3 1 2 3	3 4 1 4	5 8 3 5 1 3	10 14 1 2 4 9 5	14 6 7 4	15 11 10 5 3 5 3	15 10 10 2 2 2 5 6	19 11 12 6 1 2 6 3	9 12 4 7 2 3 3	8 9 5 6	2 2 2 2		1
Foreign	124		7	4	10	9	13	14	18	16	14	12	4	3		
MalesFemales	93 31 - 58		3 4	4	8 2	6 3	9 4 7	12 2 7	14 4	13 3 10	9 5 7	10 2	3 1 2	2 1	1	
Males	51		<u>-</u> -		3	4	6		7	10	- 7	4				3
Females	7 24		1	1 2	1 3	2	1 2	3 2	4	3	2	2			1	1
Males Females M.	12 12 10 12		1	1 1 1	1 2 1 2	2	1 1 1 1	1 1 1 1	2 2 1 2	2 1 1	2	2				1 1
Chinese $\left\{\begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix}\right\}$	2															
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$																

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

.

. ,



LANE MEDICAL LIBRARY

To avoid fine, this book should be returned on or before the date last stamped below.

LANE MEDICAL LIBRARY STANFORD UNIVERS. TY MOD PASTEUR DRIVE PALO ALTO, GALIF. L261 U.S. Bureau of the census U58 Mortality from cancer 1916 in U.S. 43225

